

# TRUCKEE MEADOWS FIRE PROTECTION DISTRICT STAFF REPORT

**Board Meeting Date: November 10, 2020** 

**DATE:** August 10, 2020

**TO:** Truckee Meadows Fire Protection District Board of Fire Commissioners

**FROM:** Alex Kukulus, Deputy Fire Chief

Phone: (775) 328-6125 Email: akukulus@tmfpd.us

**THROUGH:** Charles A. Moore, Fire Chief

Phone: (775) 328-6123 Email: cmoore@tmfpd.us

**SUBJECT:** Recommendation to authorize the sale of 2 surplus 1996 HME Fire Engines in "as is"

condition from the Truckee Meadows Fire Protection District to the Storey County Fire Protection District in the amount of \$10,000 each for a total of \$20,000. These fire engines have reached the end of their useful life pursuant to the District's fire engine

replacement schedule. (All Commission Districts) FOR POSSIBLE ACTION

## **SUMMARY**

This staff report is seeking approval for authorization of the sale of 2 surplus 1996 HME Fire Engines in "as is" condition from the Truckee Meadows Fire Protection District to the Storey County Fire Protection District in the amount of \$10,000 each for a total of \$20,000. These fire engines have reached the end of their useful life pursuant to the District's fire engine replacement schedule.

## PREVIOUS ACTION

None

#### **BACKGROUND**

Statutory Authorization for Sale: NRS 474.160(8)(a) provides that the Board may dispose of property that the District no longer needs. NRS 334.030 allows "any governmental entity to take full advantage of the available surplus properties of any other governmental entity" by allowing governmental entities to sell and buy real and personal property without the need for advertising, bidding or compliance with other similar laws, specifically noting that all other laws, "are suspended to the extent such provisions are inconsistent herewith."

Sale of Reserve Engines: The District owns two (2) HME Fire Engines VIN #44KFT4280TWZ18192 and VIN #44KFT4280TWZ18191 with 123,937 and 93,111 miles, respectively, that have reached the end of their useful like pursuant to the District's fire engine replacement schedule. Storey County seeks to purchase the vehicles in "as is" condition in the amount of \$10,000 each for a total amount of \$20,000.

## FISCAL IMPACT

Both Fire Engines are fully depreciated and have a \$0 book value in the District's financial statements. The \$20,000 in sales proceeds will be deposited into the District's Capital Projects funds to use for future District capital purchases.

### RECOMMENDATION

It is recommended that the Board authorize the sale of 2 surplus 1996 HME Fire Engines in "as is" condition from the Truckee Meadows Fire Protection District to the Storey County Fire Protection District in the amount of \$10,000 each for a total of \$20,000. These fire engines have reached the end of their useful life pursuant to the District's fire engine replacement schedule.

## **POSSIBLE MOTION**

Should the Board agree with staff's recommendation, a possible motion would be:

"I move to authorize the sale of 2 surplus 1996 HME Fire Engines in "as is" condition from the Truckee Meadows Fire Protection District to the Storey County Fire Protection District in the amount of \$10,000 each for a total of \$20,000. These fire engines have reached the end of their useful life pursuant to the District's fire engine replacement schedule."