

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Second 10-Year Maintenance
Plan for the Truckee Meadows
24-Hour PM₁₀ Attainment Area

January 22, 2026

~~June 27, 2024~~



Public Health
Prevent. Promote. Protect.



VISION

A healthy community

MISSION

To improve and protect our community's quality of life and increase equitable opportunities for better health.

Table of Contents

Introduction	1
Maintenance Plan	4
General Conformity.....	4
Attainment Inventory	6
Maintenance Demonstration	9
Motor Vehicles Emissions Budget.....	12
Monitoring Network.....	15
Air Quality Trends.....	16
Verification of Continued Attainment.....	17
Contingency Plan.....	21
Public Review Process	26
Public Comment Period	27
Tables	iv
Figures.....	iv
Acronyms and Abbreviations.....	v

Appendices

Appendix A - Growth Factors for Emissions Projections	
Appendix B - Truckee Meadows Projected PM ₁₀ Seasonal Emissions	
Appendix C - Residential Wood Combustion Emissions Methodology	
Appendix D - Point Source Inventory	
Appendix E - Unpaved Road Fugitive Dust - Seasonal Allocation and Emission Projections	
Appendix F - Commercial Cooking Source Classification Codes	
Appendix G - Contingency Plan Trigger Evaluation of July 26, 2021 PM10 Exceedance due to the Dixie/Tamarack Fires	
Appendix H - Contingency Plan Trigger Evaluation of August 6-7, 2021 PM10 Exceedances due to the Dixie/Antelope Fires	
Appendix I - Contingency Plan Trigger Evaluation of August 17 and 20-26, 2021 PM10 Exceedances due to the Dixie/Caldor Fires	
Appendix J - Contingency Plan Trigger Evaluation of September 11 and 14-16, 2022 PM10 Exceedances due to the Mosquito Fire	
Appendix K - Network Modifications for PM10 Completed in Accordance With 40 CFR 58.14 During First 10-Year Maintenance Period	

Tables

1. Years Covered by the Washoe County PM10 Maintenance Plans with Baseline and Projected Inventory Years	3
2. Truckee Meadows PM ₁₀ Attainment Emission Inventory.....	9
3. Historic Truckee Meadows PM ₁₀ Wildfire Emission Inventories.....	10
4. Truckee Meadows PM ₁₀ Emission Inventories	10
5. Truckee Meadows PM ₁₀ Maintenance Area Emissions Projections	12
6. Truckee Meadows PM ₁₀ Safety Margin.....	13
7. Truckee Meadows PM ₁₀ MVEB	14
8. Active AQMD PM ₁₀ Monitors	16
9. Design Values for First 10-Year Maintenance Period.....	18
10. All Exceedances at All Sites in the MA and Their Concentrations for the First 10-Year Maintenance Period.....	19
11. Potential PM ₁₀ Contingency Measures	25

Figures

1. Washoe County, Nevada.....	1
2. Population Estimate of Hydrographic Area 87 using 2020 Census Blocks	8
3. Current Washoe County PM ₁₀ Monitors	15
4. Truckee Meadows Maximum PM10 24-Hour Concentrations Seasonal Trend (Jan., Nov., Dec.).....	17

Acronyms and Abbreviations

ADT	Average Daily Traffic
AERR	Air Emissions Reporting Rule
AP-42	Compilation of Air Pollutant Emissions Factors
AQMD	Washoe County Health District - Air Quality Management Division
AQS	Air Quality System
AVMT	Annual Vehicle Miles of Travel
CFR	Code of Federal Regulations
CAA	Clean Air Act
CERR	Consolidated Emission Reporting Rule
CM	Contingency Measure
CMTC	Contingency Measure Trigger Calculations
CO	Carbon Monoxide
COVID-19	CoronaVirus Disease of 2019
DBOH	District Board of Health
EC	Elemental Carbon
EE	Exceptional Event
EER	Exceptional Event Rule
EI	Emissions Inventory
EPA	U.S. Environmental Protection Agency
GIS	Geographic Information Systems
HA 87	Hydrographic Area 87
HDDV	Heavy Duty Diesel Vehicle
HWDE	High Wind Dust Event
HYSPLIT	Hybrid Single Particle Lagrangian Integrated Trajectory
INI	Initial Notification
LVMT	Local Vehicle Miles Traveled
MA	Maintenance Area
MSA	Metropolitan Statistical Area
MPO	Metropolitan Planning Organization
$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter
MOVES	Motor Vehicle Emission Simulator
MVEB	Motor Vehicle Emissions Budget
NAAQS	National Ambient Air Quality Standards
NDOT	Nevada Department of Transportation
NSPS	New Source Performance Standard
NCore	National Core Multi-Pollutant Monitoring Station
NAA	Nonattainment area
NO	Nitrogen Oxide
NO ₂	Nitrogen Dioxide
NO _x	Oxides of Nitrogen
NRS	Nevada Revised Statutes
NWS	National Weather Service
OC	Organic Carbon
PM _{2.5}	Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter
PM ₁₀	Particulate Matter less than or equal to 10 microns in aerodynamic diameter
POC	Parameter Occurrence Code

RTC	Regional Transportation Commission of Washoe County, Nevada
RTP	Regional Transportation Plan
RWC	Residential Wood Combustion
SIP	State Implementation Plan
SLAMS	State and Local Air Monitoring Station
SCC	Source Classification Code
SPM	Special Purpose Monitoring
STN	Speciation Trends Network
TAZ	Transportation Analysis Zones
VMT	Vehicle Miles Traveled
WBD	Wood-burning device
WF	Wildfires
ZIP	Zone Improvement Plan

As Revised
November 26, 2025

Introduction


The Washoe County Health District – Air Quality Management Division (AQMD) Maintenance Area (MA) has attained the 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) since 2011.¹ The Redesignation Request and Maintenance Plan for the Truckee Meadows PM₁₀ Nonattainment Area (NAA) was submitted to the Environmental Protection Agency (EPA) on November 7, 2014, and the Truckee Meadows was redesignated to attainment status effective January 7, 2016.²

The Primary PM₁₀ NAAQS is described as a 24-hour average of 150 µg/m³ not to be exceeded more than once per year on average over a three-year period. A design value for PM₁₀ can be determined using the method described in 40 CFR 50 Appendix K by summing the total exceedances of the PM₁₀ NAAQS in a three-year period and dividing this total by three to obtain the average number of expected exceedances per year. For example, AQMD recorded a 2019 PM₁₀ design value of 0.0 expected exceedances at the Toll (32-031-0025) State and Local Air Monitoring Station (SLAMS). This design value was found by adding the total exceedances of the 24-hour standard of 150 µg/m³ in 2017, 2018, and 2019, 0 total exceedances, and dividing this number of total exceedances by three to obtain the annual average of expected exceedances in this period, 0.0. The base emissions inventory year of 2017 from this design value period represents attainment conditions, is used as the basis in projecting emissions into the future, and demonstrates that emissions during the 2nd 10-Year Maintenance Plan period will not lead to a violation of the PM₁₀ NAAQS.

Washoe County is located in the northwest portion of Nevada and is bounded by the states of California, Oregon, and the counties of Humboldt, Pershing, Storey, Churchill, Lyon, and Carson City (Figure 1-1). The Truckee Meadows is approximately 200 square miles in size and situated in the southern portion of Washoe County. It is geographically identified as Hydrographic Area 87 (HA 87) as defined by the State of Nevada, Division of Water Resources. It is surrounded by mountain ranges, which can lead to wintertime temperature inversions. Much of Washoe County's urban population lives in the Truckee Meadows PM₁₀ MA. Anthropogenic activities, such as automobile use and residential wood combustion (RWC), are also concentrated here.

The Truckee Meadows PM₁₀ MA covers an area governed by three political entities the County of Washoe, the City of Reno, and the City of Sparks. The AQMD is the designated agency responsible for air quality management throughout the entire county.

Figure 1
Washoe County, Nevada



¹ [76 FR 21807](#)

² [80 FR 76232](#)

The three SLAMS found in the PM₁₀ MA, Sparks (32-031-1005), Reno4 (32-031-0031), and Toll (32-031-0025), are currently violating the 24-hour PM₁₀ NAAQS due to wildfire smoke impacts from the Antelope, Tamarack, Caldor, Dixie, and Mosquito Fires in the years 2021 and 2022. Exclusion of these exceedances is being done in accordance with the 1st 10-Year Maintenance Plan's contingency plan for the Truckee Meadows Attainment Area; specifically, "Trigger Mechanism "A":

A violation of the 24-hour PM₁₀ NAAQS verified from any SLAMS, Special Purpose Monitor (SPM), or NCore site operated by the AQMD. Violation of the NAAQS is defined as when the expected number of days per calendar year with a 24-hour concentration above 150 µg/m³, as determined in accordance with 40 CFR 50, Appendix K, is greater than one.

To exclude wildfire smoke affected data from contingency plan trigger mechanism, four contingency plan trigger evaluations (Appendices G, H, I, and J) are being submitted with this Second 10-Year Maintenance Plan. To meet the criteria for exclusion under the contingency plan trigger evaluation, these wildfires must meet the requirements of 40 CFR 50 Appendix K, section 2.4 which allows for adjustments in consideration of exceptional events (EE) like wildfires where the inclusion of exceedances or NAAQS averages in the contingency plan trigger calculation resulted in inappropriate estimates of their respective design values. All evaluations provided clear justification for exclusion of 24-hour PM₁₀ exceedances due to wildfire smoke from the contingency plan trigger calculation. AQMD prepared narrative conceptual models found within the contingency plan trigger evaluations in accordance with the Exceptional Events Rule (EER) outlined in 40 CFR 50.14(c)(3)(iv) about how emissions from the Antelope, Tamarack, Caldor, Dixie, and Mosquito Fires in the years 2021 and 2022 caused the PM₁₀ exceedances at Sparks, Reno4 and Toll SLAMS. To support a clear causal relationship between these wildfires and the monitored exceedances, AQMD included a description of the fires and their progression, general meteorological conditions, hourly ambient air quality data compared to nonevent diurnal patterns, satellite imagery of the smoke plumes, Hybrid Single Particle Lagrangian Integrated Trajectory (HYSPLIT) analyses, and National Weather Service (NWS) - Reno Office Area Forecast Discussions.

AQMD prepared these evaluations to build a weight of evidence analysis in order to adequately demonstrate that the 2021 and 2022 exceedances were caused by wildfire events and should be excluded from the contingency trigger calculations. As the exclusion of these events from the contingency trigger calculation does not fall under the list of regulatory determinations for which an EE demonstration is required, AQMD did not formally submit EE demonstrations to be evaluated by the EPA.

This Maintenance Plan was prepared in accordance with Section 175A(b) of the Clean Air Act (CAA) which requires that eight years after redesignation of any area as an attainment area, an additional plan revision for maintaining the primary air quality standard for ten years after the expiration of the initial ten-year period must be submitted to EPA. This Maintenance Plan is being submitted prior to the expiration of the ten-year period. The plan demonstrates continued maintenance of the PM₁₀

standards through 2036 with PM₁₀ expected exceedances at all SLAMS in the MA of less than 1.0 (See Table 1 for a detailed timeline) This plan revises the Motor Vehicle Emissions Budget (MVEB) for 2025 and 2030 established in the first PM₁₀ 10-year Maintenance Plan² and establishes a 2040 motor vehicle emissions budget of 4,609 pounds per day for the Truckee Meadows PM₁₀ MA.

Table 1
Years Covered by the Washoe County PM₁₀ Maintenance Plans
with Baseline and Projected Inventory Years

Years	Maintenance Plan	Baseline Inventory	Projected Inventory	
2011		2011		
2012				
2013				
2014				
2015				
2016			2015	
2017		2017		
2018				
2019				
2020			2020	
2021	1 st 10-Year			
2022				
2023				
2024				
2025			2025	
2026				
2027				
2028				
2029				
2030			2030	
2031	2 nd 10-Year			
2032				
2033				
2035				
2036				
2037				
2038				
2039				
2040				2040

Maintenance Plan

In accordance with Section 175A(b) of the CAA, the AQMD has prepared and is submitting the Second 10-year Maintenance Plan eight years after the redesignation/maintenance plan was approved. The purpose of this revision is to provide for maintenance of the 24-hour PM₁₀ NAAQS for an additional ten years following the first ten-year period. This maintenance plan meets Section 175A requirements by including the following core provisions to ensure continued maintenance of the 24-hour PM₁₀ NAAQS and contains the following sections:

- General Conformity;
- Attainment Inventory;
- Maintenance Demonstration;
- Motor Vehicle Emissions Budget;
- Monitoring Network;
- Air Quality Trends;
- Verification of Continued Attainment
- Contingency Plan; and
- Public Review Process

General Conformity

General conformity is the federal regulatory process for preventing major federal actions or projects from interfering with air quality planning goals. Conformity provisions ensure that federal funding and approval are given only to those activities and projects that are consistent with state air quality implementation plans (SIPs). Conformity with the SIP means that major federal actions will not cause new air quality violations, worsen existing violations, or delay timely attainment of the NAAQS. Current federal rules require that federal agencies use the emissions inventory from an approved SIP's attainment or maintenance demonstration to support a conformity determination. The emissions inventory in this second PM₁₀ maintenance plan may be used for general conformity purposes. A detailed seasonal emissions inventory is provided in Appendix B as references for the future general conformity analysis.

Clean Air Act (CAA) Section 176 states that no federal department may engage in, support, provide financial assistance, license, or approve any activity that does not conform to an approved SIP. The United States Environmental Protection Agency (EPA) promulgated the conformity regulations for general federal actions (75 FR 17254; 40 CFR 51.851; 40 CFR 93 subpart B) under CAA section 176(c). The "General Conformity" Rule sets the requirements a federal agency must meet to make a conformity determination. General conformity does not allow federal agencies and departments to support or approve an action that does any of the following (40 CFR 93.153(g)(1)):

- Causes or contributes to new violations of any NAAQS in an area;
- Interfere with provisions in the applicable SIP for maintenance of any standard;
- Increases the frequency or severity of an existing violation of any NAAQS; or
- Delays timely attainment of any NAAQS or any required interim emission reductions or other milestone.

Examples of general federal actions that may require a conformity determination include, but are not limited to, the following: leasing of federal land, private construction on federal land, reuse of military bases, airport construction and expansions, construction of federal office buildings, and construction or modifications of dams or levees. These actions are further discussed in 40 CFR 93.153.

General conformity requirements (40 CFR 93.153) apply if direct or indirect emissions from a federal action has the potential to exceed the *de minimis* threshold levels established for each criteria or precursor pollutant in a nonattainment area or maintenance area. The thresholds are shown in 40 CFR 93.153(b)(1)(2). For a moderate PM₁₀ nonattainment area and any PM₁₀ maintenance area, the threshold level is 100 tons per year of PM₁₀ or Nitrogen Oxides (NOx).

Direct emissions of a criteria pollutant or its precursors (40 CFR 93.152) are emissions that are caused or created by the federal action and occur at the same time and place as the action. Indirect emissions are reasonably foreseeable emissions that occur within the same nonattainment area as the project but are further removed from the federal action in time and/or distance and can be practicably controlled by the federal agency due to a continuing program responsibility (40 CFR 93.152). A federal agency can indirectly control emissions by placing conditions on federal approval or federal funding. There are certain federal actions listed in 40 CFR 93.153 (c)(2)(i-xxii) that would result in no emissions increase, or an increase in emissions that is clearly *de minimis*. These include but are not limited to continuing and recurring activities such as permit renewals where activities conducted will be similar in scope and operation to the activities currently being conducted, and rulemaking and policy development and issuance.

To meet the conformity determination emissions criteria, the total of direct and indirect emissions from a federal action must meet all relevant requirements and milestones contained in the applicable SIP (40 CFR 93.158(c)), and must meet other specified requirements, such as:

- For any criteria pollutant or precursor, the total of direct and indirect emissions from the action must be specifically identified and accounted for in the applicable SIP's attainment or maintenance demonstration (40 CFR 93.158(a)(1)); or
- For precursors of ozone, nitrogen dioxide, or particulate matter, the total of direct and indirect emissions from the action must be fully offset within the same nonattainment (or maintenance) area through a revision to the applicable SIP or a similarly enforceable emissions control measure in the SIP (40 CFR 93.158(a)(2)).

AQMD does not anticipate that general conformity will be triggered during the maintenance plan through 2036. If general conformity is triggered, the project would be required to reduce emissions to show that there is no emissions increase, or that those emissions are already accounted in the maintenance demonstration. No

additional emissions will be included in the Second Maintenance Plan for projects that would trigger general conformity thresholds.

Attainment Inventory

The AQMD developed a 1988 baseline emissions inventory as part of the “Moderate” PM₁₀ NAA State Implementation Plan (SIP). The 1988 inventory was scaled up to 1990 levels using growth factors based on demographic and economic data. Since 1990, periodic emission inventories have been compiled on a triennial schedule. Although the most recent periodic emission inventory occurred in 2020, due to the Coronavirus Disease of 2019 (COVID-19) effect on emissions from all sources, the 2017 periodic emissions inventory will be used. Emissions during COVID-19 shutdowns were influenced not due to local, state, or federal emission control mitigation strategies or regulations. Subsequently, motor vehicle emissions and economic activity were also influenced due to the circumstances of these shutdowns. For these reasons, the 2020 emissions inventory should not be used to project future emissions for the purposes of this plan. Further, EPA recommended a previous emissions inventory to use as a baseline.

These inventories were prepared using EPA guidance and models. Past year periodic emissions inventories including 2017 are incorporated into the National Emissions Inventory¹ on a three-year schedule per 40 CFR 51.315. Seasonal emissions were derived using seasonal adjustment factors (SAFs) utilizing days, months, and activity/throughput for all source classification codes (SCC) and applying SAFs to annual emission totals. Residential Wood Combustion and Unpaved Roads emissions were recalculated using updated, more accurate methodologies and emissions factors (See Appendix C and E, respectively).

The on-road motor vehicles category incorporated the most recent planning assumptions for the transportation network including VMT and vehicle types and speeds. These planning assumptions were consistent with those used by the metropolitan planning organization (MPO) for their transportation plans. The designated MPO is the Regional Transportation Commission of Washoe County, Nevada (RTC). County VMT data is gathered through the Nevada Department of Transportation’s (NDOT) Annual Vehicle Miles Travel (AVMT) Report for the first year in the Regional Transportation Plan (RTP). NDOT uses automated traffic recorders to measure the VMT for the year. RTC uses this data to project future year VMT using traffic surveys and the travel demand model. Local Vehicle Miles Traveled (LVMT) is defined as the travel that occurs on local roads. The NDOT AVMT Report calculates LVMT for Washoe County in the base year, RTC uses the ratio of travel on local roads from the AVMT report and the projected VMT from the travel demand model to project future year LVMT.

Precursor emissions of PM₁₀ including VOCs, NO_x, and SO_x were determined to be negligible in the First 10-Year Maintenance Plan in reference to the 2011 emissions inventory. There have been no substantial changes to the emissions inventories or new

¹ 2017 National Emissions Inventory (NEI) Data. <https://www.epa.gov/air-emissions-inventories/2017-national-emissions-inventory-nei-data>. Accessed February 23, 2024

major sources within the MA for VOCs, NO_x, and SO_x since 2011. The current attainment SIP for PM₁₀ includes control strategies for direct PM₁₀ source categories that have continued to reduce emissions through the two 10-Year Maintenance Plans. Precursor sources have not been included in these source categories and are not correlated with reductions in PM₁₀ emissions and ambient concentrations. Therefore, the impact of precursor emissions on the 2017 emissions inventory for PM₁₀ is determined to be negligible for this Second 10-Year Maintenance Plan.

Areas near and upwind of the PM₁₀ MA including surrounding hydrographic areas and buffer zone sources within 25 miles have a negligible contribution to ambient air concentrations of PM₁₀.


The data used to derive growth factors for estimating point and nonpoint source emissions were derived from the 2022 Washoe County Consensus Forecast data, National Climatic Data Center, and the 2018 Master Plan and Federal Aviation Administration data. On-road and non-road mobile source emissions for the 2017 EI were estimated using EPA's MOTO Vehicle Emission Simulator (MOVES2014b). The on-road mobile sources emissions were modeled by the RTC using MOVES3 for 2025, 2030, and 2040 and are found in the latest Regional Transportation Plan (RTP) adopted March 19, 2021. Each modeled year was done as a separate MOVES run and did not use 2020 as a baseline year to project future years.

Below is a summary of procedures used to ensure that PM₁₀ emissions were calculated and apportioned accurately for the Truckee Meadows.

Point Sources: Latitude/Longitude coordinates are maintained for each point source. Geographic Information Systems (GIS) software (ArcMap Version 10.8.2) was used to overlay HA 87 onto all point sources to determine if it was to be included in the Truckee Meadows PM₁₀ National Emissions Inventory.

Nonpoint Sources: Nonpoint sources with an AQMD operating permit are managed in the emissions inventory as if it were a point source (see above). Other nonpoint sources are grouped by source classification code (SCC) and assigned a surrogate, which is spatially representative of that process. Typical surrogates are population, dwelling units, employment, and VMT. Surrogates are spatially disaggregated into a variety of geographies such as census areas (blocks, block groups, and tracts), Transportation Analysis Zones (TAZ), and Zone Improvement Plan (ZIP) codes. GIS (ArcMap Version 10.8.2) is used to determine what portion of each surrogate is included in HA 87. This fraction is applied to county-level emissions for each SCC to determine Truckee Meadows PM₁₀ emissions.

Figure 2
Population Estimate of Hydrographic Area 87 using 2020 Census Blocks



Non-Road Mobile Sources: Non-Road Mobile Sources are grouped by SCCs and assigned a surrogate which is spatially representative of that process. Surrogate fractions are applied to county-level emissions for each SCC to determine Truckee Meadows PM_{10} emissions.

On-Road Mobile Sources: The MPO manages the regional transportation demand model. The model includes planning assumptions, such as population and VMT, for each TAZ in the county. GIS software was used to overlay HA 87 onto all TAZs to determine if it was to be included in the Truckee Meadows PM_{10} emissions inventory. Data from TAZs within HA 87 were combined and incorporated into the MOVES3 model to calculate on-road mobile source PM_{10} emissions.

Table 2
Truckee Meadows PM₁₀ Attainment Emission Inventory (lbs/day)

Category	2017
	Attainment Inventory
Point	43
Nonpoint	8,324
Non-Road Mobile	743
On-Road Mobile	<u>954</u>
Total*	10,064

*Totals may not add up due to rounding.

Maintenance Demonstration

Maintaining the PM₁₀ NAAQS may be demonstrated by showing that future emissions will not exceed the level of the attainment inventory. Also, attainment must be demonstrated for the 10-year period following EPA’s approval action on this Second 10-year MA. This Maintenance Plan demonstrates attainment for the second 10-year period (2026-2036). This plan has set conformity budgets for years typically modeled by the MPO (e.g. 2025, 2030, 2040). Even through the 2040 motor vehicle emission budget extends beyond the Second Maintenance Plan period, AQMD does not intend to extend the period during which conformity is required beyond the 20-year period from the effective date of EPA’s approval of the first 10-year maintenance plan.

Truckee Meadows Maintenance Emissions Limit

The 2017 periodic emissions inventory was used as a baseline to develop a maintenance emissions limit for the Truckee Meadows. This limit is the level considered to be sufficient to ensure continued attainment of the NAAQS in future planning years. Growth and control factors were applied to many of the emission categories of the 2017 inventory to generate a 2040 Truckee Meadows emissions budget. The growth factors were based on demographic, economic, VMT, and meteorological data (Appendix A, Table A-1), and the control factors were based on planned emission reduction strategies.

Wildfires within Washoe County have been occurring every emissions inventory year since 2011. To approximate expected wildfire emissions during the PM₁₀ season within the Maintenance Area, an average of the four previous inventory years’ (1999, 2002, 2005, and 2008) equaling 21 lbs/day of wildfire emissions was used for future projected year emissions of 2025, 2030, and 2040. The baseline year of 2017 used the actual 2017 emission inventory number of 26 lbs/day. The rationale is that wildfire emissions alone should not drive future year planning purposes. Any natural events that occur including wildfires that

result in PM₁₀ exceedances and/or NAAQS violations will be treated as exceptional events and will be submitted to the EPA for exclusion if there is an affected regulatory decision.

Table 3
Historic Truckee Meadows PM₁₀ Wildfire Emission Inventories (lbs/day)

Year	PM ₁₀ Emissions
1999	19
2002	40
2005	10
2008	15
2011	10,947
2014	15,610
2017	26
2020	1,238
Average (1999-2008)	21
Average (2011-2020)	7,011

The 2017 Truckee Meadows PM₁₀ maintenance emissions limit will be identified as the attainment inventory because it:

- Uses the most accurate emissions inventory methodologies;
- Is a comprehensive and current emissions inventory;
- Identifies the level of emissions in the Truckee Meadows sufficient to maintain the NAAQS; and
- Will be the emissions inventory most consistent with the 2040 projected inventory required for demonstrating maintenance of the NAAQS.

Table 4
Truckee Meadows PM₁₀ Emission Inventories (lbs/day)

Category	2017	2017
	Periodic Inventory	Maintenance Emission Limit
Point	43	43
Nonpoint	8,329	8,324
Non-Road Mobile	743	743
On-Road Mobile	<u>954</u>	<u>954</u>
Total*	10,068	10,064

*Totals may not add up due to rounding.

Maintenance of the NAAQS

The projected 2040 emissions inventory used the 2017 Truckee Meadows Periodic Emissions Inventory as its baseline except for the wildfire category, which is explained in the previous section. Each of the emission categories in the 2017 Truckee Meadows emissions inventory (Appendix B) were projected to 2040 using one of the following EPA emission methodologies or models.

1. **Baseline Emission Projections:** Washoe County's 2040 population, employment, and VMT forecasts (Appendix A, Table A-1) were used as surrogates to project to the 2040 emissions. These forecasts were consistent with those used by the local MPO.
2. **EPA Models:** To ensure consistency throughout the maintenance demonstration period, the same models were used to estimate the 2040 inventory.

The 2040 on-road vehicles category incorporated the latest planning assumptions of the transportation network including VMT, vehicle speeds, and vehicle population for passenger cars and trucks. As with the previous periodic emission inventories, these planning assumptions were consistent with those used by the MPO for their transportation plans.

3. **Emissions Category Surveys:** Residential wood combustion (RWC) is a significant source of PM₁₀ emissions. The RWC category ~~is~~ *has been* updated on a regular basis via an emission category survey. As part of the *First 10-Year* PM₁₀ Maintenance Plan SIP, the AQMD ~~is~~ committed to conducting this survey at least once every three years. See Appendix C for the methodology used to estimate seasonal emissions from RWC *for this maintenance plan*.

AQMD will discontinue the triennial RWC survey because it is not used as a control strategy for ensuring continued attainment of the PM₁₀ NAAQS. This plan relies on existing regulatory programs and ambient air monitoring data rather than survey-based measures, making continuations of the survey unnecessary.

Table 5 lists the 2017 Truckee Meadows Maintenance Emissions Limit and the 2025, 2030, and 2040 projected emissions for the four major PM₁₀ emissions categories. A more detailed inventory can be found in Appendix B.

Table 5
Truckee Meadows PM₁₀ Maintenance Area Emissions Projections
(lbs / Typical PM₁₀ Season Day)

Category	2017*	2025	2030	2040
Point	43	41	57	69
Nonpoint	8,324	8,202	8,140	7,824
Non-Road				
Mobile	743	321	299	274
On-Road				
Mobile	<u>954</u>	<u>643</u>	<u>665</u>	<u>706</u>
Total**	10,064	9,207	9,160	8,891

* Truckee Meadows Maintenance Emissions Limit.

** Totals may not add up due to rounding.

Summary

Population, households, employment, and VMT are projected to increase through 2040. Federally enforceable PM₁₀ control programs targeting mobile sources and RWC will help offset this growth. Because future emissions are not projected to exceed the level of the 2017 Truckee Meadows Maintenance Emissions Limit, the 24-hour PM₁₀ NAAQS will be maintained through the remaining portion of the attainment demonstration period.

Motor Vehicles Emissions Budget

Transportation conformity is required by Section 176(c) of the CAA. Under EPA's transportation conformity regulations, transportation plans and improvement programs must be consistent with, or conform to, the motor vehicle emissions budget (MVEB) defined in the applicable SIP. These budgets specify the level of the on-road motor vehicle emissions that are consistent with attainment and maintenance of air quality standards and should include an adequate safety margin (40 CFR 93.101).

The MVEB includes on-road vehicles, road construction, paved and unpaved road fugitives, and a safety margin. HDDV idling has been incorporated with on-road vehicles. The safety margin is the excess emissions between the total projected emissions for a specific year and the 2017 maintenance emissions limit (Table 6).

Table 6
Truckee Meadows PM₁₀ Safety Margin (lbs/day)

Category	2025	2030	2040
2017 Maintenance Emissions Limit	10,064	10,064	10,064
PM ₁₀ Maintenance Emissions Inventory	9,207	9,160	8,891
Safety Margin	857	904	1,173

The MVEB is set at a level that keeps the intermediate (2025 and 2030) and horizon year (2040) MA emissions less than the 2017 Truckee Meadows maintenance emissions limit. Because the seasonal 24-hour max concentration for PM₁₀ in 2017 was 17% below the PM₁₀ NAAQS, there is an extra factor of safety built into the MVEB. Transportation conformity ends at the end of this 10-year maintenance plan in 2036 even though the horizon year of this plan is 2040. For years beyond 2040, the MVEB will remain at the 2040 level of 4,609 lbs/day (Table 7). Because of significant updates to emission models, emission methodologies, and planning assumptions, this MVEB will replace the 2025 and 2030 MVEB projections that EPA approved in the first 10-year maintenance plan for PM₁₀. Specifically, The MVEB set for 2025 and 2030 in this plan differs from the values from the first 10-year PM₁₀ maintenance plan due to updates in calculation methodologies, updates to emission factors, and updates to performance standards for certain source types such as motor vehicles and woodstoves.

Consultation among federal, state of Nevada, and local agencies occurred during the development of this motor vehicle emissions budget. The Air Quality Interagency Consultation Group which consists of representatives from EPA, RTC, Nevada Department of Environmental Protection, Federal Highway Administration, and Nevada Department of Transportation meet on a quarterly basis. The September 19, 2023 meeting had a presentation by AQMD staff about the maintenance plan and solicited public comment from the representatives. Prior to this meeting, RTC and EPA were both consulted for a preliminary review. AQMD initiated monthly meetings with EPA for EE demonstrations and this maintenance plan.

Table 7
Truckee Meadows PM₁₀ MVEB (lbs/day)

Category	2017	2025	2030	2040
Road Construction	505	253	269	285
Paved Roads - Fugitives	1409	1,767	1,870	2,015
Unpaved Roads - Fugitives	763	742	653	430
On-Road Vehicles	954	643	665	706
Safety Margin	N/A	857	904	1,173
Motor Vehicle Emissions Budget	N/A	4,262	4,361	4,609

A significant decrease in emissions between 2017 and the rest of the years of the plan for source categories such as road construction, paved road (sanding and salting), on-road vehicles, and non-road mobile sources are explained as follows. The year of 2017 was an abnormally large year for road construction in the Maintenance Area due to the creation of a major arterial road known as Veterans Parkway. This scale of project is not expected to be repeated within the Maintenance Area. The year of 2017 also experienced above average snowfall, causing more emissions from paved road (sanding and salting). This source category is projected using historical averages for snowfall within the Maintenance Area. On-road vehicle emissions and non-road mobile sources are both estimated using MOVES for the baseline year and projected years. Any decrease in emissions from these source categories can be attributed to EPA regulations and EPA assumptions such as the market penetration of electric vehicles, the market penetration of electric non-road equipment, or updated motor vehicle tailpipe emissions standards.


Monitoring Network

The PM₁₀ MA has continued to maintain the PM₁₀ NAAQS. The AQMD has and will continue to operate an appropriate PM₁₀ monitoring network, in accordance with 40 CFR 58, to verify the attainment status of the area. In addition, AQMD's PM₁₀ monitoring network will be reviewed annually pursuant to 40 CFR 58.10 to ensure the network meets all relevant monitoring requirements defined in 40 CFR 58.

All PM₁₀ monitors are located within the Reno-Sparks Metropolitan Statistical Area (MSA) which includes Washoe and Storey Counties. Title 40 CFR 58, Appendix D, Section 4.6 specifies PM₁₀ monitoring requirements in MSAs based on population and design values. The number of PM₁₀ stations in an area where MSA population are from 500,000 to 1,000,000 must be in the range of 4 to 8 stations, depending on ambient concentration levels. The Reno-Sparks MSA population is 506,062 according to Table 5 of the 2023 Ambient Air Monitoring Network Plan.¹ Currently, there are 4 active PM₁₀ monitors. An additional PM₁₀ monitor will be added in calendar year 2025 (Verdi SLAMS) which will be in the MSA and outside of the MA as detailed in the 2023 Ambient Air Monitoring Network Plan and the 2020 Ambient Air Monitoring Network Assessment.²

Ambient PM₁₀ monitoring data will continue to be collected and quality assured in accordance with 40 CFR 58, recorded in the Air Quality System (AQS), and made available for public review via [AirNow](#) and [AirData](#) on a near-real time and monthly

Figure 3
Current Washoe County PM₁₀ Monitors



¹ Washoe County 2023 Ambient Air Monitoring Annual Network Plan. Air Quality Monitoring Webpage. (<https://www.nnph.org/programs-and-services/air-quality/Monitoring.php>). Accessed February 20, 2024

² Washoe County 2020 Ambient Air Monitoring Network Assessment. Air Quality Monitoring Webpage. (<https://www.nnph.org/programs-and-services/air-quality/Monitoring.php>). Accessed February 20, 2024

basis, respectively. Annually, AQMD publishes on OurCleanAir.com a Trends Report¹ detailing all criteria air pollutant trends and previous year high values. Table 8 lists the active PM₁₀ monitors that AQMD currently operates as of December 2023. The MA monitors in Figure 3 and Table 8 are all primary, continuous Federal Equivalent Method (FEM) that are comparable to the NAAQS. The Federal Reference Method (FRM) monitor within the MA at Reno4 is used to satisfy the collocation requirements for NCore stations and is not used to compare to the NAAQS. There are no expected changes to the PM₁₀ monitoring network within the MA during this Second 10-Year Maintenance Plan. If any changes to the monitoring network are needed, AQMD will submit a network modification request pursuant to 40 CFR 58.14.

Table 8
Active AQMD PM₁₀ Monitors

Monitor AQS ID	Station Name	Station Address	City	Monitoring Method
32-031-0031-1*	Reno4	1260-A Stewart St.	Reno	FRM
32-031-0031-2	Reno4	1260-A Stewart St.	Reno	FEM
32-031-1007-1**	Spanish Springs	7200 Pyramid Wy.	Sparks	FEM
32-031-1005-4	Sparks	750 4 th St.	Sparks	FEM
32-031-0025-2	Toll	684A State Route 341	Reno	FEM

*Monitor not comparable to NAAQS


**Monitor outside of the PM₁₀ MA

Air Quality Trends

Ambient air quality data for PM₁₀ is collected through the air monitoring network described in the previous section. The continuous PM₁₀ data is expressed as 24-hour averages in order to compare the data with the 24-hour PM₁₀ NAAQS. This section discusses the 24-hour seasonal PM₁₀ concentrations from the monitoring stations within the Truckee Meadows Maintenance Area. The PM₁₀ season for HA 87 is January, November, and December. Figure 4 shows the maximum 24-hour average PM₁₀ concentrations between 2011 and 2022 during these three months.

¹ Air Quality Management Reports and Data Webpage (<https://www.nnph.org/programs-and-services/air-quality/air-quality-reports-and-data.php>). Accessed February 16, 2024

Figure 4
Truckee Meadows Maximum PM₁₀ 24-Hour Concentrations
Seasonal Trend (Jan., Nov., Dec.)



*High Wind affected days flagged using IJ Qualifier Code in AQS.

Verification of Continued Attainment

As described in the previous section, the AQMD will continue to operate and maintain an appropriate PM₁₀ monitoring network. Ambient air monitoring data will be used to verify attainment and maintenance of the 24-hour PM₁₀ NAAQS. Table 9 shows design values for each monitoring site in the MA for the first 10-year maintenance period. Table 10 shows all 24-hour PM₁₀ exceedances at each site, the date in which it was recorded, and their concentrations.

Table 9
Design Values for First 10-Year Maintenance Period

Monitor (AQS ID and POC)	2016	2017	2018	2019	2020	2021	2022
Toll (32-031-0025-81102-2)	0.3	0.3	0.0	0.0	1.0	4.0	5.3
Sparks (32-031-1005-81102-4)	0.0	0.0	0.0	0.0	1.0	2.7	3.0
Reno4 (32-031-0031-81102-2)	n/a	n/a	n/a	n/a	0.3*	2.7**	3.7
Reno3 (32-031-0016-81102-1)	0.0	0.0	0.0	0.0	n/a	n/a	n/a
Plumb/Kit (32-031-0030-81102-1)	0.0	0.0	n/a	n/a	n/a	n/a	n/a
South Reno (32-031-0020-81102-2)	0.0	0.0	n/a	n/a	n/a	n/a	n/a

*Only one valid year of monitoring data

**Only two valid years of monitoring data

Table 10
All Exceedances at All Sites in the MA and Their Concentrations for the First 10-Year Maintenance Period ($\mu\text{g}/\text{m}^3$)

	Toll	Sparks	Reno4	Reno3	Plumb/Kit	South Reno	Galletti
2014	-	-		-	-	-	09/18 159
2015	02/06 155	-		-	-	-	
2016	-	-		-	-	-	
2017	-	-		-	-	-	
2018	-	-		-	-	-	
2019	-	-		-	-	-	
2020	09/08 192	09/08 194	09/08 196				
	09/15 158	09/12 177	-				
	09/16 156	09/13 175	-				
2021	08/06 156	07/26 174	07/26 171				
	08/17 161	08/07 163	08/07 198				
	08/20 176	08/21 190	08/21 200				
	08/21 204	08/23 214	08/22 210				
	08/22 261	08/24 168	08/23 304				
	08/23 319	-	08/24 233				
	08/24 284	-	08/25 164				
	08/25 211	-	-				
	08/26 174	-	-				
2022	09/11 173	09/14 231	09/14 177				
	09/14 187	-	09/15 162				
	09/15 230	-	09/16 220				
	09/16 192	-	-				

In both Tables 9 and 10, gray cells indicate no data captured during that year due to discontinuation of the monitor (see Appendix K for all applicable monitoring network modifications completed in accordance with 40 CFR 58.14 during this period). Black cells indicate years prior to a monitor being active. In this case, Reno4 started on January 1, 2020. Green cells indicated the design value period of the 2017-2019 used the attainment design value period. Red cells indicate the post-design value period.

Tracking actual emissions can identify potential increases in ambient PM₁₀ levels. The AQMD has ~~three~~ **two** existing mechanisms to track emissions. These mechanisms, listed below, will remain in place, and be used to screen for significant increases in actual PM₁₀ emissions.

1. Periodic Emissions Inventories: The AQMD will continue to prepare, and submit to EPA, comprehensive periodic PM₁₀ emissions inventories on a triennial schedule. The last periodic emissions inventory was prepared for calendar year 2020.
2. Consolidated Emissions Reporting Rule (CERR) and Air Emissions Reporting Rule (AERR): The CERR and AERR simplify and streamline emissions reporting requirements. It requires regular updates of point and area sources within Washoe County. The AQMD will continue to meet the requirements of the CERR and AERR.
- ~~3. Residential Wood Use Survey: Residential wood combustion is a significant PM₁₀ source during the winter season. The AQMD has completed twelve residential wood use surveys between 1993 and 2022. These surveys estimated the device (fireplaces, woodstoves, and pellet stoves) population, amount of wood burned, and PM₁₀ emissions in Washoe County. As part of this maintenance plan, as well as the carbon monoxide (CO) maintenance plan, the AQMD is committed to conducting this survey at least once every three years.~~

AQMD's Compliance Branch will continue to ensure compliance with our federally enforceable, local air quality regulations. Compliance staff will inspect for permit conditions, respond to complaints, and patrol and enforce emergency episode curtailments in the wintertime. Cases of non-compliance are assembled by the compliance staff for the Enforcement Panel to make a penalty recommendation to the District Board of Health.

When wintertime curtailments are issued by the District Health Officer (Control Officer), the compliance staff will patrol neighborhoods for visible smoke from chimneys. They also respond to complaints made by the public during those curtailments. If continued non-compliance is observed from the homeowner or permittee during curtailments, penalties may be assessed.

The new source performance standard¹ (NSPS) for wood-burning devices (WBD) resulted in a local rule revision to AQMD's local regulation (DBOH Regulations Governing Air Quality Management [PART 040.051](#)) that further strengthened with replacement of

¹ [85 FR 18448](#)

older, higher emitting WBDs with cleaner burning devices upon home transaction and limiting installation of new WBDs that meet the 2020 NSPS within HA 87 to property sizes greater than one acre.

AQMD's Street Sanding and Sweeping Program (DBOH Regulations Governing Air Quality Management [PARTS 040.031](#) and [040.032](#)) is another component to control PM₁₀. Each jurisdiction (City of Reno, City of Sparks, Washoe County, and NDOT) is required to submit its sanding and sweeping report on an annual basis by June 30, which includes date of each storm event, amount of sand and salt or brine applied to roadways, as well as the sand pick up date after each storm event.

There has been a gradual shift over the last several years from sand to more brine solutions for roadway deicing. The shift was in part due to the proactive approach taken by the jurisdictions to apply the brine solutions before an impending storm to prevent accidents. In doing so, it also saves vehicle fuel, reduces emissions, and lowers the need for manpower and time associated with sand removal after a storm event. Continued ambient air monitoring, emissions tracking, and enforcement will ensure verification of continued attainment and maintenance of the 24-hour PM₁₀ NAAQS for this category of seasonal emissions.

Contingency Plan

Section 175A of the CAA requires that a maintenance plan include contingency provisions, as necessary, to promptly correct any violation of the PM₁₀ NAAQS that occurs after redesignation of the area. The plan should clearly identify:

- Specific indicators, or triggers, which will be used to determine when contingency measures need to be implemented;
- The contingency measures to be adopted;
- A schedule and procedure for adoption and implementation; and
- A specific time limit for action.

Contingency provisions are traditionally held in reserve and are implemented only if air quality deteriorates beyond a specific level. In general, exceedances or violations of the PM₁₀ NAAQS are acceptable triggers for contingency plan implementation. Under this contingency plan trigger process, implementation of the contingency plan will be required when the number of exceedances recorded at a monitor averaged over three consecutive years, is greater than 1.05. The contingency plan trigger process, however, allows an exceedance to be excluded from this calculation. There may be exceedances of the PM₁₀ NAAQS caused by high wind dust events (HWDE) or wildfires (WF), despite the implementation of reasonable controls. All ambient air quality data including PM₁₀ will be reviewed every quarter no later than two weeks prior to the quarterly data submittal deadlines as described in 40 CFR 58.16(b) as a part of the Quality Assurance (QA) quarterly review conducted by the QA Manager as described in the Quality Assurance Project Plan (QAPP) approved by EPA on December 10, 2019. This review includes AQS reports to ensure data completeness and data quality indicators are met and exceedances are documented. Hourly or daily NAAQS violations will be determined

during these quarterly reviews. Annual NAAQS violations are determined during annual data certification which is no later than May 1 of the following year.

To ensure appropriate implementation of the contingency plan, the following process will be used for evaluating the exclusion of particular NAAQS exceedance due to HWDE or WF events from contingency measure trigger calculations (CMTC) that determine when the trigger for contingency measures (CM) has occurred. AQMD will submit to EPA an exclusion request for an exceedance that AQMD is proposing to exclude from CMTC and that AQMD believes meet the CMTC exclusion screening criteria set forth below. Exceedances proposed for exclusion need to have been flagged with exceptional events flags in AQS. The exclusion request shall contain the following elements:

- For each group of exceedances associated with an “event” proposed to be excluded, a brief description of the event, including event type: WF or HWDE. An event cannot be a hybrid type: WF and HWDE.
- Identification of the dates, monitors, and air pollutant concentrations to be excluded. This should be in the same format as for Initial Notification of Potential Exceptional Event (EE/INI). If the exceedance was already listed in an EE/INI submitted to EPA, attach that EE/INI.
- Information describing how the exceedance(s) meet the CMTC exclusion screening criteria.

Upon receipt of the exclusion request, EPA will review the request and provide a response. The response will comprise:

- A request for additional information; or
- EPA’s agreement for exclusion of one or more of the requested exceedances; or
- EPA’s rejection of exclusion of one or more of the requested exceedances.

EPA’s agreement for exclusion of an exceedance from the CMTC does not constitute concurrence that the exceedance was caused by an EE.

If AQMD disagrees with EPA’s rejection of a requested exceedance, AQMD may submit an EE demonstration. While EPA is reviewing the full EE demonstration, the AQMD will proceed with the contingency process (with the exceedance included in the CMTC) due to the time requirements of the full EE process. EPA’s review of the EE demonstration will result in the following:

- If EPA reviews and concurs with the EE demonstration, the exceedance is not included in the CMTC.
- If EPA reviews and does not concur with the EE demonstration, the exceedance is included in the CMTC.

Evaluation of Potential HWDE Events to Exclude from CMTC

No later than 90 days after the conclusion of each calendar quarter, AQMD will submit to EPA the exclusion request for any proposed exceedances that occurred during the previous quarter or notify EPA that no exceedance occurred. EPA will review and respond to the exclusion request, as described above.

HWDE CMTC Exclusion Screening Criteria:

- Where there were multiple monitors in the specified area(s), whether there were exceedances at multiple monitors in the specified areas indicating it's a regional event, hourly and 24-hour average concentrations (i.e. > 2 monitors/exceedance day);
- Wind speed \geq 25 mph in vicinity of exceeding monitors and/or in source area (if source area is sufficiently distant from the area with the exceeding monitors) with increase in hourly PM_{10} .
 - Can be supported by wind speed/direction and HYSPLIT showing the dust was transported to the monitor;
 - NOAA LCD/NWS hourly observation tables
 - If using met data from the monitors, the wind speed shall be averaged at 2-min or greater
- Spatial/temporal consistency of reduced visibility (< 10 miles) and increase in hourly PM_{10} .
- Issuance of NWS advisories or warnings in the specified forecast areas consistent with increase in hourly PM_{10} .
- Summaries of dust complaints and/or notice of violations (e.g., no dust complaints are received, or supporting information that dust complaints do not involve anthropogenic source(s) located upwind of an exceeding monitor).
- If any of the above five criteria is not met, or if other available data contradict the assessment, prior to submittal of the exclusion request, AQMD will confer with EPA to discuss possible additional information and analysis to include in the exclusion request to support exclusion of the exceedance. This additional information and analysis might include:
 - More detailed analysis of upwind wind speed and direction;
 - Additional PM_{10} and/or $PM_{2.5}$ concentrations from non-regulatory monitors in the area;
 - Additional HYSPLIT back-trajectory analysis;
 - satellite image or remote sensing analysis;
 - an evaluation of upwind source area (including further evaluation of dust complaints/NOVs or known contributing anthropogenic sources);
 - PM speciation or $PM_{10}/PM_{2.5}$ ratio analysis; and/or
 - other event specific analysis needed to appropriately determine cause of exceedance.

Evaluation of Potential WF Events to Exclude from CMTC

No later than 90 days after the conclusion of each calendar quarter, AQMD will submit to EPA the exclusion request for any proposed exceedances that occurred during the previous quarter or notify EPA that no exceedance occurred. EPA will review and respond to the exclusion request, as described above.

WF CMTC Exclusion Screening Criteria:

- Specifically named fires and locations of the fires for those days, description of surface and met conditions during the event.
- Evidence of impact on the ground (PM₁₀ concentration clearly higher than non-event related concentrations, PM concentrations for each day and how they compare to historical PM concentrations for that season, e.g., what percentile are they).
- Evidence of fire emissions transport (some examples may include: HYSPLIT trajectory analysis or satellite plume imagery, upwind wind speed and direction, smoke map progression).
- Issuance of NWS advisories or warnings in the specified forecast areas consistent with increase in concentration.
- Spatial/temporal consistency between supposed arrival of fire emissions and increase in PM₁₀ concentrations based on one or more WF indicators (e.g. NO, NO₂, CO/NO_x ratios, CO/PM₁₀ ratios, PM₁₀/PM_{2.5} ratios, OC/EC ratios, PM speciation data).
- If any of the above criteria is not met, or if other available data contradict the assessment, prior to submittal of the exclusion request, AQMD will confer with EPA to discuss possible additional information and analysis to include in the exclusion request to support exclusion of the exceedance. This additional information and analysis might include:
 - Additional PM₁₀ and/or PM_{2.5} concentrations from non-regulatory monitors in the area;
 - Additional HYSPLIT back/forward-trajectory analysis;
 - satellite image or remote sensing analysis;
 - Q/D (ratio of fire emissions/distance) \geq 100 tpd/km.)

If monitoring data indicates a PM₁₀ violation, then the Contingency Plan begins control measure development and implementation.

Contingency Plan

Trigger Mechanism: A violation of the 24-hour PM₁₀ NAAQS verified from any SLAMS, SPM, or NCore site operated by the AQMD that is not determined to be the result of an exceedance due to an exceptional event. Violation of the NAAQS is defined as when the expected number of days per calendar year with a 24-hour concentration above 150 $\mu\text{g}/\text{m}^3$, as determined in accordance with 40 CFR 50, Appendix K, is greater than one.

Contingency Measure: The AQMD will maintain a list of potential contingency measures and provide recommendations for implementation to the DBOH. Recommendations to the DBOH shall occur at their next regularly scheduled meeting, but no later than 45 days after reaching Trigger Mechanism levels. The recommendations will also include a timeline for adoption and implementation. Contingency measures recommended to the DBOH shall be adopted and implemented as promptly and expediently as possible. Any rule revision should be adopted and implemented before the next PM₁₀ season (November,

December, and January). Prompt action and implementation of contingency measures may prevent future exceedances and violations of the PM₁₀ NAAQS.

The list of potential contingency measures will concentrate on the significant emission categories impacting PM₁₀ season emissions. Table 11 summarizes the current list. Because of changes in growth and technology, the effectiveness of each measure may vary over time. A triennial review and reprioritization of the measures in coordination with the periodic PM₁₀ emissions inventory should be adequate to anticipate the need for additional emission reductions. In addition, the EPA Regional Office will be notified within 30 days of implementation of Contingency Measure.

Should a contingency measure be inadequate or not listed, and Washoe County has jurisdiction and authority to control the source of a PM₁₀ NAAQS violation, this maintenance plan and/or revise the Washoe County Portion of the Nevada SIP to allow for the control of that source.

Table 11
Potential PM₁₀ Contingency Measures

Emission Category	Potential Contingency Measure
Paved Roads	<ul style="list-style-type: none"> • Increase stringency of street sanding and sweeping programs • Transportation control measures to reduce VMT
Unpaved Roads	<ul style="list-style-type: none"> • Improve unpaved roads and shoulders • Post speed limits to decrease vehicle speeds • Restrict access to decrease ADT and VMT
Dust Control	<ul style="list-style-type: none"> • Phased mass grading • Mass grading allocation system • Stabilize projects during PM₁₀ season • Decrease one acre dust control permit exemption
Residential Wood Combustion	<ul style="list-style-type: none"> • Increase one acre lot size exemption • Mandatory curtailment at lower PM₁₀ concentrations • Change-out program to cleaner burning device
Mobile Sources (Diesel)	<ul style="list-style-type: none"> • Non-road & on-road diesel engine repowers and rebuilds • Non-road & on-road diesel tailpipe controls • Truck Stop Electrification systems for heavy-duty vehicles • Fleet modernization • More stringent inspection & maintenance program of light-duty, medium-duty vehicles, and heavy-duty vehicles

Summary

The AQMD Contingency Plan meets Condition 5.e of the Calcagni Memorandum¹ by promptly and expediently addressing future exceedances of the PM₁₀ NAAQS with clearly defined trigger mechanisms, contingency measures, adoption schedules, and implementation schedules.

Public Review Process

AQMD will hold a 30-day public comment period for this Second 10-Year Maintenance Plan. AQMD will post a public notice requesting comments on OurCleanAir.com and via AQMD's listserv email with a link to an electronic copy of this Second 10-Year Maintenance Plan. The notice will detail the 30 days in which the public can review this Second 10-Year Maintenance Plan and the public hearing and potential adoption date by the District Board of Health. *If a public hearing is requested*, the public hearing and adoption will also be publicly noticed in the Reno Gazette Journal newspaper three times prior to the public hearing and adoption as required by the Nevada Revised Statutes (NRS) Chapter 238 – Legal Notices and Advertisements.

¹ "Procedures for Processing Requests to Redesignate Areas to Attainment." John Calcagni, Director. Air Quality Management Division (MD-15). September 4, 1992. <https://www.epa.gov/ground-level-ozone-pollution/procedures-processing-requests-redesignate-areas-attainment>. Accessed August 10, 2023

Public Comment Period

This maintenance plan was available to the public from ~~April 5, 2024~~ **November 26** to ~~May 5, 2024~~ **December 26, 2025** on the AQMD website (OurCleanAir.com). AQMD issued a [press release](#) on ~~April 5, 2024~~ **November 26, 2025** to inform the public of the comment period. The press release provides a web link to the draft maintenance plan and explains how to submit written comments during the comment period. ~~At the time of the public comment, the exceptional event demonstration example found in Appendix G has since been renamed with the contingency plan trigger evaluation language due to its lack of regulatory impact.~~ **No comments or requests for a public hearing were received during the public comment period**

~~One comment was received during the public comment period. The document was not revised in response to the comment since the comment was a general comment in support. The comment, along with AQMD's response are included below.~~

Appendix A

Growth Factors for Emissions Projections

Appropriate and reasonable growth and control assumptions ensure that planning emissions for 2017 through 2040 are realistically projected. Control factors were developed based on historic data and reasonable assumptions.

Growth and control factors for each emission category are listed in Table A-1. Detailed data for the growth factors are further listed. Portions of the growth factors are based on various data from the Washoe County Consensus Forecast, used by the MPO in the 2050 RTP. Airport passenger data was from the 2018 Master Plan and Federal Aviation Administration data. Population and employment data are not specifically included in the main body of the RTP, but were used as inputs for the transportation model that generates VMT data.

The historic climatic data were obtained from the National Oceanic and Atmospheric Agency, with future data based on 15-year normal averages between 2006 and 2020 for January, November, and December.

Growth rates for population and households for 2017 are from the Nevada State Demographer. Growth rates for employment for 2017 are from the Nevada Department of Employment, Training, and Rehabilitation.

Population residing within HA 87 calculated to be 67% based on 2020 Census block data (See Figure 2).

Data for 2020 are listed, but not included in the growth rate calculation and projections due to impacts from the COVID-19 pandemic.

Table A-1
Growth Factors for 2025-2040 Projection for the Truckee Meadows Hydrographic Area

Growth Factors	2017	2020	2025	2030	2040	Reference
Uniform (UNI)	1.000		1.000	1.000	1.000	---
Vehicle Miles Traveled (VMT)	5,862,502	6,728,714	7,165,610	7,539,191	8,179,769	RTC of Washoe County; "2050 Regional Transportation Plan." Table C-5. December 22, 2022
Ratio using 2017 Baseline	1.000		1.222	1.286	1.395	
						NDOT AVMT 2017 & 2020 Reports
Local Vehicle Miles Traveled (LVMT)	674,447	777,981	828,495	871,689	945,753	RTC of Washoe County; "2050 Regional Transportation Plan." Table C-5. December 22, 2022
Ratio using 2017 Baseline	1.000		1.228	1.292	1.402	
						NDOT AVMT 2017 & 2020 Reports
Population (POP)	302,788	329,571	340,109	358,534	388,391	2022 WC Consensus data, as interpreted by RTC of Washoe County; "2050 Regional Transportation Plan", December 22, 2022
Ratio using 2017 Baseline	1.000		1.123	1.184	1.283	
Annual Population Growth Rate (PGR)	1.018		1.006	1.011	1.008	2022 WC Consensus data, as interpreted by RTC of Washoe County; "2050 Regional Transportation Plan", December 22, 2022
Ratio using 2017 Baseline	1.000		0.989	0.993	0.990	
Households (HH)	123,085	133,972	138,256	145,745	157,883	2022 WC Consensus data. Population per Household (PPH) is 2.46
Ratio using 2017 Baseline	1.000		1.123	1.184	1.283	
Annual Household Growth Rate (HHGR)	1.018		1.006	1.011	1.008	2022 WC Consensus data, as interpreted by RTC of Washoe County; "2050 Regional Transportation Plan", December 22, 2022
Ratio using 2017 Baseline	1.000		0.989	0.993	0.990	
Employment (EMP)	268,372	291,431	327,485	343,713	373,604	2022 WC Consensus data
Ratio using 2017 Baseline	1.000		1.220	1.281	1.392	
Annual Employment Growth Rate (EGR)	1.020		1.025	1.010	1.009	2022 WC Consensus data
Ratio using 2017 Baseline	1.000		1.005	0.990	0.989	
Ag/Mining/Constr Employment (AMC)	14,590	14,878	15,594	16,404	17,391	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.069	1.124	1.192	
AMC Emp Growth Rate (AMCGR)	1.009		1.010	1.010	1.006	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.001	1.002	0.997	
Mfg/Trans/Com/Util/wholesale (MTCUW)	25,975	26,502	27,847	29,214	31,124	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.072	1.125	1.198	
MTCUW Emp Growth Rate (MTCUWGR)	1.009		1.010	1.010	1.007	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.001	1.001	0.998	
Service & Office Emp (SVOOF)	82,981	85,169	89,631	92,926	101,242	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.080	1.120	1.220	
SVOOF Emp Growth Rate (SVOOGR)	1.010		1.010	1.007	1.009	TAZ based employment data within HA 87 used by RTC of Washoe County in the "2050 Regional Transportation Plan," December 22, 2022
Ratio using 2017 Baseline	1.000		1.000	0.997	0.999	
RNO Airport Passenger (AP)	4,015,381	1,953,874	3,563,570	5,320,000	6,660,000	Reno-Tahoe Airport Authority 2018 Master Plan and Federal Aviation Administration data. 2017 & 2020 is actual data, the rest projected
Ratio using 2017 Baseline	1.000		0.887	1.325	1.659	
Airport Passenger Growth Rate (APGR)	1.073		1.165	1.099	1.025	Reno-Tahoe Airport Authority 2018 Master Plan and Federal Aviation Administration data. 2017 & 2020 are actual data, the rest projected
Ratio using 2017 Baseline	1.000		1.086	1.024	0.956	
Heating Degree Days (HDD)*	2,356	2,330	2,403	2,403	2,403	National Climatic Data Center 2017 & 2020 Local Climatological Data
Ratio using 2017 Baseline	1.000	0.989	1.020	1.020	1.020	
Rainfall >= 0.01 inch (Rain)*	21	11	17	17	17	National Climatic Data Center 2017 & 2020 Local Climatological Data
Ratio using 2017 Baseline	1.000	0.524	0.810	0.810	0.810	
Snowfall >= 1 inch (SNO)*	6	1	3	3	3	National Climatic Data Center 2017 & 2020 Local Climatological Data
Ratio using 2017 Baseline	1.000	0.167	0.500	0.500	0.500	
Episodic RWC EI Factors:						
Rule Penetration	0.87	0.87	0.87	0.87	0.87	"Washoe County District Health Department; Air Quality Management Division; Residential Wood Use Survey"; InfoSearch; May 2016
Rule Effectiveness	0.76	0.76	0.76	0.76	0.76	
Control Efficiency	1.00	1.00	1.00	1.00	1.00	
* Includes Jan, Nov, & Dec., 2025 - 2040 data are 15-year normal from 2006-2020						
Note: The population and employment data are not specifically included in the main body of the RTP, but were used as inputs for the transportation model that generates VMT data. These data (25, 30, and 40) came from 2022 Washoe County Consensus Forecast.						
Assumed 67% of Washoe County population resides in HA 87.						

Appendix B

Truckee Meadows Projected PM₁₀ Seasonal Emissions

As Revised
November 26, 2025

**Table B-1
Truckee Meadows PM₁₀ Seasonal Emissions (lbs/day)**

Major Category	Sub-Category (SCC)	2017		Growth Surrogate	2017		2025		2030		2040	
		EI	Episodic EI		Maint Em Limit	Maint Capacity	EI	Episodic EI	EI	Episodic EI	EI	Episodic EI
POINT SOURCES												
	Geothermal (20100102)	0	0	POP	0	0	0	0	0	0	0	0
	Bulk Fuel Terminal (40400250)	1	1	POP	1	1	1	1	1	1	1	1
	Airports & Heliports (See Table D-1)	34	34	AP	34	41	30	30	45	45	57	57
	Rail Yard (28500201)	8	8	EMP	8	10	10	10	10	10	11	11
	Buffer Zone (N/A)	1,936	1,936	POP&EMP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	subtotal without Buffer Zone	43	43		43	52	41	41	57	57	69	69
	subtotal	1,979	1,979									
NONPOINT SOURCES												
Stationary Source Fuel Combustion												
	Industrial Fuel Combustion (21020 - 04002, 06000)	4	4	EMP	4	4	4	4	5	5	5	5
	Com/Inst Fuel Combustion (21030 - 04002, 06000, 11000)	12	12	EMP	12	14	14	14	15	15	16	16
	Res. Fuel Combustion (21040 - 04000, 06000, 07000, 11000)	21	21	HH&HDD	21	25	24	24	25	25	27	27
	Res. Wood Combustion											
	Fireplaces (2104008100)	2,517	853	UNI&HDD&EF	2,517	3,045	2,362	800	2,233	757	1,977	670
	Woodstoves/Inserts											
	Pre 1992 (2104008310)	478	162	Appendix C	478	579	389	132	328	111	205	69
	Post 1992 (2104008320)	422	143	Appendix C	422	510	499	169	533	180	567	192
	Pellet Stoves (2104008400)	32	11	HH&HDD	32	39	37	12	39	13	42	14
	subtotal	3,485	1,205		3,485	4,216	3,329	1,156	3,177	1,106	2,838	994
Industrial Processes												
	Chemical Manufacturing (2301000000)	4	4	EMP	4	5	5	5	5	5	6	6
	Commercial Cooking (See Table F-1)	508	508	POP	508	615	571	571	602	602	652	652
	Food & Kindred Products - Manufacturing (2302000000)	192	192	EMP	192	232	234	234	246	246	267	267
	Mineral Processes (2305000000)	56	56	EMP	56	68	68	68	72	72	78	78
	Rubber/Plastic Processes (2308000000)	92	92	EMP	92	111	112	112	117	117	128	128
	Fabricated Metals (2309000000)	38	38	EMP	38	46	47	47	49	49	53	53
	Construction - Stationary											
	Road Construction (2311030000)	505	505	RD CON(RTP)	505	611	253	253	269	269	285	285
	Residential Dust Projects (Non-Road Const.) (2311010000)	483	483	PGR	483	584	477	477	480	480	478	478
	Commercial Dust Projects (Non-Road Const.) (2311020000)	213	213	EGR	213	258	214	214	211	211	211	211
	Mining and Quarrying - Stationary (2325030000)	77	77	EMP	77	93	94	94	98	98	107	107
	Miscellaneous Industrial Processes (2399000000)	6	6	EMP	6	7	7	7	7	7	8	8
	subtotal	2,174	2,174		2,174	2,630	2,082	2,082	2,156	2,156	2,273	2,273
Other Solvent Utilization												
	Misc. Industrial Processes (2440000000)	3	3	EMP	3	3	3	3	3	3	4	4
	subtotal	3	3		3	3	3	3	3	3	4	4
Waste Disp/Treat/Recovery												
	Commercial/Industrial Incineration (2601030000)	0	0	EMP	0	0	0	0	0	0	0	0
	subtotal	0	0		0	0	0	0	0	0	0	0
Misc. Non-Point Sources												
	Paved Road Fugitive Emissions (2294000000)	1,409	1,409	VM(T)(RTP)	1,409	1,704	1,767	1,767	1,870	1,870	2,015	2,015
	Paved Road Fugitive Emissions, Sanding & Salting (2294000000)	429	429	SNO	429	519	214	214	214	214	214	214
	Unpaved Road Fugitive Emissions (2296000000)	763	763	Appendix E	763	923	742	742	653	653	430	430
	Wildfires (2810001000)	26	26	UNI	21	25	21	21	21	21	21	21
	Structure Fires (2810030000)	-	-	UNI	-	-	-	-	-	-	-	-
	Motor Vehicle Fires (2810050000)	-	-	UNI	-	-	-	-	-	-	-	-
	Firefighting Training (2810035000)	-	-	UNI	-	-	-	-	-	-	-	-
	Open/Permit Burning (2610000400)	-	-	UNI	-	-	-	-	-	-	-	-
	Prescribed Burning (2810005001)	-	-	UNI	-	-	-	-	-	-	-	-
	Refuse Fires (2610030000)	19	19	UNI	19	23	19	19	19	19	19	19
	Assay Labs (2851001000)	0	0	EMP	0	0	0	0	0	0	0	0
	Human & Animal Cremation (2810060 - 100, 200)	21	21	POP	21	26	24	24	25	25	27	27
	subtotal	2,667	2,667		2,662	3,220	2,787	2,787	2,803	2,803	2,727	2,727
	TOTAL NONPOINT SOURCES	8,329	6,048		8,324	10,070	8,202	6,029	8,140	6,068	7,842	5,997
NON-ROAD MOBILE SOURCES (various between 2260001010 - 2285006015)												
	CNG Engines	1	1	MOVES	1	1	1	1	1	1	1	1
	Diesel Engines	503	503	MOVES	503	608	102	102	65	65	15	15
	Gasoline Engines	224	224	MOVES	224	271	198	198	211	211	233	233
	LPG Engines	5	5	MOVES	5	6	8	8	9	9	10	10
	Locomotives	10	10	EMP	10	12	12	12	13	13	14	14
	subtotal	743	743		743	898	321	321	299	299	274	274
ON-ROAD MOBILE SOURCES (various between 2201110080 - 2209620080)												
	On-Road Vehicles	954	954	MOVES(RTP)	954	1,154	643	643	665	665	706	706
	subtotal	954	954		954	1,154	643	643	665	665	706	706
	Grand Total	10,068	7,788		10,064	12,174	9,207	7,034	9,160	7,089	8,891	7,046
	Safety Margin						857		904		1,173	
	MVEB						4,262		4,361		4,609	

Appendix C

Residential Wood Combustion Emissions Methodology

Residential wood combustion (RWC) is a significant source of PM₁₀ in the Truckee Meadows. The RWC category *has been* updated on a regular basis via an emission category survey. As part of the *First 10-Year* PM₁₀ Maintenance Plan SIP, the AQMD *is* committed to conducting this survey at least once every three years.¹ *After approval of AQMD's Second 10-Year PM₁₀ Maintenance Plan, AQMD will no longer complete this survey.* The survey used for the 2017 emissions inventory calculation was completed for the 2015-2016 winter season.

An adjustment factor based on heating degree days (HDD) was applied to the 2017 RWC emission to calculate the emissions from 2025 through 2040. Projected HDDs were determined using the National Climatic Data Center 15-year HDD average (Table A-1). Table C-1 is a summary of the adjustment methodologies used to project future RWC emissions. This estimate is conservative and assumes that projected PM₁₀ emissions stay consistent with the heating degree days and allowable future RWC devices within the Truckee Meadows. RWC in the Truckee Meadows is controlled by regulation [PART 040.051](#) that: 1) is permanent and enforceable, 2) restricts installation of new wood burning devices, and 3) requires uncertified devices to be upgraded or removed upon real estate transactions.

Table C-1
Truckee Meadows PM₁₀ Emission Projection Calculation Methodologies for RWC

RWC Device	Future Emission Projection Methodology	Rationale
Fireplaces	Device number set at 2017 EI level, adjusted by HDD.	No new fireplaces can be installed within the Truckee Meadows unless the property is greater or equal to 1 acre in size.
Pre 1992 Woodstoves	Device number decreases by 71 per annum from 2017 EI level, based on the average number of devices removed from 2013 - 2017, adjusted by HDD.	Uncertified woodstoves are prohibited from installation within the Truckee Meadows and are removed upon real estate transactions.
Post 1992 Woodstove	Device number increases by 69 per annum from 2017 EI level, adjusted by HDD.	Woodstove replacement numbers are gathered by the AQMD's wood burning device program. 1 st time installation of woodstove is not included due to restrictions on installation with HA 87.
Pellet stoves	Device number is constant, emissions adjusted by HDD.	Pellet stoves are subject to PART 040.051. Wood use survey shows low numbers of pellet stoves in HA 87. AQMD expects negligible

¹ "Redesignation Request and Maintenance Plan for the Truckee Meadows 24-Hour PM10 Nonattainment Area." Washoe County AQMD. August 28, 2014. <https://www.nnp.org/files/air-quality/sip/pm10-sip-2014-08-28.pdf>. Accessed December 28, 2023

		changes in amount of pellet stoves in the future.
--	--	---

Table C-2

Emissions Calculation Table for Wood Stoves

Year	No. of Devices		Wood Density (lbs/cord)	PM ₁₀ EF (lbs/ton)		Avg wood consumption (cords/device/year)		PM ₁₀ Emissions (lbs/day)	
	Pre 92	Post 92		Pre 92	Post 92	Pre 92	Post 92	Pre 92	Post 92
2017	2813	2612	2889	20	14.6	0.93	1.21	478	422
2025	2245	3026	2889	20	14.6	0.93	1.21	382	489
2030	1890	3233	2889	20	14.6	0.93	1.21	321	522
2040	1180	3440	2889	20	14.6	0.93	1.21	201	556

Emissions Calculation Equation:

Since wood-burning does not happen all year long, AQMD had to calculate a seasonal adjustment factor (SAF) for the PM₁₀ season. See equation below.

$$SAF = \frac{U_s * O_A}{O_s}$$

Where:

- U_s = Seasonal Usage Percentage
- O_A = Annual Months of Operation
- O_s = Seasonal Months of Operation

Residential wood-burning emissions are calculated using the equation below:

$$E_{Daily} = \frac{N_D * W_C * \rho_w * EF * SAF}{2000 * O_d * O_w}$$

Where:

- E_{Daily} = Daily emissions (lbs/day)
- N_D = Number of devices
- W_C = Average Annual Wood Consumption (cords/year)
- ρ_w = density of wood (lbs/cord)
- EF = Emission Factor (lbs of emission/ton of wood burned)
- SAF = Seasonal Adjustment Factor
- O_d = Weekly days of operation (days/week)
- O_w = Annual weeks of operation (weeks/year)

Equation inputs and their sources:

N_D : The number of devices in 2017 was established using the 2015-2016 Wood Use survey. The rate that Pre 92 stoves decreases in the future was estimated using average wood stove removal data for the 5 years prior to 2017. The rate that Post 92 stoves increases in the future was estimated using average wood stove replacement data for the 5 years prior to 2017. See table C-3 below for wood stove removal/replacement data.

Table C-3
2013-2017 Wood Stove Removal/Replacement data from Notice of Exemption Program

Wood Stove Removal/Replacement		
Year	Removed	Replaced
2013	88	83
2014	63	80
2015	50	85
2016	66	57
2017	88	40
Avg	71	69

W_C : Average wood consumption is calculated using the 2015-2016 Wood Use survey. Respondents that have a wood stove are asked to quantify their annual wood consumption and then the rate of wood consumption is calculated in cords per device.

ρ_w : Average wood density is calculated using the 2015-2016 Wood Use survey. Respondents that have a wood stove are asked what type of wood they use. Average wood density is then calculated based on their response.

EF : Emission factors for wood stoves are taken from AP-42 Chapter 1.10 – Residential Wood stoves. The emission factor for fireplaces is taken from updated emissions factor used in 2020 National Emissions Inventory (23.6 lb/ton) which uses a different source.² This emission factor for fireplaces is used in the EPA Wagon Wheel Tool.

SAF : The seasonal adjustment factor was determined using wood burning usage data from the 2018-2019 wood use survey. The 2018-2019 survey included questions that allowed a more accurate PM_{10} seasonal adjustment factor to be calculated. The seasonal adjustment factor includes seasonal usage percentage (U_s) which was determined to be 58% from the wood use survey for wood stoves and 64% for fireplaces. The annual months of operation (O_A) is 6 months and the seasonal months of operation (O_s) is 3 months.

O_d : The weekly days of operation are 7 days a week.

O_w : The annual weeks of operation are 26 weeks. Wood burning is assumed to be half the year in our region.

² Houck, J.E., J. Crouch, and R.H. Huntley. 2001. Review of Wood Heater and Fireplace Emission Factors. Technical presentation at the International Emission Inventory Conference. Denver, CO.

Appendix D

Point Source Inventory

Point sources in the Truckee Meadows maintenance area are a small contributor to overall PM₁₀ concentrations. Table D-1 below shows all point sources located within the maintenance area.

Table D-1: List of all point sources in Truckee Meadows maintenance area

Source Name	EIS Facility ID	Sub-Category	Associated SCC(s)
Ormat	5148111	Geothermal	20100102
SFPP	5148411	Bulk Fuel Terminal	40400250
Reno-Tahoe International Airport	9376411	Airport/Heliport	2265008005, 2267008005, 2268008005, 2270008005, 2275001000, 2275020000, 2275050000, 2275050011, 2275050012, 2275060000, 2275060011, 2275060012, 2275070000
Northern Nevada Medical Center	11405411		
REMSA Care Flight	12147411		
Renown Regional Medical Center	11405111		
St. Mary's Regional Medical Center	12146911		
Sparks Rail Yard	14444711	Rail Yard	28500201

Point Source Emissions Calculation Methodology:

Ormat: Ormat owns and operates a geothermal power plant within the maintenance area. The PM₁₀ emissions that come from the source are generated by emergency back up generators that are onsite. The emissions from these generators are calculated with activity data (annual hours of usage, annual diesel throughput) acquired by AQMD and emission factors based on the Tier rating of the engine. Those emissions are disaggregated evenly over the year with a seasonal adjustment factor (SAF) of 1. As can be seen in Table B-1 in Appendix B, the emissions from these engines create less than 1 pound per day of PM₁₀.

SFPP: The bulk fuel terminal owned by SFPP, LP, utilizes a thermal oxidizer that generates small amounts of PM₁₀ emissions. The PM₁₀ emissions from this source are calculated by the permit holders and submitted annually to AQMD. The source uses AP-42 Section 1.5 emission factors and the amount of fuel routed to the thermal oxidizer to calculate annual PM₁₀ emissions. Those emissions were disaggregated evenly over the year with a SAF of 1.

All airports/heliports: There is one airport within the maintenance area and multiple heliports associated with the healthcare industry within the maintenance area. The heliports contribute negligible PM₁₀ emissions to the maintenance area. PM₁₀ emissions

for Reno-Tahoe International Airport were calculated by EPA based on landing/takeoff (LTO) data. AQMD disaggregated and adjusted this data to the PM₁₀ season using actual LTO data received from Reno-Tahoe International Airport. It was found that 23% of the flights in 2017 occurred during the PM₁₀ season. The SAF of 0.92 was found using the equation described in Appendix C.

Sparks Rail Yard: PM₁₀ emissions for the rail yard located within the maintenance area was found using 2017 diesel throughput data supplied by Union Pacific railroad for the Sparks Rail Yard. The emission factor used is sourced from Table 6 of EPA's 2009 Technical Highlights Emission Factors for Locomotives.¹ The annual emissions were disaggregated evenly over the year with a SAF of 1.

As Revised
November 26, 2025

¹ <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100500B.txt>

Appendix E

Unpaved Road Fugitive Dust – Seasonal Allocation and Emission Projections

Since Unpaved Road Fugitive Dust (SCC: 2296000000) emissions are a more complicated source category, this appendix is written to explain how the emissions are allocated to the maintenance area and adjusted to the PM₁₀ season. The methodology for projecting Unpaved Road Fugitive Dust emissions is also included in this appendix.

Seasonal/Spatial Allocation:

As per the 2017 National Emissions Inventory (NEI), an estimated 1703 tons of PM₁₀ is emitted in Washoe County per year due to fugitive dust on unpaved roads. As recommended by EPA, these emissions are adjusted to the Truckee Meadows maintenance area using GIS data from Open Street Map for unpaved roads in Washoe County and the Maintenance Area. Using ArcMap 10.8.2, AQMD found that 8.81% of the unpaved roads in Washoe County are located in the maintenance area. Additionally, AQMD calculated a seasonal adjustment factor for the PM₁₀ season using Automated Traffic Recorders (ATRs) located in the maintenance area. The seasonal adjustment factor was found to be 0.928. The equation below shows the 2017 emissions adjusted seasonally to the maintenance area.

$$763 \frac{\text{lbs}}{\text{day}} = \frac{1703 \frac{\text{tons}}{\text{year}} \times 2000 \frac{\text{lbs}}{\text{ton}} \times 8.81\% \times 0.928}{365 \frac{\text{days}}{\text{year}}}$$

Emission Projections

Unpaved road fugitive dust is expected to change in the future based on Local Vehicle Miles Traveled (LVMT). Since local roads are the closest road type to unpaved roads, the changes in travel on local roads is used as a proxy for the changes in travel expected on unpaved roads. Changes in LVMT through the maintenance period are shown in Table A-1. Additionally, unpaved road emissions are projected to decrease over time as more roads are paved and the maintenance area continues to develop. It is expected that paved road miles will increase annually at 2.6% in the maintenance area based on historical changes to paved road miles. This factor was also used to project forward in AQMD's 1st 10-Year Maintenance Plan for PM₁₀. Table E-1 below shows emission projections through the end of the maintenance period. As can be seen in the emissions projections, the projected decrease in unpaved road miles in the maintenance area is more impactful than the projected increase in LVMTs.

Table E-1: Unpaved road fugitive PM₁₀ emissions projections through 2040

Year	2017	2025	2030	2040
Unpaved Road Fugitive Emissions (lbs/day) (SCC: 2296000000)	763	742	653	430

Appendix F

Commercial Cooking Source Classification Codes (SCCs)

Table F-1: Commercial Cooking SCCs by Process

Commercial Cooking Process	Associated SCC
Charbroiling, ConveyORIZED	2302002100
Charbroiling, Under-fired	2302002200
Deep Fat Frying	2302003000
Flat Griddle Frying	2302003100
Clamshell Griddle Frying	2302003200
Wood Oven (Charbroiling)	2302002000
BBQ Smoke (Charbroiling)	2302002000

As Revised
November 26, 2025

Appendix G

Contingency Plan Trigger Evaluation of July 26, 2021 PM₁₀ Exceedance due to the
Dixie/Tamarack Fires

As Revised
November 26, 2025

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Contingency Plan Trigger Evaluation
of July 26, 2021 PM₁₀ Exceedance
due to Dixie/Tamarack Fires



Public Health
Prevent. Promote. Protect.



VISION

A healthy community

MISSION

To improve and protect our community's quality of life and increase equitable opportunities for better health.

Table of Contents

1.0 Introduction	1
1.1 Purpose	1
1.2 Contingency Plan Trigger Procedure.....	1
1.3 Public Comment Process	2
1.4 Agency Contacts	2
2.0 Conceptual Model	3
2.1 Regional Description.....	3
2.2 Overview of Monitoring Network	5
2.3 Characteristics of Non-event PM ₁₀ Concentrations.....	7
2.4 Description of Fires that caused PM ₁₀ Exceedance.....	11
2.5 PM ₁₀ Air Quality Impacts from the Dixie and Tamarack Fires	14
3.0 Not Reasonably Controllable or Preventable	23
4.0 Clear Causal Relationship	24
4.1 Fire Emissions Analysis	24
4.2 Comparison of Event PM ₁₀ Concentrations to Historical Concentrations	25
4.3 Methods for Determining the Presence of Wildfire Smoke.....	28
4.4 Trajectory Analysis.....	38
4.5 Pollution Rose Analysis	49
4.6 Conclusion Showing a Clear Causal Relationship	50
5.0 Natural Event or Human Activity Unlikely to Recur	51
6.0 Public Outreach	52
7.0 Conclusions and Recommendations	58
Figures.....	iii
Tables.....	iv
Acronyms and Abbreviations	v

Appendices

- Appendix A – Public Comment Plan
- Appendix B – Exceptional Event Initial Notification
- Appendix C – 2021 Data Certification Letter
- Appendix D – AQS Report Showing RT Flags Applied

Figures

Figure 2-1: Washoe County, NV	3
Figure 2-2: Washoe County Health District-AQMD Ambient Air Monitoring Sites	6
Figure 2-3: PM ₁₀ Emissions by Source Category	7
Figure 2-4: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Reno4	9
Figure 2-5: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Sparks	10
Figure 2-6: The Dixie and Tamarack Fire in Relation to Washoe County	12
Figure 2-7: The Drought Conditions at the Time of the Tamarack and Dixie Fires	13
Figure 2-8: 24-hour PM ₁₀ Concentrations in July 2021	15
Figure 2-9: Satellite Imagery from July 22, 2021	17
Figure 2-10: Satellite Imagery from July 26, 2021	18
Figure 2-11: Satellite Imagery from July 28, 2021	19
Figure 2-12: Daily Weather Maps for July 22, 2021	20
Figure 2-13: Daily Weather Maps for July 26, 2021	21
Figure 2-14: Daily Weather Maps for July 27, 2021	22
Figure 4-1: 2016-2020 PM ₁₀ Diurnal Pattern Comparison to Exceedance at Reno4	26
Figure 4-2: 2016-2020 PM ₁₀ Diurnal Pattern Comparison to Exceedance at Sparks	27
Figure 4-3: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Reno4 in July 2021	28
Figure 4-4: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Sparks in July 2021	29
Figure 4-5: 2016-2020 PM _{2.5} Diurnal Pattern Comparison to Exceedance at Reno4	30
Figure 4-6: 2016-2020 PM _{2.5} Diurnal Pattern Comparison to Exceedance at Sparks	31
Figure 4-7: PM _{2.5} /PM ₁₀ Ratios throughout July 2021	33
Figure 4-8: Hourly PM _{2.5} /CO at Reno4 on July 26, 2021	34
Figure 4-9: Hourly PM _{2.5} /CO at Sparks on July 26, 2021	35
Figure 4-10: Hourly PM ₁₀ /CO at Reno4 on July 26, 2021	36
Figure 4-11: Hourly PM ₁₀ /CO at Sparks on July 26, 2021	37
Figure 4-12: AirNow-Tech Navigator with HMS Smoke Layer from July 26, 2021	39
Figure 4-13: Backward Trajectory from Reno4 Starting July 26, 2021 at 0000 PST	40
Figure 4-14: Backward Trajectory from Sparks Starting July 26, 2021 at 0000 PST	41
Figure 4-15: Backward Trajectory from Reno4 Starting July 27, 2021 at 0000 PST	42
Figure 4-16: Backward Trajectory from Sparks Starting July 27, 2021 at 0000 PST	43
Figure 4-17: Forward Trajectory from Tamarack Fire Starting July 25, 2021 at 0000 PST	44
Figure 4-18: Forward Trajectory from Dixie Fire Starting July 25, 2021 at 0000 PST	45
Figure 4-19: Forward Trajectory from Tamarack Fire Starting July 26, 2021 at 0000 PST	46
Figure 4-20: Forward Trajectory from Dixie Fire Starting July 26, 2021 at 0000 PST	47
Figure 4-21: PM ₁₀ Wind/Pollution Rose for Sparks and Reno4 for July 22-26	49
Figure 6-1: Public Notification of Poor Air Quality on the day of the Exceedance	53
Figure 6-2: Air Quality Forecast Issued on the day of the Exceedance	54
Figure 6-3: Be Smoke Smart Social Media Post from the day of the Exceedance	55
Figure 6-4: NWS-Reno Post that was Retweeted by AQMD	56
Figure 6-5: Press Release from AQMD During Wildfire Event	57

Tables

Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)	4
Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021	5
Table 2-3: PM ₁₀ Data Requested to be Excluded	14
Table 4-1: PM ₁₀ Emissions Calculations for the Period Prior to the Exceedance	24
Table 4-2: PM _{2.5} /PM ₁₀ Ratios at Reno4.....	32
Table 4-3: PM _{2.5} /PM ₁₀ Ratios at Sparks	32

As Revised
November 26, 2025

Acronyms and Abbreviations

AGL	Above Ground Level
AQI	Air Quality Index
AQMD	Washoe County Health District - Air Quality Management Division
AQS	Air Quality System
CAA	Clean Air Act
CFR	Code of Federal Regulations
CO	Carbon Monoxide
EE	Exceptional Event
EPA	U.S. Environmental Protection Agency
°F	Degrees Fahrenheit
FCCS	Fuel Characteristic Classification System
HA 87	Hydrographic Area 87
HMS	Hazardous Mapping System
HYSPLIT	Hybrid Single-Particle Lagrangian Integrated Trajectory
Lbs	Pounds
µg/m ³	Micrograms per cubic meter
MPH	Miles Per Hour
NAAQS	National Ambient Air Quality Standards
NAM	North American Mesoscale
NSPS	New Source Performance Standards
NOAA	National Oceanic and Atmospheric Administration
NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NO _x	Nitrogen Oxides
NO _y	Reactive Nitrogen Compounds
NWS	National Weather Service
O ₃	Ozone
PG&E	Pacific Gas and Electric
PM	Particulate Matter
PM _{2.5}	Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter
PM ₁₀	Particulate Matter less than or equal to 10 microns in aerodynamic diameter
ppm	Parts Per Million
PST	Pacific Standard Time
R ²	Coefficient of Determination
SO ₂	Sulfur Dioxide
TSP	Total Suspended Particles

1.0 Introduction

1.1 Purpose

The analysis in this report demonstrates that the exceedance of the primary and secondary 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) recorded on July 26, 2021, at the Sparks and Reno4 air monitoring sites were caused by the Dixie and Tamarack wildfires. Pursuant to “Contingency Plan “A”” of the First 10-Year Maintenance Plan, the data from exceptional events may be excluded from contingency plan trigger calculations for PM₁₀ NAAQS. Washoe County Health District Air Quality Management Division (AQMD) prepared this evaluation of the exceedance in order to exclude all PM₁₀ data from the Reno4 (AQS ID: 32-031-0031-81102-2) and Sparks (AQS ID: 32-031-1005-81102-4) PM₁₀ primary monitors on July 26, 2021. Exclusion of the data caused by this exceptional event will have an impact on contingency plan evaluation.

1.2 Contingency Plan Trigger Procedure

The contingency plan for the Truckee Meadows Maintenance area is described in AQMD’s First 10-Year PM₁₀ Maintenance Plan. The First 10-Year PM₁₀ maintenance plan describes that a contingency measure is triggered when a violation of the NAAQS is determined in accordance with Appendix K of 40 CFR Part 50. Appendix K of 40 CFR Part 50 states that the inclusion of data from exceptional events may result in inappropriate estimates of exceedances or averages, and it may be appropriate to discount the event from those calculations. The CAA 319(b) includes four requirements that, collectively, define an exceptional event:

1. The event affected air quality,
2. The event was not reasonably controllable or preventable,
3. The event was caused by human activity that is unlikely to recur at a particular location or was a natural event,
4. The event is determined by the Administrator through the process established in the regulations promulgated under the Exceptional Events Rule to be an exceptional event.

In accordance with the Exceptional Events Rule, this wildfire evaluation includes the following elements:

1. A narrative conceptual model; (See **Section 2** of this document)
2. A demonstration that the event affected air quality in such a way that there exists a clear causal relationship between the specific event and the monitored exceedance; (See **Section 4** of this document)
3. Analyses comparing the claimed event influenced concentrations at the monitoring site; (See **Section 4** of this document)
4. A demonstration that the event was both not reasonably controllable and not reasonably preventable; (See **Section 3** of this document)
5. A demonstration that the event was a human activity unlikely to recur at a particular location or was a natural event. (See **Section 5** of this document)

1.3 Public Comment Process

This evaluation was available for public comment from October 26 to November 26, 2023 at the AQMD website (OurCleanAir.com). A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact. See Appendix A for AQMD's Public Comment Plan.

1.4 Agency Contacts

For information or questions regarding this contingency plan evaluation, please contact the following individuals of the AQMD.

Francisco Vega, Division Director
(775) 784-7211, or fvega@nnph.org

Craig Petersen, Supervisor, Monitoring and Planning
(775) 784-7233, or cpetersen@nnph.org

Brendan Schnieder, Senior Air Quality Specialist
(775) 784-7207, or bschnieder@nnph.org

Matt McCarthy, Environmental Engineer II, Project Manager
(775) 784-7217, or mmccarthy@nnph.org

Ben McMullen, Air Quality Specialist
(775) 784-7208, or bmcmullen@nnph.org

As Revised
November 26, 2025

2.0 Conceptual Model

2.1 Regional Description

Washoe County is located in the northwest portion of Nevada. It is bounded by California, Oregon, and the Nevada counties of Humboldt, Pershing, Storey, Churchill, Lyon, and Carson City (Figure 2-1). The Truckee Meadows is approximately 200 square miles in size and situated in the southern portion of Washoe County. It is geographically identified as Hydrographic Area 87 (HA 87) as defined by the State of Nevada, Division of Water Resources. Most of Washoe County's population lives in and around the Truckee Meadows.

The Truckee Meadows sits at an elevation of 4,400 feet above sea level and is surrounded by mountain ranges. To the west, the Sierra Nevada rises to elevations of 9,000 to 11,000 feet. Hills to the east reach 6,000 to 8,000 feet. The Truckee River, flowing from the Sierra Nevada eastward, drains into Pyramid Lake to the northeast of the Truckee Meadows.

Climate

Average annual wind speed measured at the Reno-Tahoe International Airport is 6.4 miles per hour (mph). January is the calmest month (4.5 mph) with April being the windiest (8.3 mph). Wintertime (November-January) averages 4.9 mph and summertime (June-August) averages 7.2 mph.

Most of Reno's precipitation falls from November through March in the form of rain and snow. Reno receives an average of 7.35 inches of precipitation per calendar year (1991-2020 climate normals). Table 2-1 lists temperature and precipitation normals as measured at the Reno-Tahoe International Airport.

Figure 2-1
Washoe County, Nevada




Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)

Month	Temperature (°F)			Precipitation (inches)
	Maximum	Minimum	Mean	Mean
January	47.7	26.1	36.9	1.25
February	52.1	29.0	40.6	1.03
March	59.2	34.0	46.6	0.80
April	64.7	38.5	51.6	0.44
May	74.1	46.6	60.3	0.55
June	84.6	53.8	69.2	0.41
July	93.9	60.4	77.2	0.20
August	92.1	58.1	75.1	0.24
September	83.8	50.3	67.0	0.21
October	70.4	39.7	55.1	0.50
November	56.7	31.0	43.8	0.62
December	46.7	25.7	36.2	1.1

Maximum temperatures of 90 °F or above normally occur between July 3 and August 21. Maximum temperatures typically peak at 94 °F between July 22 and July 29.

Demographics

The 2020 population of Washoe County was 486,492. Approximately two-thirds of Washoe County’s residents live in the Truckee Meadows, which includes the cities of Reno and Sparks. Anthropogenic activities such as transportation, manufacturing, freight distribution, and residential wood use are also concentrated in the Truckee Meadows.

Seasons

Washoe County experiences two distinct air pollution seasons - wintertime particulate matter (PM) and summertime ozone (O₃). Wildfire smoke throughout the year, especially during the summer months, can dramatically increase summertime PM and O₃.

Wintertime temperature inversions combined with light winds can contribute to elevated levels of Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter (PM_{2.5}), Particulate Matter less than or equal to 10 microns in aerodynamic diameter (PM₁₀), Nitrogen Dioxide (NO₂), and Carbon Monoxide (CO). Inversions are common in mountain valleys such as the Truckee Meadows. Air pollution episodes persist until stronger winds scour the cold air out of the valley and break the temperature inversion.

Northern Nevada receives an abundant amount of sunshine and solar radiation during the summer months. Mobile sources (i.e., cars and trucks) emit O₃ precursors and their activity

increases during the summer. Ozone concentrations are typically highest between May and September, especially during the months of June, July, and August.

Strong winds can occur at any time of year. Two-minute gusts over 40 mph are not uncommon. These winds lower the gaseous pollutant (O₃, CO, NO₂, and SO₂) concentrations but typically increase PM levels, especially PM₁₀. Hourly PM₁₀ levels can reach more than 500 micrograms per cubic meter (µg/m³) for several hours.

Attainment Status

All areas of Washoe County currently attain or are unclassifiable for all National Ambient Air Quality Standards (NAAQS). However, portions of Washoe County had previously been designated non-attainment for the following NAAQS: 1) 1971 Total Suspended Particles (TSP) (24-hour and Annual); 2) CO (8-hour); 3) 1979 O₃ (1-hour); and 4) 1987 PM₁₀ (24-hour and Annual). Some pollutants and standards, such as 1-hour O₃ and TSP, have been revoked and no longer apply. For the other pollutants, CO and PM₁₀, the HA 87 planning area was redesignated to maintenance after the standard was met. Since the 1970's, AQMD has implemented control strategies to target mobile sources, wood-burning devices, and dust control to achieve attainment with the NAAQS.


2.2 Overview of Monitoring Network

In 2021, the Washoe County Health District, Air Quality Management Division (AQMD) operated seven ambient air monitoring sites in Washoe County (Figure 2-2). The blue boundary delineates HA 87 as defined by the State of Nevada, Division of Water Resources. Table 2-2 lists the parameters monitored in 2021, sorted by site.

Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021

Site	O ₃	CO	Trace CO	Trace NO	NO ₂	NO _x	Trace NOy	Trace SO ₂	PM ₁₀	PM _{2.5}	PM _{coarse}	PM _{2.5} Speciation	Meteorology
Incline	✓												
Lemmon Valley	✓												
Reno4	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
South Reno	✓												✓
Sparks	✓	✓							✓	✓	✓		✓
Spanish Springs	✓								✓	✓	✓		
Toll	✓								✓	✓	✓		✓

Figure 2-2: Washoe County Health District - AQMD Ambient Air Monitoring Sites



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE




The AQMD's ambient air monitoring network meets the minimum monitoring requirements for all criteria pollutants pursuant to Title 40, Part 58 of the Code of Federal Regulations (CFR), Appendix D. Washoe County's monitoring network is reviewed annually pursuant to 40 CFR 58.10 to ensure the network meets the monitoring objectives defined in 40 CFR 58, Appendix D. Data was collected and quality assured in accordance with 40 CFR 58 and submitted to the Air Quality System (AQS). Additionally, 2021 data was certified on April 26, 2022. (See Appendix C).

2.3 Characteristics of Non-event PM₁₀ Concentrations

Without exceptional events, ambient PM₁₀ concentrations within Washoe County are under the limit of the PM₁₀ NAAQS standard. This is because the PM₁₀ emissions that Washoe County produces have been regulated through different policy instruments such as a dust control program, New Source Performance Standards (NSPS) for wood-burning devices, and street sanding/sweeping regulations. Figure 2-3 shows that Washoe County produces 38,833 lbs/day of PM₁₀ emissions as per the 2020 Periodic Emissions Inventory. This includes emissions from wildfires within the Washoe County limits. Emissions from purely anthropogenic sources make up about 31,786 lbs/day.

Figure 2-3: PM₁₀ Emissions by Source Category



Based on historic, non-event PM₁₀ monitoring data for the previous six years, below are the characteristics of PM₁₀ levels throughout the year in the Truckee Meadows.

1. October through March: Ambient PM₁₀ concentrations are relatively high during the colder months because some Washoe County residents utilize wood-burning devices for heat. Additionally, PM₁₀ concentrations can increase after snowstorms due to local street sanding and sweeping. The Truckee Meadows region also struggles with inversion layers in which cold air gets trapped at ground level, causing poor atmospheric mixing. This inhibits PM emissions from leaving the air basin and can

cause higher concentrations of PM_{10} . Despite this, the region rarely experiences 24-hour PM_{10} averages over $100 \mu\text{g}/\text{m}^3$ during these times.

2. April through June: Ambient PM_{10} concentrations during this period are usually the lowest of the year. With higher temperatures, there is less residential wood-burning. Additionally, soil generally hasn't been dried by high temperatures such as what could be seen at the end of summertime. Wind speeds are higher in the spring which helps with air mixing and vacating any PM_{10} buildup from the region.
3. July through September: Ambient PM_{10} concentrations are the highest during this time period. This coincides with the wildfire season in the western United States. Although wildfire season is sometimes described as June-August, changes in climate in the western United States has caused wildfire smoke impacts to be more commonly felt in September rather than June. The Washoe County area has been impacted by wildfire events during these months for nine out of the last ten years. The main source of anthropogenic PM_{10} emissions during this time comes from fugitive dust that has been dried after months of high temperatures.

The wildfire events that have caused exceedances have occurred in the July through September period. For the purpose of this evaluation, it is worthwhile to evaluate the diurnal pattern of PM_{10} concentrations during this time period. Figure 2-4 and Figure 2-5 below shows the 2016-2020 PM_{10} diurnal pattern for non-event days at both the Reno4 and Sparks monitors with the 5th, 50th, and 95th percentile included. Throughout the day, PM_{10} concentrations generally rise and peak between the hours of 5:00 PST and 11:00 PST.

As Reviewed,
November 26, 2023

Figure 2-4: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Reno4





Figure 2-5: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Sparks



2.4 Description of Fires that caused PM₁₀ Exceedance

Tamarack Fire



On July 4, 2021, the Tamarack Fire ignited on U.S. Forest Service land in the Humboldt-Toiyabe National Forest in Alpine County, California, approximately 60 miles south of the Truckee Meadows region. The fire started as a single tree on a rocky ridgetop that had been struck by lightning. At the time, 23 other lightning fires were burning so the decision was made to not fight the fire and just monitor the fire, due to the rugged terrain in the area. Around July 16, high wind and low humidity caused the fire to spread rapidly. Fire crews then fought the fire until the fire was fully contained on October 25, 2021. In total, the Tamarack fire burned 68,637 acres with a perimeter illustrated in Figure 2-6.

Dixie Fire

On July 13, 2021, the Dixie fire ignited on U.S. Forest Service land in the Plumas National Forest in Butte County, California, approximately 90 miles northwest of the Truckee Meadows region. The fire started when a tree fell onto a PG&E power transmission line and one of the fuses remained active, causing electric arcing onto wildfire fuels below. From then on, the fire grew rapidly over the next few months with some days showing an increase of up to 100,000 acres burned. Fire crews fought the fire until it was announced as fully contained on October 25, 2021. In total, the Dixie Fire burned 963,309 acres with a perimeter illustrated in Figure 2-6.

An important factor in the start of these fires was dry wildfire fuels. The fires took place in areas that were considered to be either Extreme or Exceptional Drought based on the U.S. Drought Monitor. Figure 2-7 shows what the U.S. Drought Monitor was on July 27, 2021 and illustrates how dry the wildfire fuels were at that time.

Figure 2-6: The Dixie and Tamarack Fire in Relation to Washoe County



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE





Figure 2-7: The Drought Conditions at the Time of the Tamarack and Dixie Fires



2.5 PM₁₀ Air Quality Impacts from the Dixie and Tamarack Fires

2.5.1 Data Requested to be Excluded

As was mentioned in Section 1.1 of this document, the purpose of this evaluation is to request exclusion of air quality data from contingency plan trigger calculations that were due to exceptional events. Table 2-3 below shows the data that is requested to be excluded as part of this evaluation and the corresponding 24-hour PM₁₀ NAAQS averages. AQMD is requesting exclusion of all hourly PM₁₀ data points on the day of the exceedance from 0000 PST through 2300 PST. For a complete list of each data point to be excluded, see Appendix D of this document.


Table 2-3: PM₁₀ Data Requested to be Excluded

Monitoring Site (AQS ID)	7/26/2021
Reno4 (AQS ID: 32-031-0031-81102-2)	171 µg/m ³
Sparks (AQS ID: 32-031-1005-81102-4)	174 µg/m ³

2.5.2 Narrative of Air Quality Impacts

In July of 2021, wildfire smoke was transported into the Truckee Meadows from the Dixie and Tamarack Fires which eventually led to PM₁₀ exceedances at the Sparks and Reno4 air monitoring stations within HA 87. At Reno4, the 24-hour average concentration for PM₁₀ was as low as 20µg/m³ on July 22, 2021. As smoke entered the region, the 24-hour average rose drastically to a peak of 171µg/m³ on the day of the exceedance, July 26, 2021. Similarly, at Sparks, the 24-hour average concentration for PM₁₀ was as low as 22µg/m³ on July 22, 2021. The 24-hour average at Sparks also quickly increased to a peak of 174µg/m³ on the day of the exceedance. As winds shifted and a thunderstorm system moved into the area, the wildfire smoke within HA 87 quickly vacated the area in the days after the exceedance. An overview of 24-hour average concentrations for PM₁₀ for the month of July 2021 is shown in Figure 2-8. The day of the exceedance is denoted by the red data points on July 26, 2021.

Figure 2-8: 24-hour PM₁₀ Concentrations in July 2021



2.5.3 Area Forecast Discussions, Satellite Imagery, and Daily Weather Maps

The National Weather Service (NWS) Office in Reno, Nevada provides at least two daily Area Forecast Discussions that summarize the short and long-term weather forecast for the area. It also provides a synopsis of current observations as well as weather events such as smoke and haze. Below is an excerpt from an area forecast discussion issued the day before the exceedance. This excerpt confirms that the previously mentioned sequence of events is accurate.

“Greatest issue impacting many people today and probably again Monday will be the smoke from ongoing wildfires, predominately from the Tamarack and Dixie Fires. The lack of the typical afternoon zephyr breezes and the tendency for northwest-north low-level winds overnight (“heat low” in Basin) are expected to keep smoke as the main large-scale hazard. Keep windows closed and try to limit outdoor activity as much as feasible. While there could be some improvement in the afternoon and evening thanks to mixing and weak westerly flow, smoke is expected to filter back in as flow turns northwest-north the next couple of nights. Visit fire.airnow.gov for the latest AQI readings in your vicinity.”

Excerpt from NWS-Reno Area Forecast Discussion
(251 AM PDT SUN JUL 25 2021)

Satellite imagery also confirms the sequence of events of the exceedance. As can be seen in Figure 2-9 below, smoke from the Tamarack and Dixie fires had not entered HA 87 as of July 22, 2021. As wind patterns shifted, smoke from the events moved into HA 87 until the day of the exceedance on July 26, 2021. This is seen in Figure 2-10 below. Within a few days, the smoke had vacated HA 87 which can be seen in Figure 2-11 below. The maps shown in Figures 2-12, 2-13, and 2-14 are daily weather maps that were issued by the National Weather Service around the time of the exceedance that provide extra evidence in support of the aforementioned sequence of events.

Figure 2-9: Satellite Imagery from July 22, 2021




Figure 2-10: Satellite Imagery from July 26, 2021




Figure 2-11 : Satellite Imagery from July 28, 2021




Figure 2-12: Daily Weather Maps for July 22, 2021




Figure 2-13: Daily Weather Maps for July 26, 2021





Figure 2-14: Daily Weather Maps for July 27, 2021



3.0 Not Reasonably Controllable or Preventable

By definition, an exceptional event is an event that was both not reasonably controllable and not reasonably preventable. Wildfires on wildland satisfy both requirements unless there is evidence to the contrary. This is explained in 40 CFR 50.14(b)(4) which states:

The Administrator shall exclude data from use in determinations of exceedances and violations where a State demonstrates to the Administrator's satisfaction that emissions from wildfires caused a specific air pollution concentration in excess of one or more national ambient air quality standard at a particular air quality monitoring location and otherwise satisfies the requirements of this section. Provided the Administrator determines that there is no compelling evidence to the contrary in the record, the Administrator will determine every wildfire occurring predominantly on wildland to have met the requirements identified in paragraph (c)(3)(iv)(D) of this section regarding the not reasonably controllable or preventable criterion.

As was shown in Figure 2-6, the wildfires that caused the PM₁₀ exceedance on July 26, 2021, were both started in the State of California on US Forest Service land. According to the definition of wildland provided in 40 CFR Part 50, §50.1(o), both the Dixie and Tamarack fires occurred on wildland because the areas that the fires started were in areas with little human activity.

40 CFR 50.1(o): Wildland means an area in which human activity and development are essentially non-existent, except for roads, railroads, power lines, and similar transportation facilities. Structures, if any, are widely scattered.

In addition, since the wildfires were not within the jurisdiction of Washoe County and the pollution impacts were due to interstate transport, there is no reasonable control method that AQMD could have taken to prevent the PM₁₀ exceedance from happening. The exceedance was caused by the excessive PM₁₀ emissions from the Dixie and Tamarack fire, not from anthropogenic sources within Washoe County. This is proven beyond a reasonable doubt in Section 4 of this document, Clear Causal Relationship.

4.0 Clear Causal Relationship

4.1 Fire Emissions Analysis

As can be seen in Figure 2-8, smoke from the Tamarack and Dixie fires impacted the Reno4 and Sparks PM₁₀ monitors starting on July 23, 2021. Between July 22 – July 26, 2021, the wildfires grew quickly and burned through large amounts of fuel, sending thousands of tons of emissions into the air, some of which was transported to the Truckee Meadows region, causing a PM₁₀ exceedance. PM₁₀ emissions from the fire during this time frame were estimated by AQMD using the U.S Forest Service BlueSky Playground tool, Version 3.5. The inputs to the BlueSky Playground modeling tool include 1) Latitude and Longitude of fire origination, 2) Emissions Type, 3) Fuel Moisture Condition, 4) FCCS Fuelbed type and 5) acreage burned. For the Tamarack Fire, the latitude and longitude were (38.628, -119.8592), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 17 – Red fir forest.” For the Dixie Fire, the latitude and longitude were (39.8713, -121.3894), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 16 – Jeffrey pine-ponderosa pine-Douglas Fir-California black oak forest.” The Fuel Moisture Condition was determined to be “Dry” as a conservative estimate based on the U.S. Drought Monitor from July 27, 2021 shown in Figure 2-7. Fire acreage growth for both fires was determined by changes in acreage burned between daily Smoke Outlook reports issued by the Interagency Wildland Fire Air Quality Response Program. At most large wildfire events, a daily Smoke Outlook report is issued by an Air Resource Advisor that includes the size of the fire (in acres). By finding the difference in fire size listed on consecutive daily Smoke Outlook reports, daily fire growth can be calculated.

As can be seen in Table 4-1, the total PM₁₀ emissions that resulted from the Tamarack and Dixie Fires between July 22 and July 26, 2021 was approximately 77,693 tons. As was mentioned in Section 2.3, and as per the 2020 Emissions Inventory, Washoe County produces approximately 38,833 lbs/day of PM₁₀. That is a total of 7,087 tons over the course of the year. By comparison, the emissions from the Tamarack Fire and Dixie Fire over the five-day period before the exceedance was over ten times the annual PM₁₀ emissions that Washoe County produces.

Table 4-1: PM₁₀ Emissions Calculations for the Period Prior to the Exceedance

Date	Tamarack Fire Growth (Acres)	Dixie Fire Growth (Acres)	Tamarack Fire PM ₁₀ Emissions (Tons)	Dixie Fire PM ₁₀ Emissions (Tons)	Total PM ₁₀ Emissions (Tons)
July 22, 2021	8,288	63,520	10,434.82	32,121.22	42,556.04
July 23, 2021	6,735	13,859	8,479.55	7,008.31	15,487.86
July 24, 2021	1,592	9,336	2,004.37	4,721.09	6,725.46
July 25, 2021	1,020	6,862	1,284.21	3,470.02	4,754.23
July 26, 2021	339	15,312	426.81	7,743.08	8,169.89
Total	17,974	108,889	22,629.76	55,063.72	77,693.48

4.2 Comparison of Event PM₁₀ Concentrations to Historical Concentrations

In order to prove that the day of the exceedance had abnormally high PM₁₀ concentrations, AQMD compared the hourly data to what would be expected on a non-event day in wildfire season. AQMD completed a diurnal pattern analysis to do this. Each hour on the exceedance day was compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from the five-year period from 2016-2020 in the wildfire season of July-September. This analysis was done at both the Reno4 and Sparks PM₁₀ monitors. For the Reno4 historical PM₁₀ concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-1 and Figure 4-2 below, the hourly PM₁₀ concentrations at both Reno4 and Sparks on the day of the exceedance are much higher than what would be expected based on historical concentrations. All hourly concentrations were orders of magnitude higher than what would be expected (50th percentile). Additionally, all hourly concentrations were much higher than the 95th percentile of the data set.

As Revised
November 26, 2025

Figure 4-1: 2016-2020 PM₁₀ Diurnal Pattern Comparison to Exceedance at Reno4





Figure 4-2: 2016-2020 PM₁₀ Diurnal Pattern Comparison to Exceedance at Sparks



4.3 Methods for Determining the Presence of Wildfire Smoke

4.3.1 PM_{2.5} Concentrations

Although this evaluation is written for PM₁₀, analyzing the PM_{2.5} concentrations during the event supports this evaluation by highlighting that the fine particulate matter concentrations followed the same trend as PM₁₀. If the particulate is made up of smoke, PM_{2.5} and PM₁₀ should follow the same trend. If the particulate was made up of something else such as a geologic source, PM_{2.5} would not follow the same trend as PM₁₀. As can be seen in Figure 4-3 and Figure 4-4, concentrations of PM_{2.5} and PM₁₀ followed the same trend over duration of the event at both affected monitors, thus supporting AQMD’s position that wildfire smoke was present.

Figure 4-3: 24-hour PM_{2.5} and PM₁₀ Concentrations at Reno4 in July 2021





Figure 4-4: 24-hour PM_{2.5} and PM₁₀ Concentrations at Sparks in July 2021



Similar to PM₁₀, AQMD also completed a diurnal pattern analysis for PM_{2.5}. Each hour on the exceedance day was compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from the five-year period from 2016-2020 in the wildfire season of July-September. This analysis was done at both the Reno4 and Sparks PM_{2.5} monitors. For the Reno4 historical PM_{2.5} concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-5 and 4-6 below, every hour of the exceedance was multiple times higher than what would be expected (50th percentile) and still much higher than the 95th percentile of the data set.

Figure 4-5: 2016-2020 PM_{2.5} Diurnal Pattern Comparison to Exceedance at Reno4





Figure 4-6: 2016-2020 PM_{2.5} Diurnal Pattern Comparison to Exceedance at Sparks



4.3.2 PM_{2.5}/PM₁₀ Ratio

One method for determining whether the elevated PM₁₀ concentrations were caused by wildfire smoke is by analyzing the ratio of PM_{2.5} to PM₁₀. If a higher fraction of the PM₁₀ is made up of PM_{2.5}, this is indicative that smoke is present in the region. A lower PM_{2.5}/PM₁₀ ratio would mean that more of the particulate is larger than 2.5 microns and is most likely of a geologic origin. As can be seen in Table 4-2 and Table 4-3, the PM_{2.5}/PM₁₀ ratio at Reno4 and Sparks started to increase between July 22 and July 23, 2021. The day of the exceedance is highlighted in yellow and shows an elevated ratio compared to when the monitors were not affected by the wildfire smoke on July 22 and July 28 of 2021.

Table 4-2: PM_{2.5}/PM₁₀ Ratios at Reno4


Reno4			
Date	24-hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
7/22/2021	4.2	20	0.21
7/23/2021	18.9	41	0.46
7/24/2021	65.5	100	0.66
7/25/2021	89.3	136	0.66
7/26/2021	102.5	171	0.60
7/27/2021	19.2	39	0.49
7/28/2021	12.6	45	0.28

Table 4-3: PM_{2.5}/PM₁₀ Ratios at Sparks

Sparks			
Date	24-hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
7/22/2021	1.1	22	0.05
7/23/2021	36.4	64	0.57
7/24/2021	91.2	126	0.72
7/25/2021	94.3	133	0.71
7/26/2021	122.2	174	0.70
7/27/2021	21.1	42	0.50
7/28/2021	16.9	44	0.38

The $PM_{2.5}/PM_{10}$ ratio during the Dixie/Tamarack event was much higher than the rest of July 2021 and what would be expected on a typical summer day. AQMD determined what a typical summertime $PM_{2.5}/PM_{10}$ ratio would be by finding the regional average ratio during July-September between 2016 and 2020. The regional average ratio is the average of the Reno4 and Sparks $PM_{2.5}/PM_{10}$ ratios. The $PM_{2.5}/PM_{10}$ ratio that could be expected when not influenced by wildfire smoke or other events is 0.30. The ratio on the day of the exceedance was 0.60 and 0.70 at Reno4 and Sparks respectively. The ratio was approximately twice what would be expected, thus supporting AQMD's position that the exceedance was caused by wildfire smoke. Figure 4-7 illustrates this.

Figure 4-7: $PM_{2.5}/PM_{10}$ Ratios throughout July 2021



4.3.3 PM_{2.5}/CO Ratio


It has been documented that ambient PM_{2.5} and CO concentrations are correlated in the presence of wildfire smoke in urban areas.¹ AQMD completed a linear regression analysis that compared the PM_{2.5} and CO concentrations at the Reno4 and Sparks monitoring sites on the day of the exceedance. This information was then compared to a linear regression analysis completed for a non-event day on July 13, 2021. The equation and coefficient of determination (R²) that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = -2.5812x + 6.3198$	$R^2 = 0.0021$
Sparks: $y = 2.6136x + 3.017$	$R^2 = 0.0028$


As can be seen in Figure 4-8 and Figure 4-9, a strong correlation was found on the day of the exceedance between PM_{2.5} and CO concentrations at both Reno4 and Sparks. The coefficient of determination for Reno4 and Sparks is 0.9314 and 0.9027, respectively. This signals a presence of wildfire smoke on the day of the exceedance.

Figure 4-8: Hourly PM_{2.5}/CO at Reno4 on July 26, 2021



¹ Jaffe, D. A., Schnieder, B., and Inouye, D.: Technical note: Use of PM_{2.5} to CO ratio as an indicator of wildfire smoke in urban areas, Atmos. Chem. Phys., 22, 12695-12704, <https://doi.org/10.5194/acp-22-12695-2022>, 2022.

Figure 4-9: Hourly PM_{2.5}/CO at Sparks on July 26, 2021



4.3.4 PM₁₀/CO Ratio

When an area is impacted by wildfire smoke, the CO and PM₁₀ concentrations should also be correlated, although not as strongly correlated as CO and PM_{2.5}. Similar to section 4.3.3, a linear regression analysis was completed with CO and PM₁₀ data on the day of the exceedance and compared to a non-event day on July 13, 2021. The equation and coefficient of determination that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = 107.41x + 8.5459$	$R^2 = 0.2209$
Sparks: $y = 66.023x + 11.528$	$R^2 = 0.4516$

As can be seen in Figure 4-10 and 4-11, a strong correlation was also found between CO and PM₁₀ at the Reno4 and Sparks monitoring stations on the day of the exceedance. The coefficient of determination for Reno4 and Sparks was 0.74 and 0.875, respectively. This also signals the presence of wildfire smoke in the region on the day of the exceedance.

Figure 4-10: Hourly PM₁₀/CO at Reno4 on July 26, 2021





Figure 4-11: Hourly PM₁₀/CO at Sparks on July 26, 2021




4.4 Trajectory Analysis

A trajectory analysis was completed for the event using the Hybrid Single Particle Lagrangian Integrated Trajectory (HYSPLIT) model to compute simple air parcel trajectories and determine where the smoke originated from. The HYSPLIT model's calculation method is a hybrid between the Lagrangian approach, which uses a moving frame of reference as the air parcels move from their initial location, and the Eulerian approach, which uses a fixed three-dimensional grid as a frame of reference. The trajectory models in this section were created with the EPA AirNow-Tech Navigator page and the HYSPLIT model was provided by NOAA's Air Resources Laboratory. The model used the North American Mesoscale Model (NAM) 12-kilometer domain. Each HYSPLIT was completed at 50, 1000, and 2500 meters above ground level (agl). These values were chosen to best illustrate the dynamics of the air mass that affected the Washoe County region before and during the day of the exceedance. According to NWS-Reno, 50 meters agl is a good proxy for boundary layer height in the region. The HYSPLIT figures below include the "HMS Fire" layer which shows the location of each fire but does not include the "HMS Smoke" layer because the dense smoke during those times makes the locations in the figure indiscernible. This is illustrated in Figure 4-12. Additionally, each figure includes the 24-hour, midnight to midnight average PM_{10} concentration in $\mu g/m^3$ for each air monitoring site in the region.

As Revisited
November 26, 2025

Figure 4-12: AirNow-Tech Navigator with HMS Smoke Layer from July 26, 2021



4.4.1 Monitoring Site Analysis – Backward Trajectory

In order to accurately understand where the affected air mass originated from, AQMD completed 24-hour backward trajectory HYSPLIT models from the affected PM_{10} monitors at Reno4 and Sparks. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for backward trajectory HYSPLIT models, the first point on the line would denote 6-hours before the start time of the model.

Figure 4-13: Backward Trajectory from Reno4 starting July 26, 2021 at 0000 PST




Figure 4-14: Backward Trajectory from Sparks starting July 26, 2021 at 0000 PST




Figure 4-15: Backward Trajectory from Reno4 starting July 27, 2021 at 0000 PST





Figure 4-16: Backward Trajectory from Sparks starting July 27, 2021 at 0000 PST



4.4.2 Source Analysis – Forward Trajectory

In order to fully understand where smoke emissions from each fire moved prior to and on the day of the exceedance, an emissions source analysis was done which included 24-hour forward trajectory HYSPLIT models from both the Tamarack and Dixie fires. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for forward trajectory HYSPLIT models, the first point on the line would denote 6-hours after the start time of the model.

Figure 4-17: Forward Trajectory from Tamarack Fire starting July 25, 2021 at 0000 PST




Figure 4-18: Forward Trajectory from Dixie Fire starting July 25, 2021 at 0000 PST




Figure 4-19: Forward Trajectory from Tamarack Fire starting July 26, 2021 at 0000 PST





Figure 4-20: Forward Trajectory from Dixie Fire starting July 26, 2021 at 0000 PST



4.4.3 Trajectory Analysis Explanation

The methodology behind this section is to bracket the day of the exceedance with forward and backward HYSPLITs. A forward trajectory was completed for July 25 and July 26, 2021 to accurately depict the characteristics of the wildfire smoke that would have affected HA 87 on the day of the exceedance. A backward trajectory was completed for July 26 and July 27, 2021 to characterize where the airmass on the day of the exceedance came from.


As can be seen in the backward trajectory section, the airmasses at 50 and 1000 meter agl between July 26 and July 27, 2021 had originated either over the Dixie Fire, or in between the Dixie and Tamarack Fires. As can be seen in the forward trajectory section, the smoke from the Dixie Fire directly impacted HA 87 between July 25 and July 26, 2021. Additionally, the smoke from the Tamarack Fire impacted HA 87, although not as obviously as the Dixie Fire. As can be seen in Figure 4-17 and 4-19, the 2500 meter agl HYSPLIT shows that smoke from the Tamarack Fire was transported North, directly over the Dixie Fire and over the area that the previously mentioned backward HYSPLITs illustrated.

As Revised
November 26, 2020

4.5 Pollution Rose Analysis

Using the AirNow-Tech Navigator Rose Tool, wind/pollution roses were generated for Sparks and Reno4 monitoring sites for the days leading to and the day of the exceedance. Hourly PM_{10} and wind direction data was used to create the roses. These show predominantly westerly and southerly wind components that carried Dixie and Tamarack wildfire smoke to Washoe County.

Figure 4-21: PM_{10} Wind/Pollution Rose for Sparks and Reno4 for July 22-26



4.6 Conclusion Showing a Clear Causal Relationship

Section 4.0 of this document demonstrates that the elevated PM₁₀ concentrations that led to an exceedance of the primary and secondary 24-hour PM₁₀ NAAQS was caused by the Dixie and Tamarack wildfires. The emissions analysis, historical concentration comparison analysis, PM_{2.5} analysis, PM_{2.5}/PM₁₀ ratio analysis, PM_{2.5}/CO ratio analysis, PM₁₀/CO ratio analysis, trajectory analysis, and pollution rose analysis all support this premise.

The comparisons and statistical analyses provided in this section of the document supports AQMD's evaluation that the Dixie and Tamarack wildfire events affected air quality in such a way that there exists a clear causal relationship between the specific events and the monitored PM₁₀ exceedance on July 26, 2021. Section 4.0 thus shows a clear causal relationship between the wildfire and the PM₁₀ exceedance.

As Revised
November 26, 2025

5.0 Natural Event or Human Activity Unlikely to Recur

By definition, an exceptional event must be unlikely to recur at a particular location or was a natural event. The Dixie and Tamarack Fires qualify as natural events because human activity played no direct causal role in the start of the fires. A natural event as per 40 CFR 50.1(k) is defined as:

40 CFR 50.1(k): Natural event means an event and its resulting emissions, which may recur at the same location, in which human activity plays little or no direct causal role. For purposes of the definition of a natural event, anthropogenic sources that are reasonably controlled shall be considered to not play a direct role in causing emissions.

As was mentioned in Section 2.4 of this document, the Tamarack Fire was started by a lightning strike hitting a tree and the Dixie Fire was started by a tree falling on a power transmission line. AQMD sees no direct causal role by human activity, thus qualifying these wildfires as natural events.

As Revised
November 26, 2025

6.0 Public Outreach

An important role that AQMD plays during exceptional events that affect air quality is to notify the public of the current air quality, the air quality forecast, and ways to mitigate potential health impacts that are a result of degraded air quality. Examples of this public outreach showing the current air quality and the forecast for the coming days can be seen in Figure 6-1 and Figure 6-2. AQMD has a public education program called “Be Smoke Smart” that informs citizens of the best ways to protect themselves from wildfire smoke. Figure 6-3 shows a social media post on the day of the exceedance with “Be Smoke Smart” information so that people could take the proper precautions.

In order to reach the public, AQMD uses Twitter, Facebook, press releases, and local partners to properly inform citizens. One local partner that is beneficial is National Weather Service (NWS) – Reno. Working together, AQMD and NWS-Reno are able to better reach the public through their respective social media networks. An example of this is shown in Figure 6-4. In addition, AQMD communicates with local news outlets through interviews and press releases. Figure 6-5 shows a press release that was made near the time of the event to inform local news outlets so that they could properly report on the event. This press release in addition to the other outreach actions also fulfills the public notification requirements of the Emergency Episode Plan and the PM_{2.5} Mitigation Plan.

As Revisio
November 26, 2023

Figure 6-1: Public Notification of Poor Air Quality on the day of the Exceedance




Figure 6-2: Air Quality Forecast Issued on the day of the Exceedance




Figure 6-3: Be Smoke Smart Social Media Post from the day of the Exceedance

Washoe County AQMD 
@WashoeCountyAQ

Expect Unhealthy to Very Unhealthy air quality today due to the [#DixieFire](#). Some relief could happen as early as tonight in Reno/Sparks. Thunderstorms could help or hinder. When the air is clean, open your windows. [#BeSmokeSmart](#) protect yourself from wildfire smoke.

What can I do to protect myself from wildfire smoke?

1. Reduce or stop outdoor activity.
2. Keep AC on if available, the fresh-air intake closed, filter clean, and windows closed.
3. Pay attention to air quality on [AirNow.gov](#).
4. Follow the advice of your doctor especially those with heart or lung disease.
5. Wet or dry cloth, dust, or surgical masks do not protect you from ozone or fine particulates
6. If you are a healthy adult and you must be outside, respirators marked NIOSH N95 can provide some protection from fine particulates with adequate fit.
7. Stay hydrated. Take more breaks if exerting yourself outside.
8. Keep indoor air clean; don't burn candles, vacuum, or smoke tobacco products.
9. Use a portable air purifier. Create a clean air room in your home.
10. Consider relocating temporarily.

Keep it Clean.

Be Smoke Smart.
Protect yourself from wildfire smoke.
[OurCleanAir.com](#)

WASHOE COUNTY HEALTH DISTRICT
ENHANCING QUALITY OF LIFE   

8:40 AM · Jul 26, 2021

Figure 6-4: NWS-Reno Post that was Retweeted by AQMD




Figure 6-5: Press Release from AQMD During Wildfire Event

UPDATE: HEALTH DISTRICT UPGRADES AIR POLLUTION WARNING TO STAGE 2

by Scott Oxarart | Jul. 23, 2021



July 24, 2021, 9 a.m. PST Update: The previous version of this release indicated a Stage 1 Alert was issued. That alert has been terminated and upgraded to a Stage 2 Warning.

Reno/Sparks, Nev. July 24, 2021 – The Washoe County Health District – Air Quality Management Division (AQMD) has issued a Stage 2 Air Pollution Warning due to smoke from area wildfires. The Stage 1 alert issued on Friday, July 23, has been terminated. Air quality in the Reno-Sparks area could reach the “Very Unhealthy” and “Hazardous” ranges at times Saturday and Sunday.

The Stage 2 warning means that all residents should stay indoors and reduce activity levels due to the susceptibility of increased health risks. The Reno-Sparks area will be impacted by this warning with significant smoke expected in the North Valleys and Spanish Springs.

This is just the second time AQMD has issued a Stage 2 warning (last time Sept. 13, 2020). The main wildfires contributing to the poor air quality continue to be the Dixie, Fly and Tamarack fires.

To see [current air quality in Reno-Sparks, click here](#); for information on what the [air quality index colors mean, click here](#).

7.0 Conclusions and Recommendations

The Tamarack Fire started on July 4, 2021 when a lightning strike hit a single tree in the Humboldt-Toiyabe National Forest, approximately 60 miles south of the Truckee Meadows. The Dixie Fire was ignited on July 13, 2021 when a tree fell on a power line in Plumas National Forest, approximately 90 miles northwest of the Truckee Meadows. Both fires emitted large quantities of PM₁₀ emissions which eventually led to a PM₁₀ exceedance at the Reno4 and Sparks PM₁₀ monitors on July 26, 2021. The 2021 Dixie/Tamarack Fire Evaluation supports the criteria for an exceptional event detailed in the 2016 Exceptional Events Rule. Specifically, the documentation used the following evidence to demonstrate the exceptional event:

- ambient air monitoring data
- statistical analyses of the monitoring data compared to historical concentrations
- analyses of wildfire smoke emissions
- satellite imagery (visible and detected smoke)
- narratives from the National Oceanic and Atmospheric Administration and National Weather Service (Reno)
- HYSPLIT trajectory analyses
- social and traditional media posts

This contingency plan evaluation clearly demonstrates justification for exclusion of data for July 26, 2021. The 2021 Dixie/Tamarack Fire Evaluation has provided evidence that:

1. Emissions from a wildfire event caused a PM₁₀ exceedance at the Reno4 and Sparks monitor;
2. The event affected air quality in such a way that there exists a clear causal relationship between the event and the exceedance on July 26, 2021.
3. Event-influenced concentrations were unusual and above normal historical concentrations;
4. The event was a wildfire and a natural event predominately occurring on wildland; and
5. The event was not reasonably controllable or preventable.

The AQMD recommends that data influenced by the 2021 Dixie/Tamarack Fire on July 26, 2021 at the Reno4 and Sparks PM₁₀ monitor be excluded from contingency plan trigger calculations.

As Revised
November 26, 2025

WASHOE COUNTY
HEALTH DISTRICT
ENHANCING QUALITY OF LIFE

Please contact Matt McCarthy for
questions or comments at
mmccarthy@nph.org

Appendix A

Public Comment Plan

As Revised
November 26, 2025

Public Comment Period

This contingency plan evaluation was available for public inspection from October 26 to November 26, 2023 at the AQMD website ([OurCleanAir.com](https://www.aqmd.net/our-clean-air)). AQMD issued a press release (included below) on October 26, 2023 to inform the public of the comment period. The press release provides a web link to the draft evaluation and explains how to submit written comments during the comment period. A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact.

One comment was received during the public comment period. The document was not revised in response to the comment since the comment was a general comment in support. The comment, along with AQMD's response are included below.

As Revised
November 26, 2025

From: [McCarthy, Matthew](#)
To: knighteddawn@gmail.com
Cc: [Health - AQ-Planning](#)
Subject: RE: Exceptional events
Date: Monday, October 30, 2023 9:15:00 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)

Good morning Michael,

Thank you for your comment regarding the Exceptional Events demonstrations. Your comment will be included in our submittal to EPA.

Regards,



Matt McCarthy
Environmental Engineer II
Air Quality Management Division

O: [775-784-7217](tel:775-784-7217)
1001 E Ninth St. Bldg. B Reno, NV 89512

OurCleanAir.com

NNPH.org | [f](#) [f](#) [@](#) [X](#) [in](#)

[Click here to take our customer satisfaction survey](#)

From: Michael-Forest <knighteddawn@gmail.com>
Sent: Thursday, October 26, 2023 7:23 PM
To: Health - AQ-Planning <Health-AQ-Planning@nnph.org>
Subject: Exceptional events

[NOTICE: This message originated outside of Washoe County -- DO NOT CLICK on links or open attachments unless you are sure the content is safe.]

Wildfire smoke caused by California wildfires should definitely NOT be included in our data. I completely support asking for an exception. There's not much Renoites can do about California wildfires!

Michael Meservy
6680 Stone Valley Dr

As Revised
November 26, 2025

NORTHERN NEVADA Public Health NEWSROOM

NNPH AIR QUALITY MANAGEMENT DIVISION SEEKS COMMENT ON EXCEPTIONAL EVENTS DEMONSTRATIONS

Oct 26, 2023

Reno/Sparks, Nevada. Oct. 26, 2023 – Northern Nevada Public Health – Air Quality Management Division (AQMD) is requesting written public comment on the 2021 and 2022 PM10 Exceptional Events Demonstrations, a series of technical reports proving that wildfires caused some poor air quality conditions, specifically PM10, in 2021 and 2022. The documents request that EPA exclude that data from regulatory consideration. PM10 is defined as particulate matter that is sized 10 microns in diameter or less and is one of the many air pollutants found in wildfire smoke.

If the EPA agrees to exclude that data, it means that future air quality plans for local emission sources are not affected by PM10 found in wildfire smoke. Excluding this data does not eliminate the public health impacts or AQMD's role in notifying the public of poor air quality.

AQMD's 2nd 10-Year PM10 Maintenance plan is due to EPA next year. In order for EPA to approve this plan, the maintenance area must not be violating the 24-Hour PM10 National Ambient Air Quality Standard (NAAQS). Multiple wildfires in 2021 and 2022 caused fifteen (15) exceedances of the PM10 NAAQS within the Truckee Meadows PM10 maintenance area. Through the Exceptional Events Rule (40 CFR 50.14), AQMD can request that data influenced by wildfires be excluded when determining compliance with the 24-Hour PM10 NAAQS.

The demonstrations are broken down into four separate events:

[2021 Dixie/Tamarack Fire Event](#)

[2021 Dixie/Antelope Fire Event](#)

[2021 Dixie/Caldor Fire Event](#)

[2022 Mosquito Fire Event](#)

Comments will be accepted until midnight on November 26, 2023, and may be submitted via e-mail to

Health-AQ-Planning@nnph.org

All correspondence must include first and last name and a complete mailing address.

For more information regarding the Health District's air quality efforts, visit the Air Quality Management Division's website at OurCleanAir.com.

NOTE: The Washoe County Health District became Northern Nevada Public Health on Aug. 31, 2023. Materials developed prior to that date may contain Washoe County Health District brand, logos, and references.

Northern Nevada Public Health (NNPH) is nationally accredited by the Public Health Accreditation Board and has jurisdiction over all public health matters in Reno, Sparks, and Washoe County through the policy-making District Board of Health. NNPH consists of five divisions: Administrative Health Services, Air Quality Management, Community and Clinical Health Services, Environmental Health Services and Epidemiology & Public Health Preparedness. [More info can be found here.](#)

Appendix B

Exceptional Event Initial Notification

As Revised
November 26, 2025

Initial Notification of Potential Exceptional Event Information Summary for PM₁₀

Submitting Agency: Washoe County Health District Air Quality Management Division

Agency Contact: Daniel Inouye, Branch Chief

Date Submitted: July 1, 2022

Applicable NAAQS: 1987 PM₁₀

Affected Regulatory Decision¹: None

Area Name/Designation Status: Truckee Meadows Hydrographic Basin 87 PM₁₀ Maintenance Area

Design Value Period: 2019-2021

As Revised
November 26, 2025

Table A(1): Information specific to each flagged monitor day that may be submitted to EPA in support of the affected regulatory decision listed above

Date(s) of Event(s)	Type of Event (high wind, volcano, wildfires/prescribed fire, other ²)	AQS Flags	Monitor AQS IDs (and POCs)	Monitor Names	24-hour average Exceedance Concentration (µg/m ³)	Notes (e.g. event name, links to other events)
07/24/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	173	
07/25/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	187	
07/26/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	186	
			32-031-1005-81102-4	Sparks	174	
			32-031-0031-81102-2	Reno4	171	
08/06/2021	Wildfires	IT	32-031-0025-81102-2	Toll	156	
08/07/2021	Wildfires	IT	32-031-0031-81102-2	Reno4	198	
			32-031-1005-81102-4	Sparks	163	
			32-031-1007-81102-1	Spanish Springs	162	
08/16/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	197	
08/17/2021	Wildfires	IT	32-031-0025-81102-2	Toll	161	
08/20/2021	Wildfires	IT	32-031-0025-81102-2	Toll	176	
08/21/2021	Wildfires	IT	32-031-0025-81102-2	Toll	204	
			32-031-0031-81102-2	Reno4	200	
			32-031-1007-81102-1	Spanish Springs	195	
			32-031-1005-81102-4	Sparks	190	
08/22/2021	Wildfires	IT	32-031-0025-81102-2	Toll	261	
			32-031-0031-81102-2	Reno4	210	
08/23/2021	Wildfires	IT	32-031-0025-81102-2	Toll	319	
			32-031-0031-81102-2	Reno4	304	
			32-031-1005-81102-4	Sparks	214	
			32-031-1007-81102-1	Spanish Springs	187	
08/24/2021	Wildfires	IT	32-031-0025-81102-2	Toll	284	
			32-031-0031-81102-2	Reno4	233	
			32-031-1005-81102-4	Sparks	168	
08/25/2021	Wildfires	IT	32-031-0025-81102-2	Toll	211	
			32-031-0031-81102-2	Reno4	164	
08/26/2021	Wildfires	IT	32-031-0025-81102-2	Toll	174	

¹ designation, classification, attainment determination, attainment date extension, or finding of SIP inadequacy leading to SIP call

² Provide additional information for types of event described as “other”

Table B(1): Violating Monitors Information

Monitor (AQS ID and POC)	Design Value (<u>without</u> EPA concurrence on any of the events listed in table A above)	Design Value (<u>with</u> EPA concurrence on all events listed in table A above)
32-031-1007-81102-1 32-031-0025-81102-2 32-031-1005-81102-4 32-031-0031-81102-2	4.0 expected exceedances 4.0 expected exceedances 2.7 expected exceedances 2.7 expected exceedances	1.7 expected exceedances

Table C(1): Summary of Maximum Design Value (DV) Monitor Information

	Design Value	Design Value Monitor (AQS ID and POC)	Comment(s)
Maximum DV monitor (AQS ID and POC) without EPA concurrence on any of the events listed in table A above	4.0 expected exceedances 4.0 expected exceedances	32-031-1007-81102-1 32-031-0025-81102-2	Includes exceptional event data from 2020 that has not been concurred.
Maximum DV monitor (AQS ID and POC) with EPA concurrence on all events listed in table A above	1.7 expected exceedances	32-031-1007-81102-1	Includes exceptional event data from 2020 that has not been concurred.

Table D(1): List of any monitors (AQS ID and POC) within planning area with invalid design values (e.g. due to data incompleteness)

Monitor (AQS ID and POC)	Comment
---	---

Appendix C

2021 Data Certification Letter

As Revised
November 26, 2025

**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE

April 26, 2022

Gwen Yoshimura
Manager, Air Quality Analysis Office
U.S. EPA, Region 9
75 Hawthorne Street, Mail Stop AIR-7
San Francisco, CA 94105

Re: CY2021 Ambient Air Monitoring Data Certification

Dear Ms. Yoshimura:

Attached please find a copy of the Washoe County Health District, Air Quality Management Division's (AQMD) AQS AMP600 Data Certification Report and AMP450NC Quick Look summary report for ambient air monitoring data for all State and Local Air Monitoring Stations (SLAMS) and Special Purpose Monitors (SPMs) which meet criteria in 40 CFR 58 Appendix A operated from January 1 to December 31, 2021. Included is data from Federal Reference Method (FRM) and Federal Equivalent Method (FEM) monitors for CO, NO₂, ozone, PM₁₀, PM_{10-2.5}, PM_{2.5}, and SO₂ (hourly and 5-minute average data).

This letter certifies that the ambient concentration data and the quality assurance data are completely submitted to AQS, and the ambient data are accurate to the best of my knowledge taking into consideration the quality assurance findings.

Please contact Mr. Daniel Timmons or me at (775) 784-7200 with any questions or concerns.

Sincerely,



Francisco Vega, P.E., MBA
Director, Air Quality Management Division
Washoe County Health District

Attachments

cc: Fletcher Clover, Air Quality Analysis Office, U.S. EPA, Region 9

User ID: BAA

QUICKLOOK ALL PARAMETERS

Report Request ID: 2005956

Report Code: AMP450NC

Apr. 4, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031		86101							
	32	031		42401	2						

PROTOCOL SELECTIONS

AGENCY SELECTIONS

Parameter Classification	Parameter	Method	Duration
ALL			

Washoe County District Health Department
--

SELECTED OPTIONS

SORT ORDER

SCR GROUP SELECTIONS

Option Type	Option Value
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
AGENCY ROLE	PQAO
MERGE PDF FILES	YES

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

Washoe Co,NV

DATE CRITERIA

APPLICABLE STANDARDS

Start Date	End Date
2021	2021

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

As Revised 26 November 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

As Revised
November 26, 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

Parameter	Unit	P O C	PQAO	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert & Eval	EDH
Site ID: 32-031-0025 City: Reno		County: Washoe		Address: 684A STATE ROUTE 341, RENO NV 89521										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8524	881.0	602.0	586.0	563.0	13.46	1 HOUR	5	
Site ID: 32-031-0031 City: Reno		County: Washoe		Address: 1260-A Stewart St.										
42401 Sulfur dioxide	Parts per billion	2	1138	2021	600	98036	8.8	7.1	5.6	4.7	.25	5 MINUTE	0	
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	000	118	56.1	51.5	43.1	37.0	14.27	24 HOUR	5	
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	2	1138	2021	185	8581	488.0	434.0	387.0	311.0	14.99	1 HOUR	5	
Site ID: 32-031-1005 City: Sparks		County: Washoe		Address: 750 4TH ST, SPARKS, NV 89431										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8592	425.0	354.0	330.0	305.0	14.58	1 HOUR	5	
Site ID: 32-031-1007 City: Sparks		County: Washoe		Address: 7200 Pyramid Hwy, Sparks, NV, 89441										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8618	709.0	707.0	495.0	370.0	9.74	1 HOUR	5	

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU
86101	000	MULTIPLE METHODS	MULTIPLE METHODS
86101	185	Met One BAM-1020 System	Paired Beta Difference

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

PQAOS USED IN THIS REPORT

PQAO	AGENCY DESCRIPTION
1138	Washoe County District Health Department

As Revised
November 26, 2025

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.

User ID: BAA

CERTIFICATION EVALUATION AND CONCURRENCE

Report Request ID: 2014498

Report Code: AMP600

Apr. 26, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

32

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	CERTIFYING

DATE CRITERIA

Start Date	End Date
2021	2021

As Revised November 26, 2025

Data Evaluation and Concurrence Report Summary

Certification Year: 2021

Certifying Agency (CA): Washoe County District Health Department (1138)

Pollutants in Report:

<u>Parameter Name</u>	<u>Code</u>	<u>Monitors Evaluated</u>	<u>Monitors Recommended for Concurrence by AQS</u>	<u>Monitors NOT Recommended for Concurrence by AQS</u>
Carbon monoxide	42101	2	2	0
Nitrogen dioxide (NO2)	42602	1	1	0
Ozone	44201	7	7	0
PM10 Total 0-10um STP	81102	4	4	0
PM2.5 - Local Conditions	88101	5	5	0
Sulfur dioxide	42401	1	1	0

PQAOs in Report:

<u>PQAO Name</u>	<u>PQAO Code</u>	<u>TSA Date</u>
Washoe County District Health Department	1138	08/15/19

Summary of 'N' flags for all pollutants:

<u>PQAO</u>	<u>Code</u>	<u>AQS Site-ID</u>	<u>POC</u>	<u>AQS Recommended Flag</u>	<u>Cert. Agency Recommended Flag</u>	<u>Reason for AQS Recommendation</u>

Signature of Monitoring Organization Representative: _____

Elizabeth Vega

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Carbon monoxide (42101) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	2.84708	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP		Concur. Flag			
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.274	0.032	2.437	0	0	97	2.66	+/-2.11	100	- 0.04	100	2.85	Y	Y	Y	Y	S
32-031-1005	1 SLAMS	0.387	0.000	2.200	0	0	99	1.08	+/-0.61	100	1.94	100		Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Nitrogen dioxide (NO2) (42602) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	8.18765	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	11.8	0.1	54.6		0	97	4.08	+/-3.40	100	-1.60	100	8.19	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Ozone (44201) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	3.05318	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP			Concur. Flag		
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0020	1 SLAMS	0.052	0.006	0.102	0	0	99	1.98	+/-1.65	100	2.96	100	Y	Y	Y	Y	S	
32-031-0025	1 SLAMS	0.051	0.013	0.096	0	0	99	1.77	+/-1.23	100	0.25	100	Y	Y	Y	Y	S	
32-031-0031	1 SLAMS	0.051	0.009	0.099	0	0	96	1.61	+/-1.65	100	1.63	100	3.05	Y	Y	Y	S	
32-031-1005	1 SLAMS	0.051	0.015	0.100	0	0	99	1.62	+/-1.28	100	- 0.25	100	Y	Y	Y	Y	S	
32-031-1007	1 SLAMS	0.049	0.017	0.100	0	0	99	1.72	+/-1.57	100	0.71	100	Y	Y	Y	Y	S	
32-031-2002	1 SLAMS	0.053	0.029	0.093	0	0	95	5.01	+/-3.55	100	3.29	100	Y	Y	Y	Y	S	
32-031-2009	1 SLAMS	0.053	0.022	0.096	0	0	98	2.01	+/-1.57	100	1.31	100	Y	Y	Y	Y	S	

As Required November 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Sulfur dioxide (42401) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	2.92973	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.2	- 0.6	3.6		0	97	4.06	+/-3.20	100	- 3.74	100	2.93	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Particulate Matter

Certifying Year:2021

Certifying Agency:Washoe County District Health Department (1138)

Parameter: PM10 Total 0-10um STP (81102) CONTINUOUS

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Monitors Summaries

AQS Site ID	POC	Monitor Type	Routine Data (ug/m3)						Flow Rate Verification		Flow Rate Audit		Collocation Concurrence Flag			
			Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	Bias	% Complete	QAPP Appr.	AQS Rec Flag	CA Rec Flag	EPA Rec Concur
			32-031-0025	2	SLAMS	28.45	-4.0	985.0	0	97	+/-0.48	100	+0.16	100	Y	Y
32-031-0031	2	SLAMS	31.36	-1.0	597.0	0	98	+/-0.44	100	+0.41	100	Y	Y	Y	S	
32-031-1005	4	SLAMS	30.48	-5.0	552.0	0	98	+/-0.44	100	+0.17	100	Y	Y	Y	S	
32-031-1007	1	SLAMS	24.53	-2.0	985.0	0	98	+/-0.69	100	+0.52	100	Y	Y	Y	S	

Parameter: PM2.5 - Local Conditions (88101)

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Collocation Summary

Method	# Sites	# Sites Req	# Sites Collocated	% Collocated	CV Est	CV UB	Criteria Met?
170	4	1	1	100	10.03	11.08	Y

PEP Summary

# Methods	# Audited Methods	# PEP Required	# PEP Submitted	% Complete	Bias	Criteria Met?
1	1	5	3	60	-3.18	Y

Monitors Summaries

AQS Site ID	POC	Method	Monitor Type	Routine Data (ug/m3)						Flow Rate Audit		Collocation			Concurrence Flag				
				Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	CV	% Complete	PQAO Crit. Met	PEP PQAO Crit. Met	QAPP Appr.	AQS Rec Flag	CA Rec Flag	EPA Rec Concur
32-031-0025	1	170	SLAMS	11.17	-8.0	375.0	0	98	+0.57	100				Y	Y	Y	Y	Y	S
32-031-0031	1	545/142	SLAMS	12.16	.6	218.9	0	97	-0.95	100				Y	Y	Y	Y	Y	S
32-031-0031	2	170	SLAMS	12.59	-7.0	312.0	0	98	-0.58	100	11.08	100		Y	Y	Y	Y	Y	S
32-031-1005	1	170	SLAMS	12.10	-7.0	278.0	0	99	-0.43	100				Y	Y	Y	Y	Y	S
32-031-1007	1	170	SLAMS	11.59	-3.0	364.0	0	99	+0.29	100				Y	Y	Y	Y	Y	S

Data Concurrence and Evaluation Report for Lead

As Revised
November 26, 2025

Appendix D

AQS Report Showing RT Flags Applied

As Revised
November 26, 2025

User ID: BAA

RAW DATA QUALIFIER REPORT

Report Request ID: 2106602

Report Code: AMP360

May. 17, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031	0031	81102	2						
	32	031	1005	81102	4						

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	PQAO
CONCURRENCE STATUS	All Data (Concurred and Non-concurred)
QUALIFIER TYPES	ALL QUALIFIER TYPES
QUALIFIER COUNTS BY MONITOR	YES
QUALIFIER CODE	All QUALIFIER CODES

SCR GROUP SELECTIONS

Washoe Co, NV

DATE CRITERIA

Start Date	End Date
2021 07 26	2021 07 26

As Revised 26, 2025
November 26, 2025

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 17, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Sample Qualifier Code Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 00:00	137	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 01:00	143	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 02:00	210	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 03:00	198	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 04:00	169	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 05:00	149	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 06:00	176	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 07:00	191	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 08:00	383	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 09:00	272	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 10:00	274	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 11:00	249	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 12:00	182	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 13:00	190	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 14:00	162	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 15:00	219	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2	2021-07-26 16:00	94	RT Wildfire-U. S.	2021-11-16		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 17, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Sample Qualifier Code Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 16:00	94	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 17:00	121	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 18:00	66	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 19:00	90	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 20:00	99	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 21:00	161	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 22:00	89	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2021-07-26 23:00	80	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

Monitor Key / Site Address	Sample Date-Time	Value	Sample Qualifier Code Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 00:00	267	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 01:00	264	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 02:00	221	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 03:00	224	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV	2021-07-26 04:00	204	RT Wildfire-U. S.	2021-11-16		
	Event:		Dixie and Tamarack Wildfires	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 17, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key /</u> <u>Site Address</u>	<u>Sample</u> <u>Date-Time Value</u>	<u>Code</u>	<u>Description</u>	<u>Action</u> <u>Date</u>	<u>NAAQS Standard</u>	<u>Concurrence</u> <u>Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 05:00 208 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 06:00 213 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 07:00 205 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 08:00 238 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 09:00 254 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 10:00 249 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 11:00 243 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 12:00 178 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 13:00 151 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 14:00 140 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 15:00 199 Event:	RT	Wildfire-U. S. Dixie and Tamarack Wildfires	2021-11-16 2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 17, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key /</u> <u>Site Address</u>	<u>Sample</u> <u>Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action</u> <u>Date</u>	<u>NAAQS Standard</u>	<u>Concurrence</u> <u>Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 16:00	129	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 17:00	112	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 18:00	62	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 19:00	64	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 20:00	89	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 21:00	158	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 22:00	65	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-07-26 23:00	54	RT	Wildfire-U. S.	2021-11-16		
	Event:			Dixie and Tamarack Wildfires	2023-05-16		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

All Qualifiers Utilized:

<u>Qualifier</u>		<u>Qualifier</u>
<u>Code:</u>	<u>Qualifier Description:</u>	<u>Count:</u>
RT	Wildfire-U. S.	48

As Revised
November 26, 2025

Appendix H

Contingency Plan Trigger Evaluation of August 6-7, 2021 PM₁₀ Exceedances due to the Dixie/Antelope Fires

As Revised
November 26, 2025

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Contingency Plan Trigger Evaluation
for August 6-7, 2021 PM₁₀
Exceedances due to Dixie/Antelope
Fires



Public Health
Prevent. Promote. Protect.



VISION

A healthy community

MISSION

To improve and protect our community's quality of life and increase equitable opportunities for better health.

Table of Contents

1.0 Introduction	1
1.1 Purpose	1
1.2 Contingency Plan Trigger Procedure.....	1
1.3 Public Comment Process	2
1.4 Agency Contacts	2
2.0 Conceptual Model	3
2.1 Regional Description	3
2.2 Overview of Monitoring Network	5
2.3 Characteristics of Non-event PM ₁₀ Concentrations.....	7
2.4 Description of Fires that caused PM ₁₀ Exceedances	12
2.5 PM ₁₀ Air Quality Impacts from the Dixie and Antelope Fires	15
3.0 Not Reasonably Controllable or Preventable	26
4.0 Clear Causal Relationship	27
4.1 Fire Emissions Analysis	27
4.2 Comparison of Event PM ₁₀ Concentrations to Historical Concentrations	28
4.3 Methods for Determining the Presence of Wildfire Smoke.....	32
4.4 Trajectory Analysis.....	46
4.5 Pollution Rose Analysis	59
4.6 Conclusion Showing a Clear Causal Relationship	60
5.0 Natural Event or Human Activity Unlikely to Recur.....	61
6.0 Public Outreach	62
7.0 Conclusions and Recommendations	67
Figures.....	iii
Tables	iv
Acronyms and Abbreviations	v

Appendices

- Appendix A – Public Comment Plan
- Appendix B – Exceptional Event Initial Notification
- Appendix C – 2021 Data Certification Letter
- Appendix D – AQS Report Showing RT Flags Applied

Figures

Figure 2-1: Washoe County, NV	3
Figure 2-2: Washoe County Health District-AQMD Ambient Air Monitoring Sites	6
Figure 2-3: PM ₁₀ Emissions by Source Category	7
Figure 2-4: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Toll	9
Figure 2-5: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Reno4	10
Figure 2-6: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Sparks	11
Figure 2-7: The Dixie and Antelope Fire in Relation to Washoe County	13
Figure 2-8: The Drought Conditions Near the Time of the Dixie and Antelope Fires	14
Figure 2-9: 24-hour PM ₁₀ Concentrations in August 2021	16
Figure 2-10: Satellite Imagery from August 5, 2021	18
Figure 2-11: Satellite Imagery from August 6, 2021	19
Figure 2-12: Satellite Imagery from August 7, 2021	20
Figure 2-13: Satellite Imagery from August 9, 2021	21
Figure 2-14: Daily Weather Maps for Aug 5, 2021	22
Figure 2-15: Daily Weather Maps for Aug 6, 2021	23
Figure 2-16: Daily Weather Maps for Aug 7, 2021	24
Figure 2-17: Daily Weather Maps for Aug 9, 2021	25
Figure 4-1: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/06/21	29
Figure 4-2: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/07/21	30
Figure 4-3: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Sparks on 08/07/21	31
Figure 4-4: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Toll in August 2021	32
Figure 4-5: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Reno4 in August 2021	33
Figure 4-6: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Sparks in August 2021	34
Figure 4-7: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/06/21	35
Figure 4-8: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/07/21	36
Figure 4-9: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Sparks on 08/07/21	37
Figure 4-10: PM _{2.5} /PM ₁₀ Ratios throughout August 2021	40
Figure 4-11: Hourly PM _{2.5} /CO at Reno4 on August 6, 2021	41
Figure 4-12: Hourly PM _{2.5} /CO at Reno4 on August 7, 2021	42
Figure 4-13: Hourly PM _{2.5} /CO at Sparks on August 7, 2021	42
Figure 4-14: Hourly PM ₁₀ /CO at Reno4 on August 6, 2021	43
Figure 4-15: Hourly PM ₁₀ /CO at Reno4 on August 7, 2021	44
Figure 4-16: Hourly PM ₁₀ /CO at Sparks on August 7, 2021	44
Figure 4-17: Backward Trajectory from Toll starting August 6, 2021 at 0000 PST	46
Figure 4-18: Backward Trajectory from Toll starting August 7, 2021 at 0000 PST	47
Figure 4-19: Backward Trajectory from Reno4 starting August 7, 2021 at 0000 PST ...	48
Figure 4-20: Backward Trajectory from Sparks starting August 7, 2021 at 0000 PST ...	49
Figure 4-21: Backward Trajectory from Reno4 starting August 8, 2021 at 0000 PST ...	50
Figure 4-22: Backward Trajectory from Sparks starting August 8, 2021 at 0000 PST ...	51
Figure 4-23: Forward Trajectory from Dixie Fire starting August 5, 2021 at 0000 PST	52
Figure 4-24: Forward Trajectory from Antelope Fire starting August 5, 2021 at 0000 PST	53
Figure 4-25: Forward Trajectory from Dixie Fire starting August 6, 2021 at 0000 PST	54
Figure 4-26: Forward Trajectory from Antelope Fire starting August 6, 2021 at 0000 PST	55

Figure 4-27: Forward Trajectory from Dixie Fire starting August 7, 2021 at 0000 PST	56
Figure 4-28: Forward Trajectory from Antelope Fire starting August 7, 2021 at 0000 PST	57
Figure 4-29: Figure 4-29: PM ₁₀ Wind/Pollution Rose for Toll, Reno4, and Sparks for August 5-7	58
Figure 6-1: Public Notification of Poor Air Quality during the 08/06/21 Exceedance ...	62
Figure 6-2: Be Smoke Smart Social Media Post from the day of the 08/06/21 Exceedance	63
Figure 6-3: NWS-Reno Post that was Reposted by AQMD	64
Figure 6-4: Press Release from AQMD During Wildfire Event	65

Tables

Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)	4
Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021	5
Table 2-3: PM ₁₀ Data Requested to be Excluded	15
Table 4-1: PM ₁₀ Emissions Calculations for the Period Prior to the Exceedance	27
Table 4-2: PM _{2.5} /PM ₁₀ Ratios at Toll	38
Table 4-3: PM _{2.5} /PM ₁₀ Ratios at Reno4	38
Table 4-3: PM _{2.5} /PM ₁₀ Ratios at Sparks	39

Acronyms and Abbreviations

AGL	Above Ground Level
AQI	Air Quality Index
AQMD	Washoe County Health District - Air Quality Management Division
AQS	Air Quality System
CAA	Clean Air Act
CFR	Code of Federal Regulations
CO	Carbon Monoxide
EE	Exceptional Event
EPA	U.S. Environmental Protection Agency
°F	Degrees Fahrenheit
FCCS	Fuel Characteristic Classification System
HA 87	Hydrographic Area 87
HMS	Hazardous Mapping System
HYSPLIT	Hybrid Single-Particle Lagrangian Integrated Trajectory
Lbs	Pounds
µg/m ³	Micrograms per cubic meter
MPH	Miles Per Hour
NAAQS	National Ambient Air Quality Standards
NAM	North American Mesoscale
NSPS	New Source Performance Standards
NOAA	National Oceanic and Atmospheric Administration
NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NOx	Nitrogen Oxides
NOy	Reactive Nitrogen Compounds
NWS	National Weather Service
O ₃	Ozone
PG&E	Pacific Gas and Electric
PM	Particulate Matter
PM _{2.5}	Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter
PM ₁₀	Particulate Matter less than or equal to 10 microns in aerodynamic diameter
ppm	Parts Per Million
PST	Pacific Standard Time
R ²	Coefficient of Determination
SO ₂	Sulfur Dioxide
TSP	Total Suspended Particles

1.0 Introduction

1.1 Purpose

The analysis in this report demonstrates that the exceedance of the primary and secondary 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) recorded on July 26, 2021, at the Sparks and Reno4 air monitoring sites were caused by the Dixie and Tamarack wildfires. Pursuant to “Contingency Plan “A”” of the First 10-Year Maintenance Plan, the data from exceptional events may be excluded from contingency plan trigger calculations for PM₁₀ NAAQS. Washoe County Health District Air Quality Management Division (AQMD) prepared this evaluation of the exceedance in order to exclude all PM₁₀ data from the Reno4 (AQS ID: 32-031-0031-81102-2) and Sparks (AQS ID: 32-031-1005-81102-4) PM₁₀ primary monitors on July 26, 2021. Exclusion of the data caused by this exceptional event will have an impact on contingency plan evaluation.

1.2 Contingency Plan Trigger Procedure

The contingency plan for the Truckee Meadows Maintenance area is described in AQMD’s First 10-Year PM₁₀ Maintenance Plan. The First 10-Year PM₁₀ maintenance plan describes that a contingency measure is triggered when a violation of the NAAQS is determined in accordance with Appendix K of 40 CFR Part 50. Appendix K of 40 CFR Part 50 states that the inclusion of data from exceptional events may result in inappropriate estimates of exceedances or averages, and it may be appropriate to discount the event from those calculations. The CAA 319(b) includes four requirements that, collectively, define an exceptional event:

1. The event affected air quality,
2. The event was not reasonably controllable or preventable,
3. The event was caused by human activity that is unlikely to recur at a particular location or was a natural event,
4. The event is determined by the Administrator through the process established in the regulations promulgated under the Exceptional Events Rule to be an exceptional event.

In accordance with the Exceptional Events Rule, this wildfire evaluation includes the following elements:

1. A narrative conceptual model; (See **Section 2** of this document)
2. A demonstration that the event affected air quality in such a way that there exists a clear causal relationship between the specific event and the monitored exceedance; (See **Section 4** of this document)
3. Analyses comparing the claimed event influenced concentrations at the monitoring site; (See **Section 4** of this document)
4. A demonstration that the event was both not reasonably controllable and not reasonably preventable; (See **Section 3** of this document)
5. A demonstration that the event was a human activity unlikely to recur at a particular location or was a natural event. (See **Section 5** of this document)

1.3 Public Comment Process

This evaluation was available for public comment from October 26 to November 26, 2023 at the AQMD website (OurCleanAir.com). A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact. See Appendix A for AQMD's Public Comment Plan.

1.4 Agency Contacts

For information or questions regarding this contingency plan evaluation, please contact the following individuals of the AQMD.

Francisco Vega, Division Director
(775) 784-7211, or fvega@nnph.org

Craig Petersen, Supervisor, Monitoring and Planning
(775) 784-7233, or cpetersen@nnph.org

Brendan Schnieder, Senior Air Quality Specialist
(775) 784-7207, or bschnieder@nnph.org

Matt McCarthy, Environmental Engineer II, Project Manager
(775) 784-7217, or mmccarthy@nnph.org

Ben McMullen, Air Quality Specialist
(775) 784-7208, or bmcmullen@nnph.org

As Revised November 26, 2025

2.0 Conceptual Model

2.1 Regional Description

Washoe County is located in the northwest portion of Nevada. It is bounded by California, Oregon, and the Nevada counties of Humboldt, Pershing, Storey, Churchill, Lyon, and Carson City (Figure 2-1). The Truckee Meadows is approximately 200 square miles in size and situated in the southern portion of Washoe County. It is geographically identified as Hydrographic Area 87 (HA 87) as defined by the State of Nevada, Division of Water Resources. Most of Washoe County's population lives in and around the Truckee Meadows.

The Truckee Meadows sits at an elevation of 4,400 feet above sea level and is surrounded by mountain ranges. To the west, the Sierra Nevada rises to elevations of 9,000 to 11,000 feet. Hills to the east reach 6,000 to 8,000 feet. The Truckee River, flowing from the Sierra Nevada eastward, drains into Pyramid Lake to the northeast of the Truckee Meadows.

Climate

Average annual wind speed measured at the Reno-Tahoe International Airport is 6.4 miles per hour (mph). January is the calmest month (4.5 mph) with April being the windiest (8.3 mph). Wintertime (November-January) averages 4.9 mph and summertime (June-August) averages 7.2 mph.

Most of Reno's precipitation falls from November through March in the form of rain and snow. Reno receives an average of 7.35 inches of precipitation per calendar year (1991-2020 climate normals). Table 2-1 lists temperature and precipitation normals as measured at the Reno-Tahoe International Airport.

Figure 2-1
Washoe County, Nevada




Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)

Month	Temperature (°F)			Precipitation (inches)
	Maximum	Minimum	Mean	Mean
January	47.7	26.1	36.9	1.25
February	52.1	29.0	40.6	1.03
March	59.2	34.0	46.6	0.80
April	64.7	38.5	51.6	0.44
May	74.1	46.6	60.3	0.55
June	84.6	53.8	69.2	0.41
July	93.9	60.4	77.2	0.20
August	92.1	58.1	75.1	0.24
September	83.8	50.3	67.0	0.21
October	70.4	39.7	55.1	0.50
November	56.7	31.0	43.8	0.62
December	46.7	25.7	36.2	1.1

Maximum temperatures of 90 °F or above normally occur between July 3 and August 21. Maximum temperatures typically peak at 94 °F between July 22 and July 29.

Demographics

The 2020 population of Washoe County was 486,492. Approximately two-thirds of Washoe County’s residents live in the Truckee Meadows, which includes the cities of Reno and Sparks. Anthropogenic activities such as transportation, manufacturing, freight distribution, and residential wood use are also concentrated in the Truckee Meadows.

Seasons

Washoe County experiences two distinct air pollution seasons - wintertime particulate matter (PM) and summertime ozone (O₃). Wildfire smoke throughout the year, especially during the summer months, can dramatically increase summertime PM and O₃.

Wintertime temperature inversions combined with light winds can contribute to elevated levels of Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter (PM_{2.5}), Particulate Matter less than or equal to 10 microns in aerodynamic diameter (PM₁₀), Nitrogen Dioxide (NO₂), and Carbon Monoxide (CO). Inversions are common in mountain valleys such as the Truckee Meadows. Air pollution episodes persist until stronger winds scour the cold air out of the valley and break the temperature inversion.

Northern Nevada receives an abundant amount of sunshine and solar radiation during the summer months. Mobile sources (i.e., cars and trucks) emit O₃ precursors and their activity increases during the summer. Ozone concentrations are typically highest between May and September, especially during the months of June, July, and August.

Strong winds can occur at any time of year. Two-minute gusts over 40 mph are not uncommon. These winds lower the gaseous pollutant (O₃, CO, NO₂, and SO₂) concentrations but typically increase PM levels, especially PM₁₀. Hourly PM₁₀ levels can reach more than 500 micrograms per cubic meter (µg/m³) for several hours.

Attainment Status

All areas of Washoe County currently attain or are unclassifiable for all National Ambient Air Quality Standards (NAAQS). However, portions of Washoe County had previously been designated non-attainment for the following NAAQS: 1) 1971 Total Suspended Particles (TSP) (24-hour and Annual); 2) CO (8-hour); 3) 1979 O₃ (1-hour); and 4) 1987 PM₁₀ (24-hour and Annual). Some pollutants and standards, such as 1-hour O₃ and TSP, have been revoked and no longer apply. For the other pollutants, CO and PM₁₀, the HA 87 planning area was redesignated to maintenance after the standard was met. Since the 1970's, AQMD has implemented control strategies to target mobile sources, wood-burning devices, and dust control to achieve attainment with the NAAQS.


2.2 Overview of Monitoring Network

In 2021, the Washoe County Health District, Air Quality Management Division (AQMD) operated seven ambient air monitoring sites in Washoe County (Figure 2-2). The blue boundary delineates HA 87 as defined by the State of Nevada, Division of Water Resources. Table 2-2 lists the parameters monitored in 2021, sorted by site.

Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021

Site	O ₃	CO	Trace CO	Trace NO	NO ₂	NO _x	Trace NO _y	Trace SO ₂	PM ₁₀	PM _{2.5}	PM _{coarse}	PM _{2.5} Speciation	Meteorology
Incline	✓												
Lemmon Valley	✓												
Reno4	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
South Reno	✓												✓
Sparks	✓	✓							✓	✓	✓		✓
Spanish Springs	✓								✓	✓	✓		
Toll	✓								✓	✓	✓		✓

Figure 2-2: Washoe County Health District - AQMD Ambient Air Monitoring Sites



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE




The AQMD’s ambient air monitoring network meets the minimum monitoring requirements for all criteria pollutants pursuant to Title 40, Part 58 of the Code of Federal Regulations (CFR), Appendix D. Washoe County’s monitoring network is reviewed annually pursuant to 40 CFR 58.10 to ensure the network meets the monitoring objectives defined in 40 CFR 58, Appendix D. Data was collected and quality assured in accordance with 40 CFR 58 and submitted to the Air Quality System (AQS). Additionally, 2021 data was certified on April 26, 2022. (See Appendix C).

2.3 Characteristics of Non-event PM₁₀ Concentrations

Without exceptional events, ambient PM₁₀ concentrations within Washoe County are under the limit of the PM₁₀ NAAQS standard. This is because the PM₁₀ emissions that Washoe County produces have been regulated through different policy instruments such as a dust control program, New Source Performance Standards (NSPS) for woodburning devices, and street sanding/sweeping regulations. Figure 2-3 shows that Washoe County produces 38,833 lbs/day of PM₁₀ emissions as per the 2020 Periodic Emissions Inventory. This includes emissions from wildfires within the Washoe County limits. Emissions from purely anthropogenic sources make up about 31,786 lbs/day.

Figure 2-3: PM₁₀ Emissions by Source Category



Based on historic, non-event PM₁₀ monitoring data for the previous six years, below are the characteristics of PM₁₀ levels throughout the year in the Truckee Meadows.

1. October through March: Ambient PM₁₀ concentrations are relatively high during the colder months because some Washoe County residents utilize wood-burning devices for heat. Additionally, PM₁₀ concentrations can increase after snowstorms due to local street sanding and sweeping. The Truckee Meadows region also struggles with inversion layers in which cold air gets trapped at ground level, causing poor atmospheric mixing. This inhibits PM emissions from leaving the air basin and can

cause higher concentrations of PM_{10} . Despite this, the region rarely experiences 24-hour PM_{10} averages over $100 \mu\text{g}/\text{m}^3$ during these times.

2. April through June: Ambient PM_{10} concentrations during this period are usually the lowest of the year. With higher temperatures, there is less residential wood-burning. Additionally, soil generally hasn't been dried by high temperatures such as what could be seen at the end of summertime. Wind speeds are higher in the spring which helps with air mixing and vacating any PM_{10} buildup from the region.
3. July through September: Ambient PM_{10} concentrations are the highest during this time period. This coincides with the wildfire season in the western United States. Although wildfire season is sometimes described as June-August, changes in climate in the western United States has caused wildfire smoke impacts to be more commonly felt in September rather than June. The Washoe County area has been impacted by wildfire events during these months for nine out of the last ten years. The main source of anthropogenic PM_{10} emissions during this time comes from fugitive dust that has been dried after months of high temperatures.

The wildfire events that have caused exceedances have occurred in the July through September period. For the purpose of this evaluation, it is worthwhile to evaluate the diurnal pattern of PM_{10} concentrations during this time period. Figure 2-4 through Figure 2-6 below shows the 2016-2020 PM_{10} diurnal pattern for non-event days at the Toll, Reno4, and Sparks monitors with the 5th, 50th, and 95th percentile included. Throughout the day, PM_{10} concentrations generally rise and peak between the hours of 5:00 PST and 11:00 PST.

As Reviewed,
November 26, 2023

Figure 2-4: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Toll




Figure 2-5: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Reno4





Figure 2-6: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Sparks



2.4 Description of Fires that caused PM₁₀ Exceedances

Dixie Fire


On July 13, 2021, the Dixie fire ignited on U.S. Forest Service land in the Plumas National Forest in Butte County, California, approximately 90 miles northwest of the Truckee Meadows region. The fire started when a tree fell onto a PG&E power transmission line and one of the fuses remained active, causing electric arcing onto wildfire fuels below. From then on, the fire grew rapidly over the next few months with some days showing an increase of up to 100,000 acres burned. Fire crews fought the fire until it was announced as fully contained on October 25, 2021. In total, the Dixie Fire burned 963,309 acres with a perimeter illustrated in Figure 2-7.

Antelope Fire

On August 1, 2021, the Antelope Fire was reported in the drainage of Antelope Creek in Klamath National Forest in Siskiyou County, California, approximately 180 miles northwest of the Truckee Meadows region. The fire was caused by a lightning strike during a thunderstorm. Red flag conditions caused the fire to grow quickly. Between August 5, and August 6 of 2021, extreme fire conditions were reported with flames over 100 feet in height. Over the next couple of months, the fire grew to 145,632 acres until it was fully contained on October 15, 2021. The perimeter of the fire is illustrated in Figure 2-7.

An important factor in the start of these fires was dry wildfire fuels. The fires took place in areas that were considered to be either Extreme or Exceptional Drought based on the U.S. Drought Monitor. Figure 2-8 shows what the U.S. Drought Monitor was on August 10, 2021 and illustrates how dry the wildfire fuels were at that time.

Figure 2-7: The Dixie and Antelope Fire in Relation to Washoe County



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE





Figure 2-8: The Drought Conditions Near the Time of the Dixie and Antelope Fires



2.5 PM₁₀ Air Quality Impacts from the Dixie and Antelope Fires

2.5.1 Data Requested to be Excluded

As was mentioned in Section 1.1 of this document, the purpose of this evaluation is to request exclusion of air quality data from contingency plan trigger calculations that were elevated due to exceptional events. Table 2-3 below shows the data that is requested to be excluded as part of this evaluation and the corresponding 24-hour PM₁₀ NAAQS averages. AQMD is requesting exclusion of all hourly PM₁₀ data points on the days of the exceedances from 0000 PST through 2300 PST. For a complete list of each data point to be excluded, see Appendix D of this document.


Table 2-3: PM₁₀ Data Requested to be Excluded

Monitoring Site (AQS ID)	8/6/2021	8/7/2021
Toll (AQS ID: 32-031-0025-81102-2)	156 µg/m ³	-
Reno4 (AQS ID: 32-031-0031-81102-2)	-	198 µg/m ³
Sparks (AQS ID: 32-031-1005-81102-4)	-	163 µg/m ³

2.5.2 Narrative of Air Quality Impacts

In early August of 2021, wildfire smoke was transported into the Truckee Meadows from the Dixie and Antelope Fires which eventually led to PM₁₀ exceedances on August 6, 2021 at the Toll air monitoring station and on August 7, 2021 at the Sparks and Reno4 air monitoring stations. On August 5, 24-hour PM₁₀ averages were as low as 23, 25, and 29 µg/m³ at Reno4, Sparks, and Toll respectively. By the next day, the 24-hour PM₁₀ average at Toll was 156 ug/m³. The next day, August 7, the 24-hour PM₁₀ average was 198 and 163 ug/m³ at Reno4 and Sparks, respectively. As the wind increased, the smoke vacated the Truckee Meadows and dropped the PM₁₀ concentrations back below the NAAQS. An overview of 24-hour average concentrations for PM₁₀ for the month of August 2021 is shown in Figure 2-9. Since this figure includes data for the whole month, it is important to note that this evaluation is only for the Dixie/Antelope event, the Dixie/Caldor event will have a separate evaluation. The days of the exceedances that are relevant to this evaluation are denoted by the red data points on August 6-7, 2021.

Figure 2-9: 24-hour PM₁₀ Concentrations in August 2021



The National Weather Service Office in Reno, Nevada provides at least two daily Area Forecast Discussions that summarize the short and long-term weather forecast for the area. It also provides a synopsis of current observations as well as weather events such as smoke and haze. Below are excerpts from Area Forecast Discussions issued on the days of the exceedances. This excerpt confirms that the previously mentioned sequence of events is accurate.

“Smoke from the Dixie Fire and other fires across northern CA will continue to pour into the Sierra/western NV with HRRR near surface smoke models bringing deteriorating conditions all the way south to Hawthorne and Mammoth Lakes. Afternoon mixing will only improve conditions slightly through Saturday as winds will generally be light. A bump in westerlies could briefly mix things a bit better Sunday before the surface flow resumes an unfavorable pattern of smoke transport Monday.”

Excerpt from NWS-Reno Area Forecast Discussion
(225 AM PDT Fri Aug 6 2021)

“Smoke has inundated much of western NV and the eastern Sierra with many locations reporting unhealthy air quality early this morning. There is not going to be much improvement today until later in the afternoon when some westerly zephyr winds arrive to help disperse some of the smoke, primarily from Reno southward along the eastern Sierra/far western NV mainly west of Hwy 95. Conditions will likely deteriorate farther to the east across the Basin and Range, including Fallon/Lovelock/Hawthorne as the smoke pushes eastward. HRRR near surface smoke models do not indicate any significant improvement potential until Sunday afternoon when we get a more pronounced afternoon breeze. On Monday, winds decrease and turn in a more unfavorable direction once again. So as long as the Dixie Fire remains active, expect another round of smoke Monday.”

Excerpt from NWS-Reno Area Forecast Discussion
(257 AM PDT Sat Aug 7 2021)

Satellite imagery also confirms the sequence of events of the exceedance. As can be seen in Figure 2-10 below, smoke from the Dixie and Antelope fires had not entered HA 87 as of August 5, 2021. As wind patterns shifted, smoke from the fires moved into HA 87 causing the exceedance on August 6, 2021, at Toll. This is seen in Figure 2-11 below. The smoke stayed in HA 87 and caused an exceedance on August 7, 2021, at Reno4 and Sparks. This is shown in figure 2-12 below. Within a few days, the smoke had mostly vacated HA 87 which can be seen in Figure 2-13 below. The maps shown in Figures 2-14, 2-15, 2-16, and 2-17 are daily weather maps that were issued by the National Weather Service around the time of the exceedance that provide extra evidence in support of the aforementioned sequence of events.

Figure 2-10: Satellite Imagery from August 5, 2021




Figure 2-11: Satellite Imagery from August 6, 2021




Figure 2-12: Satellite Imagery from August 7, 2021




Figure 2-13: Satellite Imagery from August 9, 2021




Figure 2-14: Daily Weather Maps for Aug 5, 2021







Figure 2-15: Daily Weather Maps for Aug 6, 2021



Surface Weather Map at 7:00 A.M. E.S.T.



500-Millibar Height Contour at 7:00 A.M. E.S.T.

24-hr Precipitation (in.) Ending at 7:00 A.M. E.S.T.

Figure 2-16: Daily Weather Maps for Aug 7, 2021







Figure 2-17: Daily Weather Maps for Aug 9, 2021



3.0 Not Reasonably Controllable or Preventable

By definition, an exceptional event is an event that was both not reasonably controllable and not reasonably preventable. Wildfires on wildland satisfy both requirements unless there is evidence to the contrary. This is explained in 40 CFR 50.14(b)(4) which states:

The Administrator shall exclude data from use in determinations of exceedances and violations where a State demonstrates to the Administrator's satisfaction that emissions from wildfires caused a specific air pollution concentration in excess of one or more national ambient air quality standard at a particular air quality monitoring location and otherwise satisfies the requirements of this section. Provided the Administrator determines that there is no compelling evidence to the contrary in the record, the Administrator will determine every wildfire occurring predominantly on wildland to have met the requirements identified in paragraph (c)(3)(iv)(D) of this section regarding the not reasonably controllable or preventable criterion.

As was shown in Figure 2-7, the wildfires that caused the PM₁₀ exceedances on August 6-7, 2021, were both started in the State of California on US Forest Service land. According to the definition of wildland provided in 40 CFR Part 50, §50.1(o), both the Dixie and Antelope fires occurred on wildland because the areas that the fires started were in areas with little human activity.

40 CFR 50.1(o): Wildland means an area in which human activity and development are essentially non-existent, except for roads, railroads, power lines, and similar transportation facilities. Structures, if any, are widely scattered.

In addition, since the wildfires were not within the jurisdiction of Washoe County and the pollution impacts were due to interstate transport, there is no reasonable control method that AQMD could have taken to prevent the PM₁₀ exceedances from happening. The exceedances were caused by the excessive PM₁₀ emissions from the Dixie and Antelope fires, not from anthropogenic sources within Washoe County. This is proven beyond a reasonable doubt in Section 4 of this document, Clear Causal Relationship.

4.0 Clear Causal Relationship

4.1 Fire Emissions Analysis

As can be seen in Figure 2-9, smoke from the Dixie and Antelope fires impacted the Toll, Reno4, and Sparks PM₁₀ monitors starting on August 5, 2021. Between August 5 – August 7, 2021, the wildfires grew quickly and burned through large amounts of fuel, sending thousands of tons of emissions into the air, some of which was transported to the Truckee Meadows region, causing PM₁₀ exceedances. PM₁₀ emissions from the fire during this time frame were estimated by AQMD using the U.S Forest Service BlueSky Playground tool, Version 3.5. The inputs to the BlueSky Playground modeling tool include 1) Latitude and Longitude of fire origination, 2) Emissions Type, 3) Fuel Moisture Condition, 4) FCCS Fuelbed type and 5) acreage burned. For the Antelope Fire, the latitude and longitude were (41.5, -121.929), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 7 – Douglas-fir-sugar pine-tanoak forest.” For the Dixie Fire, the latitude and longitude were (39.8713, -121.3894), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 16 – Jeffrey pine-ponderosa pine-Douglas Fir-California black oak forest.” The Fuel Moisture Condition was determined to be “Dry” as a conservative estimate based on the U.S. Drought Monitor from August 10, 2021 shown in Figure 2-7. Fire acreage growth for both fires was determined by changes in acreage burned between daily Smoke Outlook reports issued by the Interagency Wildland Fire Air Quality Response Program. At most large wildfire events, a daily Smoke Outlook report is issued by an Air Resource Advisor that includes the size of the fire (in acres). By finding the difference in fire size listed on consecutive daily Smoke Outlook reports, daily fire growth can be calculated.

As can be seen in Table 4-1, the total PM₁₀ emissions that resulted from the Antelope and Dixie Fires between August 5 and August 7, 2021 was approximately 93,171 tons. As was mentioned in Section 2.3, and as per the 2020 Emissions Inventory, Washoe County produces approximately 38,833 lbs/day of PM₁₀. That is a total of 7,087 tons over the course of the year. By comparison, the emissions from the Antelope Fire and Dixie Fire over this three-day period were over thirteen times the annual PM₁₀ emissions that Washoe County produces.

Table 4-1: PM₁₀ Emissions Calculations for the Period Prior to the Exceedances.

Date	Antelope Fire Growth (Acres)	Dixie Fire Growth (Acres)	Antelope Fire PM ₁₀ Emissions (Tons)	Dixie Fire PM ₁₀ Emissions (Tons)	Total PM ₁₀ Emissions (Tons)
August 5, 2021	13,499	110,311	14,553.46	55,782.82	70,336.28
August 6, 2021	5,909	13,910	6,370.58	7,034.10	13,404.68
August 7, 2021	1,570	16,754	957.77	8,472.28	9,430.05
Total	20,978	140,975	21,881.81	71,289.2	93,171.01

4.2 Comparison of Event PM₁₀ Concentrations to Historical Concentrations

In order to prove that the day of the exceedance had abnormally high PM₁₀ concentrations, AQMD compared the hourly data to what would be expected on a non-event day in wildfire season. AQMD completed a diurnal pattern analysis to do this. Each hour on the exceedance days were compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from the five-year period from 2016-2020 in the wildfire season of July-September. This analysis was done at the Toll, Reno4, and Sparks PM₁₀ monitors. For the Reno4 historical PM₁₀ concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-1, Figure 4-2, and Figure 4-3 below, the hourly PM₁₀ concentrations at Toll, Reno4, and Sparks on the days of the exceedances were much higher than what would be expected based on historical concentrations. Most hourly concentrations were orders of magnitude higher than what would be expected (50th percentile). Additionally, most hourly concentrations were much higher than the 95th percentile of the data set.

As Revised
November 26, 2023

Figure 4-1: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/06/21




Figure 4-2: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/07/21





Figure 4-3: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Sparks on 08/07/21



4.3 Methods for Determining the Presence of Wildfire Smoke

4.3.1 PM_{2.5} Concentrations

Although this evaluation is written for PM₁₀, analyzing the PM_{2.5} concentrations during the event supports this evaluation by highlighting that the fine particulate matter concentrations followed the same trend as PM₁₀. If the particulate is made up of smoke, PM_{2.5} and PM₁₀ should follow the same trend. If the particulate was made up of something else such as a geologic source, PM_{2.5} would not follow the same trend as PM₁₀. As can be seen in Figure 4-4, Figure 4-5, and Figure 4-6, concentrations of PM_{2.5} and PM₁₀ followed the same trend over duration of the event at all affected monitors, thus supporting AQMD's position that wildfire smoke was present.

Figure 4-4: 24-hour PM_{2.5} and PM₁₀ Concentrations at Toll in August 2021




Figure 4-5: 24-hour PM_{2.5} and PM₁₀ Concentrations at Reno4 in August 2021





Figure 4-6: 24-hour PM_{2.5} and PM₁₀ Concentrations at Sparks in August 2021



Similar to PM₁₀, AQMD also completed a diurnal pattern analysis for PM_{2.5}. Each hour on the exceedance day was compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from non-event days in the five-year period from 2016-2020 during the wildfire season of July-September. This analysis was done for Reno4, and Sparks PM_{2.5} on the days of the exceedances. Since Toll did not monitor for PM_{2.5} until 2019, a diurnal was created for 2019-2020. For the Reno4 historical PM_{2.5} concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-7, 4-8, and 4-9 below, nearly every hour of the exceedance was multiple times higher than what would be expected (50th percentile) and still much higher than the 95th percentile of the data set.

Figure 4-7: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/06/21




Figure 4-8: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/07/21





Figure 4-9: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Sparks on 08/07/21



4.3.2 PM_{2.5}/PM₁₀ Ratio

One method for determining whether the elevated PM₁₀ concentrations were caused by wildfire smoke is by analyzing the ratio of PM_{2.5} to PM₁₀. If a higher fraction of the PM₁₀ is made up of PM_{2.5}, this is indicative that smoke is present in the region. A lower PM_{2.5}/PM₁₀ ratio would mean that more of the particulate is larger than 2.5 microns and is most likely of a geologic origin. As can be seen in Table 4-2, Table 4-3, and Table 4-4, the PM_{2.5}/PM₁₀ ratio at Toll, Reno4, and Sparks started to increase on August 5, 2021, leading up to the exceedance days. The days of the exceedances are highlighted in yellow and show an elevated ratio compared to when the monitors were not affected by the wildfire smoke on August 5 of 2021.

Table 4-2: PM_{2.5}/PM₁₀ Ratios at Toll

Toll			
Date	24-hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/4/2021	2.8	23	0.12
8/5/2021	0.4	25	0.02
8/6/2021	104.7	156	0.67
8/7/2021	68.9	106	0.65
8/8/2021	61.3	92	0.67
8/9/2021	31.9	67	0.48
8/10/2021	42.7	80	0.53

Table 4-3: PM_{2.5}/PM₁₀ Ratios at Reno4

Reno4			
Date	24-hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/4/2021	5.8	22	0.26
8/5/2021	5.7	25	0.23
8/6/2021	84.9	136	0.62
8/7/2021	140.5	198	0.71
8/8/2021	60.8	91	0.67
8/9/2021	34.7	65	0.53
8/10/2021	36.4	70	0.52


Table 4-4: PM_{2.5}/PM₁₀ Ratios at Sparks

Sparks			
Date	24-hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/4/2021	3.6	28	0.13
8/5/2021	2.4	29	0.08
8/6/2021	53.9	101	0.53
8/7/2021	120.5	163	0.74
8/8/2021	69.5	100	0.70
8/9/2021	33.3	64	0.52
8/10/2021	35.8	68	0.53

As Revised
November 26, 2025

The $PM_{2.5}/PM_{10}$ ratio during the Dixie/Antelope event was higher than the rest of August 2021 and what would be expected on a typical summer day. AQMD determined what a typical summertime $PM_{2.5}/PM_{10}$ ratio would be by finding the regional average ratio during July-September between 2016 and 2020. The regional average ratio is the average of the Reno4 and Sparks $PM_{2.5}/PM_{10}$ ratios. The $PM_{2.5}/PM_{10}$ ratio that could be expected when not influenced by wildfire smoke or other events is 0.30. The ratios on the days of the exceedances were 0.67 at Toll on August 6, 2021, and 0.71 and 0.74 at Reno4 and Sparks respectively on August 7, 2021. The ratios were more than twice what would be expected, thus supporting AQMD's position that the exceedances were caused by wildfire smoke. Figure 4-10 illustrates this.

Figure 4-10: $PM_{2.5}/PM_{10}$ Ratios throughout August 2021



4.3.3 PM_{2.5}/CO Ratio


It has been documented that ambient PM_{2.5} and CO concentrations are correlated in the presence of wildfire smoke in urban areas.¹ AQMD completed a linear regression analysis that compared the PM_{2.5} and CO concentrations at the Reno4 and Sparks monitoring sites on the days of the exceedances. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. This information was then compared to a linear regression analysis completed for a non-event day on July 13, 2021. The equation and coefficient of determination (R²) that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = -2.5812x + 6.3198$	$R^2 = 0.0021$
Sparks: $y = 2.6136x + 3.017$	$R^2 = 0.0028$

As can be seen in Figure 4-11, Figure 4-12, and Figure 4-13, a strong correlation was found on the days of the exceedances between PM_{2.5} and CO concentration. The coefficient of determination for Reno4 on the August 6 exceedance was 0.8738. The coefficient of determination for Reno4 and Sparks on the August 7 exceedance was 0.9769 and 0.7865, respectively. This signals a presence of wildfire smoke on the days of the exceedances.

Figure 4-11: Hourly PM_{2.5}/CO at Reno4 on August 6, 2021



¹ Jaffe, D. A., Schnieder, B., and Inouye, D.: Technical note: Use of PM_{2.5} to CO ratio as an indicator of wildfire smoke in urban areas, Atmos. Chem. Phys., 22, 12695–12704, <https://doi.org/10.5194/acp-22-12695-2022>, 2022.

Figure 4-12: Hourly PM_{2.5}/CO at Reno4 on August 7, 2021





Figure 4-13: Hourly PM_{2.5}/CO at Sparks on August 7, 2021



4.3.4 PM₁₀/CO Ratio

When an area has the presence of wildfire smoke, the CO and PM₁₀ concentrations should also be correlated, although not as strongly correlated as CO and PM_{2.5}. Similar to section 4.3.3, a linear regression analysis was completed with CO and PM₁₀ data on the days of the exceedances and compared to a non-event day on July 13, 2021. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. The equation and coefficient of determination that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = 107.41x + 8.5459$	$R^2 = 0.2209$
Sparks: $y = 66.023x + 11.528$	$R^2 = 0.4516$

As can be seen in Figure 4-14, Figure 4-15, and Figure 4-16, a strong correlation was found on the days of the exceedances between PM₁₀ and CO concentration. The coefficient of determination for Reno4 on the August 6 exceedance was 0.8719. The coefficient of determination for Reno4 and Sparks on the August 7 exceedance was 0.8419 and 0.7311, respectively. This also signals the presence of wildfire smoke in the region on the day of the exceedance.

Figure 4-14: Hourly PM₁₀/CO at Reno4 on August 6, 2021




Figure 4-15: Hourly PM₁₀/CO at Reno4 on August 7, 2021





Figure 4-16: Hourly PM₁₀/CO at Sparks on August 7, 2021



4.4 Trajectory Analysis

A trajectory analysis was completed for the event using the Hybrid Single Particle Lagrangian Integrated Trajectory (HYSPLIT) model to compute simple air parcel trajectories and determine where the smoke originated from. The HYSPLIT model's calculation method is a hybrid between the Lagrangian approach, which uses a moving frame of reference as the air parcels move from their initial location, and the Eulerian approach, which uses a fixed three-dimensional grid as a frame of reference. The trajectory models in this section were created with the EPA AirNow-Tech Navigator page and the HYSPLIT model was provided by NOAA's Air Resources Laboratory. The model used the North American Mesoscale Model (NAM) 12-kilometer domain. Each HYSPLIT was completed at 50, 1000, and 2500 meters above ground level (agl). These values were chosen to best illustrate the dynamics of the air mass that affected the Washoe County region before and during the days of the exceedances. According to NWS-Reno, 50 meters agl is a good proxy for boundary layer height in the region. The HYSPLIT figures below include the "HMS Fire" layer which shows the location of each fire, the "HMS Smoke" layer which shows where smoke is at the time, and the 24-hour, midnight to midnight average PM₁₀ concentration in µg/m³ for each air monitoring site in the region.

4.4.1 Monitoring Site Analysis - Backward Trajectory

In order to accurately understand where the affected air mass originated from, AQMD completed 24-hour backward trajectory HYSPLIT models from the affected PM₁₀ monitors at Toll, Reno4, and Sparks. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for backward trajectory HYSPLIT models, the first point on the line would denote 6-hours before the start time of the model.

Figure 4-17: Backward Trajectory from Toll starting August 6, 2021 at 0000 PST




Figure 4-18: Backward Trajectory from Toll starting August 7, 2021 at 0000 PST




Figure 4-19: Backward Trajectory from Reno4 starting August 7, 2021 at 0000 PST




Figure 4-20: Backward Trajectory from Sparks starting August 7, 2021 at 0000 PST




Figure 4-21: Backward Trajectory from Reno4 starting August 8, 2021 at 0000 PST





Figure 4-22: Backward Trajectory from Sparks starting August 8, 2021 at 0000 PST



4.4.2 Source Analysis – Forward Trajectory

In order to fully understand where smoke emissions from each fire moved prior to and on the days of the exceedances, an emissions source analysis was done which included 24-hour forward trajectory HYSPLIT models from both the Antelope and Dixie fires. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for forward trajectory HYSPLIT models, the first point on the line would denote 6-hours after the start time of the model.

Figure 4-23: Forward Trajectory from Dixie Fire starting August 5, 2021 at 0000 PST




Figure 4-24: Forward Trajectory from Antelope Fire starting August 5, 2021 at 0000 PST




Figure 4-25: Forward Trajectory from Dixie Fire starting August 6, 2021 at 0000 PST




Figure 4-26: Forward Trajectory from Antelope Fire starting August 6, 2021 at 0000 PST




Figure 4-27: Forward Trajectory from Dixie Fire starting August 7, 2021 at 0000 PST





Figure 4-28: Forward Trajectory from Antelope Fire starting August 7, 2021 at 0000 PST



4.4.3 Trajectory Analysis Explanation

The methodology behind this section is to bracket the exceedance days with forward and backward HYSPLITs. A forward trajectory was completed for August 5, August 6, and August 7 of 2021 to accurately depict the characteristics of the wildfire smoke that would have affected HA 87 on the exceedance days. A backward trajectory was completed for August 6, August 7, and August 8 of 2021 to characterize where the air mass on the exceedance days came from.


As can be seen in the backward trajectory section, the air masses at 50, 1000, and 2500 meter agl on August 6 and August 7, 2021 all originated at or near the Dixie or Antelope fires. The backward trajectories on August 8, 2021 shows how wind patterns shifted to vacate the smoke from the region and led to lower PM₁₀ concentration in the days following the exceedances. As can be seen in the forward trajectory section, the smoke from the Dixie and Antelope fires was transported into HA 87 between August 5 and August 7 of 2021 with August 6, 2021 having the most direct wildfire smoke transport. Similar to the backward trajectory section, the forward trajectories on August 7, 2021 show the changing wind patterns that decreased PM₁₀ concentrations following the exceedances.

As Revised
November 26, 2025

4.5 Pollution Rose Analysis

Using the AirNow-Tech Navigator Rose Tool, wind/pollution roses were generated for Toll, Reno4, and Sparks monitoring sites for the days leading to and the days of the exceedances. Hourly PM₁₀ and wind direction data was used to create the roses. These show predominantly westerly and southerly wind components that carried Dixie and Antelope wildfire smoke to Washoe County.

Figure 4-29: PM₁₀ Wind/Pollution Rose for Toll, Reno4, and Sparks for August 5-7



4.6 Conclusion Showing a Clear Causal Relationship

Section 4.0 of this document demonstrates that the elevated PM_{10} concentrations that led to an exceedance of the primary and secondary PM_{10} NAAQS was caused by the Dixie and Antelope wildfires. The emissions analysis, historical concentration comparison analysis, $PM_{2.5}$ analysis, $PM_{2.5}/PM_{10}$ ratio analysis, $PM_{2.5}/CO$ ratio analysis, PM_{10}/CO ratio analysis, trajectory analysis, and pollution rose analysis all support this premise.

The comparisons and statistical analyses provided in this section of the document supports AQMD's evaluation that the Dixie and Antelope wildfire events affected air quality in such a way that there exists a clear causal relationship between the specific events and the monitored PM_{10} exceedance on August 6 and 7, 2021. Section 4.0 thus shows a clear causal relationship between the wildfire and the PM_{10} exceedance.

As Revised
November 26, 2025

5.0 Natural Event or Human Activity Unlikely to Recur

By definition, an exceptional event must be unlikely to recur at a particular location or was a natural event. The Dixie and Antelope Fires qualify as natural events because human activity played no direct causal role in the start of the fires. A natural event as per 40 CFR 50.1(k) is defined as:

40 CFR 50.1(k): Natural event means an event and its resulting emissions, which may recur at the same location, in which human activity plays little or no direct causal role. For purposes of the definition of a natural event, anthropogenic sources that are reasonably controlled shall be considered to not play a direct role in causing emissions.

As was mentioned in Section 2.4 of this document, the Antelope Fire was started by a lightning strike hitting a tree and the Dixie Fire was started by a tree falling on a power transmission line. AQMD sees no direct causal role by human activity, thus qualifying these wildfires as natural events.

As Revised
November 26, 2025

6.0 Public Outreach

An important role that AQMD plays during exceptional events that affect air quality is to notify the public of the current air quality, the air quality forecast, and ways to mitigate potential health impacts that are a result of degraded air quality. Examples of this public outreach showing the current air quality and the forecast for the coming days can be seen in Figure 6-1. AQMD has a public education program called “Be Smoke Smart” that informs citizens of the best ways to protect themselves from wildfire smoke. Figure 6-2 shows a social media post on the day of the exceedance with “Be Smoke Smart” information so that people could take the proper precautions.

In order to reach the public, AQMD uses Twitter, Facebook, press releases, and local partners to properly inform citizens. One local partner that is beneficial is National Weather Service (NWS) – Reno. Working together, AQMD and NWS-Reno are able to better reach the public through their respective social media networks. An example of this is shown in Figure 6-3. In addition, AQMD communicates with local news outlets through interviews and press releases. Figure 6-4 shows a press release that was made near the time of the event to inform local news outlets so that they could properly report on the event. This press release in addition to the other outreach actions also fulfills the public notification requirements of the Emergency Episode Plan and the PM_{2.5} Mitigation Plan.

As Revisited
November 26, 2023

Figure 6-1: Public Notification of Poor Air Quality during the 08/06/21 Exceedance



Figure 6-2: Be Smoke Smart Social Media Post from the day of the 08/06/21 Exceedance

Washoe County AQMD 
@WashoeCountyAQ

You know the current AQI. You know where the wildfires are. What can you do now? There are some actions you can take. [#BeSmokeSmart](#). Protect yourself and others from wildfire smoke.

What can I do to protect myself from wildfire smoke?

1. Reduce or stop outdoor activity.
2. Keep AC on if available, the fresh-air intake closed, filter clean, and windows closed.
3. Pay attention to air quality on [AirNow.gov](#).
4. Follow the advice of your doctor especially those with heart or lung disease.
5. Wet or dry cloth, dust, or surgical masks do not protect you from ozone or fine particulates
6. If you are a healthy adult and you must be outside, respirators marked NIOSH N95 can provide some protection from fine particulates with adequate fit.
7. Stay hydrated. Take more breaks if exerting yourself outside.
8. Keep indoor air clean; don't burn candles, vacuum, or smoke tobacco products.
9. Use a portable air purifier. Create a clean air room in your home.
10. Consider relocating temporarily.

Keep it Clean.

Be Smoke Smart.
Protect yourself from wildfire smoke.
[OurCleanAir.com](#)

WASHOE COUNTY HEALTH DISTRICT
ENHANCING QUALITY OF LIFE

11:52 AM · Aug 6, 2021

Figure 6-3: NWS-Reno Post that was Reposted by AQMD

Washoe County Health District: Air Quality Management Division
August 6, 2021 · 🌐

NWS RENO

SMOKE & HAZE

US National Weather Service Reno Nevada
August 6, 2021 · 🌐

Widespread smoke and haze for today and Saturday.
For details and tips check out the special weather statement - <https://bit.ly/3CeYEsu>

1

Like Comment

Figure 6-4: Press Release from AQMD During Wildfire Event

UPDATE: HEALTH DISTRICT ISSUES STAGE 2 EMERGENCY EPISODE

by Matthew Clark | Aug 6, 2021



Reno/Sparks, Nev. August 5, 2021 – The Washoe County Health District – Air Quality Management Division (AQMD) has issued a Stage 2 Emergency Episode due to anticipated smoke from area wildfires. The air quality index (AQI) for the Reno-Sparks area is expected reach “Unhealthy” to “Very Unhealthy” at times Friday, Saturday, and Sunday.

The Stage 2 Emergency Episode means that all residents should stay indoors and reduce activity levels due to the susceptibility of increased health risks. This is the third time AQMD has issued a Stage 2 (last time July 24, 2021). The Dixie Fire continues to be the main wildfire contributing to the poor air quality.

To see [current air quality in Reno-Sparks](#), [click here](#); for information on what the [air quality index colors mean](#), [click here](#).

Periods of heavy smoke and clearing may rapidly fluctuate during the weekend depending on wind patterns. AQMD has issued these recommendations to reduce exposure to smoke:

- Avoid or reduce outdoor and physical activities
- Stay indoors with the windows and doors closed; if possible, run the air conditioner on recirculation function
- Avoid using a swamp cooler or whole-house fan to prevent bringing additional smoke inside
- Consult your physician for health questions, especially those with heart and lung issues

AQMD can issue a Stage 1, Stage 2, or Stage 3 notifications with the Stage 3 Emergency Episode being the most severe. [More information on the stages can be found here](#).

Visit [OurCleanAir.com](#) for additional information on the Air Quality Management Division.

7.0 Conclusions and Recommendations

The Antelope Fire was started on August 1, 2021, when a lightning strike hit a tree in the Antelope Creek in Klamath National Forest, approximately 180 miles northwest of the Truckee Meadows. The Dixie Fire was ignited on July 13, 2021, when a tree fell on a power line in Plumas National Forest, approximately 90 miles northwest of the Truckee Meadows. Both fires emitted large quantities of PM₁₀ emissions which eventually led to a PM₁₀ exceedance at the Toll PM₁₀ monitor on August 6, 2021, and at the Reno4 and Sparks PM₁₀ monitor on August 7, 2021. The 2021 Dixie/Antelope Fire Evaluation supports the criteria for an exceptional event detailed in the 2016 Exceptional Events Rule. Specifically, the documentation used the following evidence to demonstrate the exceptional event:

- ambient air monitoring data
- statistical analyses of the monitoring data compared to historical concentrations
- analyses of wildfire smoke emissions
- satellite imagery (visible and detected smoke)
- narratives from the National Oceanic and Atmospheric Administration and National Weather Service (Reno)
- HYSPLIT trajectory analyses
- social and traditional media posts

This contingency plan evaluation clearly demonstrates justification for exclusion of data for August 6 and 7, 2021. The 2021 Dixie/Antelope Fire Evaluation has provided evidence that:

1. Emissions from a wildfire event caused PM₁₀ exceedances at the Toll, Reno4, and Sparks monitor;
2. The event affected air quality in such a way that there exists a clear causal relationship between the event and the exceedances on August 6-7, 2021;
3. Event-influenced concentrations were unusual and above normal historical concentrations;
4. The event was a wildfire and a natural event predominately occurring on wildland; and
5. The event was not reasonably controllable or preventable.

The AQMD recommends that data influenced by the 2021 Dixie/Antelope Fire on August 6, 2021 at the Toll PM₁₀ monitor and on August 7, 2021 at the Reno4 and Sparks PM₁₀ monitors be excluded from the contingency plan trigger calculations.

As Revised
November 26, 2025

WASHOE COUNTY
HEALTH DISTRICT
ENHANCING QUALITY OF LIFE

Please contact Matt McCarthy for
questions or comments at
mmccarthy@nph.org

Appendix A

Public Comment Plan

As Revised
November 26, 2025

Public Comment Period

This contingency plan evaluation was available for public inspection from October 26 to November 26, 2023 at the AQMD website ([OurCleanAir.com](https://www.aqmd.net/our-clean-air)). AQMD issued a press release (included below) on October 26, 2023 to inform the public of the comment period. The press release provides a web link to the draft evaluation and explains how to submit written comments during the comment period. A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact.

One comment was received during the public comment period. The document was not revised in response to the comment since the comment was a general comment in support. The comment, along with AQMD's response are included below.

As Revised
November 26, 2025

From: [McCarthy, Matthew](#)
To: knighreddawn@gmail.com
Cc: [Health - AQ-Planning](#)
Subject: RE: Exceptional events
Date: Monday, October 30, 2023 9:15:00 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)

Good morning Michael,

Thank you for your comment regarding the Exceptional Events demonstrations. Your comment will be included in our submittal to EPA.

Regards,

NORTHERN NEVADA
Public Health

Matt McCarthy
Environmental Engineer II
Air Quality Management Division

O: [775-784-7217](tel:775-784-7217)
1001 E Ninth St. Bldg. B Reno, NV 89512

OurCleanAir.com

NNPH.org | [f](#) [f](#) [@](#) [X](#) [in](#)

[Click here to take our customer satisfaction survey](#)

From: Michael-Forest <knighreddawn@gmail.com>
Sent: Thursday, October 26, 2023 7:23 PM
To: Health - AQ-Planning <Health-AQ-Planning@nnp.org>
Subject: Exceptional events

[NOTICE: This message originated outside of Washoe County -- DO NOT CLICK on links or open attachments unless you are sure the content is safe.]

Wildfire smoke caused by California wildfires should definitely NOT be included in our data. I completely support asking for an exception. There's not much Renoites can do about California wildfires!

Michael Meservy
6680 Stone Valley Dr

As Revised
November 26, 2025

NORTHERN NEVADA Public Health NEWSROOM

NNPH AIR QUALITY MANAGEMENT DIVISION SEEKS COMMENT ON EXCEPTIONAL EVENTS DEMONSTRATIONS

Oct 26, 2023

Reno/Sparks, Nevada. Oct. 26, 2023 – Northern Nevada Public Health – Air Quality Management Division (AQMD) is requesting written public comment on the 2021 and 2022 PM10 Exceptional Events Demonstrations, a series of technical reports proving that wildfires caused some poor air quality conditions, specifically PM10, in 2021 and 2022. The documents request that EPA exclude that data from regulatory consideration. PM10 is defined as particulate matter that is sized 10 microns in diameter or less and is one of the many air pollutants found in wildfire smoke.

If the EPA agrees to exclude that data, it means that future air quality plans for local emission sources are not affected by PM10 found in wildfire smoke. Excluding this data does not eliminate the public health impacts or AQMD's role in notifying the public of poor air quality.

AQMD's 2nd 10-Year PM10 Maintenance plan is due to EPA next year. In order for EPA to approve this plan, the maintenance area must not be violating the 24-Hour PM10 National Ambient Air Quality Standard (NAAQS). Multiple wildfires in 2021 and 2022 caused fifteen (15) exceedances of the PM10 NAAQS within the Truckee Meadows PM10 maintenance area. Through the Exceptional Events Rule (40 CFR 50.14), AQMD can request that data influenced by wildfires be excluded when determining compliance with the 24-Hour PM10 NAAQS.

The demonstrations are broken down into four separate events:

[2021 Dixie/Tamarack Fire Event](#)

[2021 Dixie/Antelope Fire Event](#)

[2021 Dixie/Caldor Fire Event](#)

[2022 Mosquito Fire Event](#)

Comments will be accepted until midnight on November 26, 2023, and may be submitted via e-mail to

Health-AQ-Planning@nnph.org

All correspondence must include first and last name and a complete mailing address.

For more information regarding the Health District's air quality efforts, visit the Air Quality Management Division's website at OurCleanAir.com.

NOTE: The Washoe County Health District became Northern Nevada Public Health on Aug. 31, 2023. Materials developed prior to that date may contain Washoe County Health District brand, logos, and references.

Northern Nevada Public Health (NNPH) is nationally accredited by the Public Health Accreditation Board and has jurisdiction over all public health matters in Reno, Sparks, and Washoe County through the policy-making District Board of Health. NNPH consists of five divisions: Administrative Health Services, Air Quality Management, Community and Clinical Health Services, Environmental Health Services and Epidemiology & Public Health Preparedness. [More info can be found here.](#)

Appendix B

Exceptional Event Initial Notification

As Revised
November 26, 2025

Initial Notification of Potential Exceptional Event Information Summary for PM₁₀

Submitting Agency: Washoe County Health District Air Quality Management Division

Agency Contact: Daniel Inouye, Branch Chief

Date Submitted: July 1, 2022

Applicable NAAQS: 1987 PM₁₀

Affected Regulatory Decision¹: None

Area Name/Designation Status: Truckee Meadows Hydrographic Basin 87 PM₁₀ Maintenance Area

Design Value Period: 2019-2021

As Revised
November 26, 2025

Table A(1): Information specific to each flagged monitor day that may be submitted to EPA in support of the affected regulatory decision listed above

Date(s) of Event(s)	Type of Event (high wind, volcano, wildfires/prescribed fire, other ²)	AQS Flags	Monitor AQS IDs (and POCs)	Monitor Names	24-hour average Exceedance Concentration (µg/m ³)	Notes (e.g. event name, links to other events)
07/24/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	173	
07/25/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	187	
07/26/2021	Wildfires	IT	32-031-1007-81102-1 32-031-1005-81102-4 32-031-0031-81102-2	Spanish Springs Sparks Reno4	186 174 171	
08/06/2021	Wildfires	IT	32-031-0025-81102-2	Toll	156	
08/07/2021	Wildfires	IT	32-031-0031-81102-2 32-031-1005-81102-4 32-031-1007-81102-1	Reno4 Sparks Spanish Springs	198 163 162	
08/16/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	197	
08/17/2021	Wildfires	IT	32-031-0025-81102-2	Toll	161	
08/20/2021	Wildfires	IT	32-031-0025-81102-2	Toll	176	
08/21/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1007-81102-1 32-031-1005-81102-4	Toll Reno4 Spanish Springs Sparks	204 200 195 190	
08/22/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2	Toll Reno4	261 210	
08/23/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1005-81102-4 32-031-1007-81102-1	Toll Reno4 Sparks Spanish Springs	319 304 214 187	
08/24/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1005-81102-4	Toll Reno4 Sparks	284 233 168	
08/25/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2	Toll Reno4	211 164	
08/26/2021	Wildfires	IT	32-031-0025-81102-2	Toll	174	

¹ designation, classification, attainment determination, attainment date extension, or finding of SIP inadequacy leading to SIP call

² Provide additional information for types of event described as “other”

Table B(1): Violating Monitors Information

Monitor (AQS ID and POC)	Design Value (<u>without</u> EPA concurrence on any of the events listed in table A above)	Design Value (<u>with</u> EPA concurrence on all events listed in table A above)
32-031-1007-81102-1 32-031-0025-81102-2 32-031-1005-81102-4 32-031-0031-81102-2	4.0 expected exceedances 4.0 expected exceedances 2.7 expected exceedances 2.7 expected exceedances	1.7 expected exceedances

Table C(1): Summary of Maximum Design Value (DV) Monitor Information

	Design Value	Design Value Monitor (AQS ID and POC)	Comment(s)
Maximum DV monitor (AQS ID and POC) without EPA concurrence on any of the events listed in table A above	4.0 expected exceedances 4.0 expected exceedances	32-031-1007-81102-1 32-031-0025-81102-2	Includes exceptional event data from 2020 that has not been concurred.
Maximum DV monitor (AQS ID and POC) with EPA concurrence on all events listed in table A above	1.7 expected exceedances	32-031-1007-81102-1	Includes exceptional event data from 2020 that has not been concurred.

Table D(1): List of any monitors (AQS ID and POC) within planning area with invalid design values (e.g. due to data incompleteness)

Monitor (AQS ID and POC)	Comment
---	---

Appendix C

2021 Data Certification Letter

As Revised
November 26, 2025

**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE

April 26, 2022

Gwen Yoshimura
Manager, Air Quality Analysis Office
U.S. EPA, Region 9
75 Hawthorne Street, Mail Stop AIR-7
San Francisco, CA 94105

Re: CY2021 Ambient Air Monitoring Data Certification

Dear Ms. Yoshimura:

Attached please find a copy of the Washoe County Health District, Air Quality Management Division's (AQMD) AQS AMP600 Data Certification Report and AMP450NC Quick Look summary report for ambient air monitoring data for all State and Local Air Monitoring Stations (SLAMS) and Special Purpose Monitors (SPMs) which meet criteria in 40 CFR 58 Appendix A operated from January 1 to December 31, 2021. Included is data from Federal Reference Method (FRM) and Federal Equivalent Method (FEM) monitors for CO, NO₂, ozone, PM₁₀, PM_{10-2.5}, PM_{2.5}, and SO₂ (hourly and 5-minute average data).

This letter certifies that the ambient concentration data and the quality assurance data are completely submitted to AQS, and the ambient data are accurate to the best of my knowledge taking into consideration the quality assurance findings.

Please contact Mr. Daniel Timmons or me at (775) 784-7200 with any questions or concerns.

Sincerely,



Francisco Vega, P.E., MBA
Director, Air Quality Management Division
Washoe County Health District

Attachments

cc: Fletcher Clover, Air Quality Analysis Office, U.S. EPA, Region 9

User ID: BAA

QUICKLOOK ALL PARAMETERS

Report Request ID: 2005956

Report Code: AMP450NC

Apr. 4, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031		86101							
	32	031		42401	2						

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
ALL			

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
AGENCY ROLE	PQAO
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

SCR GROUP SELECTIONS

Washoe Co,NV

DATE CRITERIA

Start Date	End Date
2021	2021

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

As Revised
November 26, 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

Parameter	Unit	P O C	PQAO	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert & Eval	EDH
Site ID: 32-031-0025 City: Reno		County: Washoe		Address: 684A STATE ROUTE 341, RENO NV 89521										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8524	881.0	602.0	586.0	563.0	13.46	1 HOUR		5
Site ID: 32-031-0031 City: Reno		County: Washoe		Address: 1260-A Stewart St.										
42401 Sulfur dioxide	Parts per billion	2	1138	2021	600	98036	8.8	7.1	5.6	4.7	.25	5 MINUTE		0
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	000	118	56.1	51.5	43.1	37.0	14.27	24 HOUR		5
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	2	1138	2021	185	8581	488.0	434.0	387.0	311.0	14.99	1 HOUR		5
Site ID: 32-031-1005 City: Sparks		County: Washoe		Address: 750 4TH ST, SPARKS, NV 89431										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8592	425.0	354.0	330.0	305.0	14.58	1 HOUR		5
Site ID: 32-031-1007 City: Sparks		County: Washoe		Address: 7200 Pyramid Hwy, Sparks, NV, 89441										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8618	709.0	707.0	495.0	370.0	9.74	1 HOUR		5

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU
86101	000	MULTIPLE METHODS	MULTIPLE METHODS
86101	185	Met One BAM-1020 System	Paired Beta Difference

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

PQAOS USED IN THIS REPORT

PQAO	AGENCY DESCRIPTION
1138	Washoe County District Health Department

As Revised
November 26, 2025

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.

User ID: BAA

CERTIFICATION EVALUATION AND CONCURRENCE

Report Request ID: 2014498

Report Code: AMP600

Apr. 26, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

32

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	CERTIFYING

DATE CRITERIA

Start Date	End Date
2021	2021

As Revised November 26, 2025

Data Evaluation and Concurrence Report Summary

Certification Year: 2021

Certifying Agency (CA): Washoe County District Health Department (1138)

Pollutants in Report:

<u>Parameter Name</u>	<u>Code</u>	<u>Monitors Evaluated</u>	<u>Monitors Recommended for Concurrence by AQS</u>	<u>Monitors NOT Recommended for Concurrence by AQS</u>
Carbon monoxide	42101	2	2	0
Nitrogen dioxide (NO2)	42602	1	1	0
Ozone	44201	7	7	0
PM10 Total 0-10um STP	81102	4	4	0
PM2.5 - Local Conditions	88101	5	5	0
Sulfur dioxide	42401	1	1	0

PQAOs in Report:

<u>PQAO Name</u>	<u>PQAO Code</u>	<u>TSA Date</u>
Washoe County District Health Department	1138	08/15/19

Summary of 'N' flags for all pollutants:

<u>PQAO</u>	<u>Code</u>	<u>AQS Site-ID</u>	<u>POC</u>	<u>AQS Recommended Flag</u>	<u>Cert. Agency Recommended Flag</u>	<u>Reason for AQS Recommendation</u>

Signature of Monitoring Organization Representative: _____

Aravisa Vega

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Carbon monoxide (42101) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	2.84708	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP		Concur. Flag			
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.274	0.032	2.437	0	0	97	2.66	+/-2.11	100	- 0.04	100	2.85	Y	Y	Y	Y	S
32-031-1005	1 SLAMS	0.387	0.000	2.200	0	0	99	1.08	+/-0.61	100	1.94	100		Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Nitrogen dioxide (NO2) (42602) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	8.18765	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	11.8	0.1	54.6		0	97	4.08	+/-3.40	100	-1.60	100	8.19	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Ozone (44201) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	3.05318	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP			Concur. Flag		
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0020	1 SLAMS	0.052	0.006	0.102	0	0	99	1.98	+/-1.65	100	2.96	100	Y	Y	Y	Y	S	
32-031-0025	1 SLAMS	0.051	0.013	0.096	0	0	99	1.77	+/-1.23	100	0.25	100	Y	Y	Y	Y	S	
32-031-0031	1 SLAMS	0.051	0.009	0.099	0	0	96	1.61	+/-1.65	100	1.63	100	3.05	Y	Y	Y	S	
32-031-1005	1 SLAMS	0.051	0.015	0.100	0	0	99	1.62	+/-1.28	100	- 0.25	100	Y	Y	Y	Y	S	
32-031-1007	1 SLAMS	0.049	0.017	0.100	0	0	99	1.72	+/-1.57	100	0.71	100	Y	Y	Y	Y	S	
32-031-2002	1 SLAMS	0.053	0.029	0.093	0	0	95	5.01	+/-3.55	100	3.29	100	Y	Y	Y	Y	S	
32-031-2009	1 SLAMS	0.053	0.022	0.096	0	0	98	2.01	+/-1.57	100	1.31	100	Y	Y	Y	Y	S	

As Required November 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Sulfur dioxide (42401) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	2.92973	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.2	- 0.6	3.6		0	97	4.06	+/-3.20	100	- 3.74	100	2.93	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Particulate Matter

Certifying Year:2021

Certifying Agency:Washoe County District Health Department (1138)

Parameter: PM10 Total 0-10um STP (81102) CONTINUOUS

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Monitors Summaries

AQS Site ID	POC	Monitor Type	Routine Data (ug/m3)					Flow Rate Verification		Flow Rate Audit		Collocation Concurrence Flag			
			Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	Bias	% Complete	QAPP Appr.	AQS Rec Flag	CA Rec Flag
32-031-0025	2	SLAMS	28.45	-4.0	985.0	0	97	+/-0.48	100	+0.16	100	Y	Y	Y	S
32-031-0031	2	SLAMS	31.36	-1.0	597.0	0	98	+/-0.44	100	+0.41	100	Y	Y	Y	S
32-031-1005	4	SLAMS	30.48	-5.0	552.0	0	98	+/-0.44	100	+0.17	100	Y	Y	Y	S
32-031-1007	1	SLAMS	24.53	-2.0	985.0	0	98	+/-0.69	100	+0.52	100	Y	Y	Y	S

Parameter: PM2.5 - Local Conditions (88101)

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Collocation Summary

Method	# Sites	# Sites Req	# Sites Collocated	% Collocated	CV Est	CV UB	Criteria Met?
170	4	1	1	100	10.03	11.08	Y

PEP Summary

# Methods	# Audited Methods	# PEP Required	# PEP Submitted	% Complete	Bias	Criteria Met?
1	1	5	3	60	-3.18	Y

Monitors Summaries

AQS Site ID	POC	Method	Monitor Type	Routine Data (ug/m3)					Flow Rate Audit		Collocation			Concurrence Flag					
				Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	CV	% Complete	PQAO Crit. Met	PEP PQAO Crit. Met	QAPP Appr.	AQS Rec Flag	CA Rec Flag	EPA Rec Concur
32-031-0025	1	170	SLAMS	11.17	-8.0	375.0	0	98	+0.57	100				Y	Y	Y	Y	Y	S
32-031-0031	1	545/142	SLAMS	12.16	.6	218.9	0	97	-0.95	100				Y	Y	Y	Y	Y	S
32-031-0031	2	170	SLAMS	12.59	-7.0	312.0	0	98	-0.58	100	11.08	100		Y	Y	Y	Y	Y	S
32-031-1005	1	170	SLAMS	12.10	-7.0	278.0	0	99	-0.43	100				Y	Y	Y	Y	Y	S
32-031-1007	1	170	SLAMS	11.59	-3.0	364.0	0	99	+0.29	100				Y	Y	Y	Y	Y	S

Data Concurrence and Evaluation Report for Lead

As Revised
November 26, 2025

Appendix D

AQS Report Showing RT Flags Applied

As Revised
November 26, 2025

User ID: BMC MULLEN

RAW DATA QUALIFIER REPORT

Report Request ID: 2107458

Report Code: AMP360

May. 22, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031									

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	81102		

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	PQAO
CONCURRENCE STATUS	All Data (Concurred and Non-concurred)
QUALIFIER TYPES	REQUEST EXCLUSION (EVENT) QUALIFIERS ONLY
QUALIFIER COUNTS BY MONITOR	YES
QUALIFIER CODE	RT - Wildfire-U. S. (REQEXC)

SCR GROUP SELECTIONS

Washoe Co, NV

DATE CRITERIA

Start Date	End Date
2021 08 06	2021 08 07

As Revised November 26, 2025

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Qualifier Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 00:00	21	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 01:00	48	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 02:00	90	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 03:00	112	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 04:00	316	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 05:00	286	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 06:00	222	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 07:00	284	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 08:00	246	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 09:00	212	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 10:00	207	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 11:00	205	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 12:00	168	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 13:00	116	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 14:00	125	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 15:00	153	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 16:00	167	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 17:00	151	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 18:00	153	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 19:00	124	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 20:00	94	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 21:00	83	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 22:00	81	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-06 23:00	93	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Antelope Wildfires	2023-05-22		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 00:00	243	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 01:00	259	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 02:00	272	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 03:00	337	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 04:00	275	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 05:00	267	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 06:00	270	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 07:00	276	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 08:00	265	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 09:00	252	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 10:00	241	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 11:00	142	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Antelope Wildfires	2023-05-22		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Sample Qualifier Code Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 12:00	125	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 13:00	188	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 14:00	103	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 15:00	102	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 16:00	171	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 17:00	186	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 18:00	111	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 19:00	132	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 20:00	137	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 21:00	134	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 22:00	138	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-07 23:00	145	RT Wildfire-U. S.	2021-11-17		
	Event:		Dixie and Antelope Wildfires	2023-05-22		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Sample Qualifier Code Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 00:00	129	RT Wildfire-U. S.	2021-11-18		
	Event:		Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 01:00	129	RT Wildfire-U. S.	2021-11-18		
	Event:		Dixie and Antelope Wildfires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 02:00 163 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 03:00 155 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 04:00 175 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 05:00 189 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 06:00 182 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 07:00 234 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 08:00 280 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 09:00 263 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 10:00 231 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 11:00 144 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 12:00 120 Event:	RT	Wildfire-U. S. Dixie and Antelope Wildfires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 13:00	95	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 14:00	86	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 15:00	90	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 16:00	137	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 17:00	165	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 18:00	104	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 19:00	119	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 20:00	127	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 21:00	217	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 22:00	202	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-07 23:00	198	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Antelope Wildfires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

As Revised
November 26, 2025

All Qualifiers Utilized:

<u>Qualifier</u>		<u>Qualifier</u>
<u>Code:</u>	<u>Qualifier Description:</u>	<u>Count:</u>
RT	Wildfire-U. S.	72

As Revised
November 26, 2025

Appendix I

Contingency Plan Trigger Evaluation of August 17 and 20-26, 2021 PM₁₀
Exceedances due to the Dixie/Caldor Fires

As Revised
November 26, 2025

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Contingency Plan Trigger Evaluation
of August 17 and 20-26, 2021 PM₁₀
Exceedances due to Dixie/Caldor
Fires



Public Health
Prevent. Promote. Protect.



VISION

A healthy community

MISSION

To improve and protect our community's quality of life and increase equitable opportunities for better health.

Table of Contents

1.0 Introduction	1
1.1 Purpose	1
1.2 Contingency Plan Trigger Procedure.....	1
1.3 Public Comment Process	2
1.4 Agency Contacts	2
2.0 Conceptual Model	3
2.1 Regional Description.....	3
2.2 Overview of Monitoring Network	5
2.3 Characteristics of Non-event PM ₁₀ Concentrations.....	7
2.4 Description of Fires that caused PM ₁₀ Exceedances	12
2.5 PM ₁₀ Air Quality Impacts from the Dixie and Caldor Fires.....	15
3.0 Not Reasonably Controllable or Preventable	37
4.0 Clear Causal Relationship	38
4.1 Fire Emissions Analysis	38
4.2 Comparison of Event PM ₁₀ Concentrations to Historical Concentrations	40
4.3 Methods for Determining the Presence of Wildfire Smoke.....	57
4.4 Trajectory Analysis.....	92
4.5 Pollution Rose Analysis	126
4.6 Conclusion Showing a Clear Causal Relationship	128
5.0 Natural Event or Human Activity Unlikely to Recur.....	129
6.0 Public Outreach	130
7.0 Conclusions and Recommendations	148
Figures.....	iii
Tables.....	vi
Acronyms and Abbreviations	vii

Appendices

- Appendix A – Public Comment Plan
- Appendix B – Exceptional Event Initial Notification
- Appendix C – 2021 Data Certification Letter
- Appendix D – AQS Report Showing RT Flags Applied

Figures

Figure 2-1: Washoe County, NV	3
Figure 2-2: Washoe County Health District-AQMD Ambient Air Monitoring Sites	6
Figure 2-3: PM ₁₀ Emissions by Source Category	7
Figure 2-4: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Toll	9
Figure 2-5: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Reno4	10
Figure 2-6: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Sparks	11
Figure 2-7: The Dixie and Caldor Fire in Relation to Washoe County	13
Figure 2-8: The Drought Conditions Near the Time of the Dixie and Caldor Fires	14
Figure 2-9: 24-hour PM ₁₀ Concentrations in August 2021	17
Figure 2-10: Satellite Imagery from August 13, 2021	20
Figure 2-11: Satellite Imagery from August 17, 2021	21
Figure 2-12: Satellite Imagery from August 20, 2021	22
Figure 2-13: Satellite Imagery from August 21, 2021	23
Figure 2-14: Satellite Imagery from August 22, 2021	24
Figure 2-15: Satellite Imagery from August 23, 2021	25
Figure 2-16: Satellite Imagery from August 24, 2021	26
Figure 2-17: Satellite Imagery from August 25, 2021	27
Figure 2-18: Satellite Imagery from August 26, 2021	28
Figure 2-19: Daily Weather Maps for Aug 17, 2021	29
Figure 2-20: Daily Weather Maps for Aug 20, 2021	30
Figure 2-21: Daily Weather Maps for Aug 21, 2021	31
Figure 2-22: Daily Weather Maps for Aug 22, 2021	32
Figure 2-23: Daily Weather Maps for Aug 23, 2021	33
Figure 2-24: Daily Weather Maps for Aug 24, 2021	34
Figure 2-25: Daily Weather Maps for Aug 25, 2021	35
Figure 2-26: Daily Weather Maps for Aug 26, 2021	36
Figure 4-1: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/17/21	41
Figure 4-2: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/20/21	42
Figure 4-3: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/21/21	43
Figure 4-4: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Sparks on 08/21/21	44
Figure 4-5: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/21/21	45
Figure 4-6: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/22/21	46
Figure 4-7: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/22/21	47
Figure 4-8: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/23/21	48
Figure 4-9: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Sparks on 08/23/21	49
Figure 4-10: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/23/21	50
Figure 4-11: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/24/21	51
Figure 4-12: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Sparks on 08/24/21	52
Figure 4-13: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/24/21	53
Figure 4-14: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 08/25/21	54
Figure 4-15: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/25/21	55
Figure 4-16: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 08/26/21	56
Figure 4-17: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Toll in August 2021	57
Figure 4-18: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Reno4 in August 2021	58
Figure 4-19: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Sparks in August 2021	59
Figure 4-20: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/17/21	60
Figure 4-21: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/20/21	61
Figure 4-22: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/21/21	62

Figure 4-23: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Sparks on 08/21/21	63
Figure 4-24: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/21/21	64
Figure 4-25: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/22/21	65
Figure 4-26: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/22/21	66
Figure 4-27: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/23/21	67
Figure 4-28: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Sparks on 08/23/21	68
Figure 4-29: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/23/21	69
Figure 4-30: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/24/21	70
Figure 4-31: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Sparks on 08/24/21	71
Figure 4-32: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/24/21	72
Figure 4-33: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 08/25/21	73
Figure 4-34: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/25/21	74
Figure 4-35: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 08/26/21	75
Figure 4-36: PM _{2.5} /PM ₁₀ Ratios throughout August 2021	79
Figure 4-37: Hourly PM _{2.5} /CO at Reno4 on August 17, 2021	80
Figure 4-38: Hourly PM _{2.5} /CO at Reno4 on August 20, 2021	81
Figure 4-39: Hourly PM _{2.5} /CO at Reno4 on August 21, 2021	81
Figure 4-40: Hourly PM _{2.5} /CO at Sparks on August 21, 2021	82
Figure 4-41: Hourly PM _{2.5} /CO at Reno4 on August 22, 2021	82
Figure 4-42: Hourly PM _{2.5} /CO at Reno4 on August 23, 2021	83
Figure 4-43: Hourly PM _{2.5} /CO at Sparks on August 23, 2021	83
Figure 4-44: Hourly PM _{2.5} /CO at Reno4 on August 24, 2021	84
Figure 4-45: Hourly PM _{2.5} /CO at Sparks on August 24, 2021	84
Figure 4-46: Hourly PM _{2.5} /CO at Reno4 on August 25, 2021	85
Figure 4-47: Hourly PM _{2.5} /CO at Reno4 on August 26, 2021	85
Figure 4-48: Hourly PM ₁₀ /CO at Reno4 on August 17, 2021	86
Figure 4-49: Hourly PM ₁₀ /CO at Reno4 on August 20, 2021	87
Figure 4-50: Hourly PM ₁₀ /CO at Reno4 on August 21, 2021	87
Figure 4-51: Hourly PM ₁₀ /CO at Sparks on August 21, 2021	88
Figure 4-52: Hourly PM ₁₀ /CO at Reno4 on August 22, 2021	88
Figure 4-53: Hourly PM ₁₀ /CO at Reno4 on August 23, 2021	89
Figure 4-54: Hourly PM ₁₀ /CO at Sparks on August 23, 2021	89
Figure 4-55: Hourly PM ₁₀ /CO at Reno4 on August 24, 2021	90
Figure 4-56: Hourly PM ₁₀ /CO at Sparks on August 24, 2021	90
Figure 4-57: Hourly PM ₁₀ /CO at Reno4 on August 25, 2021	91
Figure 4-58: Hourly PM ₁₀ /CO at Reno4 on August 26, 2021	91
Figure 4-59: Backward Trajectory from Toll starting August 17, 2021 at 0000 PST	93
Figure 4-60: Backward Trajectory from Toll starting August 18, 2021 at 0000 PST	94
Figure 4-61: Backward Trajectory from Reno4 starting August 21, 2021 at 0000 PST	95
Figure 4-62: Backward Trajectory from Sparks starting August 21, 2021 at 0000 PST	96
Figure 4-63: Backward Trajectory from Toll starting August 21, 2021 at 0000 PST	97
Figure 4-64: Backward Trajectory from Reno4 starting August 22, 2021 at 0000 PST	98
Figure 4-65: Backward Trajectory from Sparks starting August 22, 2021 at 0000 PST	99
Figure 4-66: Backward Trajectory from Toll starting August 22, 2021 at 0000 PST ...	100
Figure 4-67: Backward Trajectory from Reno4 starting August 23, 2021 at 0000 PST	101

Figure 4-68: Backward Trajectory from Sparks starting August 23, 2021 at 0000 PST	102
Figure 4-69: Backward Trajectory from Toll starting August 23, 2021 at 0000 PST ...	103
Figure 4-70: Backward Trajectory from Reno4 starting August 24, 2021 at 0000 PST	104
Figure 4-71: Backward Trajectory from Sparks starting August 24, 2021 at 0000 PST	105
Figure 4-72: Backward Trajectory from Toll starting August 24, 2021 at 0000 PST ...	106
Figure 4-73: Backward Trajectory from Reno4 starting August 25, 2021 at 0000 PST	107
Figure 4-74: Backward Trajectory from Sparks starting August 25, 2021 at 0000 PST	108
Figure 4-75: Backward Trajectory from Toll starting August 25, 2021 at 0000 PST ...	109
Figure 4-76: Backward Trajectory from Reno4 starting August 26, 2021 at 0000 PST	110
Figure 4-77: Backward Trajectory from Toll starting August 26, 2021 at 0000 PST ...	111
Figure 4-78: Backward Trajectory from Toll starting August 27, 2021 at 0000 PST ...	112
Figure 4-79: Forward Trajectory from Dixie/Caldor Fire starting August 16, 2021 at 0000 PST	113
Figure 4-80: Forward Trajectory from Dixie/Caldor Fire starting August 17, 2021 at 0000 PST	114
Figure 4-81: Forward Trajectory from Dixie/Caldor Fire starting August 18, 2021 at 0000 PST	115
Figure 4-82: Forward Trajectory from Dixie/Caldor Fire starting August 19, 2021 at 0000 PST	116
Figure 4-83: Forward Trajectory from Dixie/Caldor Fire starting August 20, 2021 at 0000 PST	117
Figure 4-84: Forward Trajectory from Dixie/Caldor Fire starting August 21, 2021 at 0000 PST	118
Figure 4-85: Forward Trajectory from Dixie/Caldor Fire starting August 22, 2021 at 0000 PST	119
Figure 4-86: Forward Trajectory from Dixie/Caldor Fire starting August 23, 2021 at 0000 PST	120
Figure 4-87: Forward Trajectory from Dixie/Caldor Fire starting August 24, 2021 at 0000 PST	121
Figure 4-88: Forward Trajectory from Dixie/Caldor Fire starting August 25, 2021 at 0000 PST	122
Figure 4-89: Forward Trajectory from Dixie/Caldor Fire starting August 26, 2021 at 0000 PST	123
Figure 4-90: Forward Trajectory from Dixie/Caldor Fire starting August 27, 2021 at 0000 PST	124
Figure 4-91: PM ₁₀ Wind/Pollution Rose for Toll and Reno4 for August 14-26	126
Figure 4-92: PM ₁₀ Wind/Pollution Rose for Sparks for August 14-26	127
Figure 6-1: Public Notification of Poor Air Quality on the First Exceedance Day of the Event, August 17, 2021	131
Figure 6-2: Tweet of the NowCast AQI on August 17, 2021	132
Figure 6-3: Facebook Satellite Image of Widespread Smoke August 17, 2021	133
Figure 6-4: Facebook Satellite Image of Widespread Smoke August 20, 2021	134
Figure 6-5: Twitter AQI Forecast August 20, 2021	135
Figure 6-6: Tweet of Upgrade to Stage 3 Emergency Episode, August 23, 2021	136

Figure 6-7: Stage 3 Emergency Episode Press Release August 23, 2021	137
Figure 6-8: Tweet Highlighting Highest AQI on Record August 23, 2021	138
Figure 6-9: Tweet Linking EPA’s Clean Room Webpage August 23, 2021	139
Figure 6-10: Facebook Share of NWS Reno Post August 23, 2021	140
Figure 6-11: Tweet of Satellite GIF August 24, 2021	141
Figure 6-12: Facebook Share of NWS Reno Post August 24, 2021	142
Figure 6-13: Tweet of Webcams August 24, 2021	143
Figure 6-14: Tweet of AirNow Fire and Smoke Map August 25, 2021	144
Figure 6-15: Facebook Post of NowCast and Fire and Smoke Map August 26, 2021	145
Figure 6-16: Tweet of Top 10 Worst PM _{2.5} days on Record August 27, 2021	146
Figure 6-17: Press Release Downgrading Stage 3 Emergency Episode to Stage 1 August 27, 2021 at the End of the Event	147

Tables

Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)	4
Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021	5
Table 2-3: PM ₁₀ Data Requested to be Excluded	16
Table 4-1: PM ₁₀ Emissions Calculations for the Period Prior to the Exceedance	39
Table 4-2: PM _{2.5} /PM ₁₀ Ratios at Toll	76
Table 4-3: PM _{2.5} /PM ₁₀ Ratios at Reno4	77
Table 4-4: PM _{2.5} /PM ₁₀ Ratios at Sparks	78

Acronyms and Abbreviations

AGL	Above Ground Level
AQI	Air Quality Index
AQMD	Washoe County Health District - Air Quality Management Division
AQS	Air Quality System
CAA	Clean Air Act
CFR	Code of Federal Regulations
CO	Carbon Monoxide
EE	Exceptional Event
EPA	U.S. Environmental Protection Agency
°F	Degrees Fahrenheit
FCCS	Fuel Characteristic Classification System
HA 87	Hydrographic Area 87
HMS	Hazardous Mapping System
HYSPLIT	Hybrid Single-Particle Lagrangian Integrated Trajectory
Lbs	Pounds
µg/m ³	Micrograms per cubic meter
MPH	Miles Per Hour
NAAQS	National Ambient Air Quality Standards
NAM	North American Mesoscale
NSPS	New Source Performance Standards
NOAA	National Oceanic and Atmospheric Administration
NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NOx	Nitrogen Oxides
NOy	Reactive Nitrogen Compounds
NWS	National Weather Service
O ₃	Ozone
PG&E	Pacific Gas and Electric
PM	Particulate Matter
PM _{2.5}	Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter
PM ₁₀	Particulate Matter less than or equal to 10 microns in aerodynamic diameter
ppm	Parts Per Million
PST	Pacific Standard Time
R ²	Coefficient of Determination
SO ₂	Sulfur Dioxide
TSP	Total Suspended Particles

1.0 Introduction

1.1 Purpose

The analysis in this report demonstrates that the exceedance of the primary and secondary 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) recorded on July 26, 2021, at the Sparks and Reno4 air monitoring sites were caused by the Dixie and Tamarack wildfires. Pursuant to “Contingency Plan “A”” of the First 10-Year Maintenance Plan, the data from exceptional events may be excluded from contingency plan trigger calculations for PM₁₀ NAAQS. Washoe County Health District Air Quality Management Division (AQMD) prepared this evaluation of the exceedance in order to exclude all PM₁₀ data from the Reno4 (AQS ID: 32-031-0031-81102-2) and Sparks (AQS ID: 32-031-1005-81102-4) PM₁₀ primary monitors on July 26, 2021. Exclusion of the data caused by this exceptional event will have an impact on contingency plan evaluation.

1.2 Contingency Plan Trigger Procedure

The contingency plan for the Truckee Meadows Maintenance area is described in AQMD’s First 10-Year PM₁₀ Maintenance Plan. The First 10-Year PM₁₀ maintenance plan describes that a contingency measure is triggered when a violation of the NAAQS is determined in accordance with Appendix K of 40 CFR Part 50. Appendix K of 40 CFR Part 50 states that the inclusion of data from exceptional events may result in inappropriate estimates of exceedances or averages, and it may be appropriate to discount the event from those calculations. The CAA 319(b) includes four requirements that, collectively, define an exceptional event:

1. The event affected air quality,
2. The event was not reasonably controllable or preventable,
3. The event was caused by human activity that is unlikely to recur at a particular location or was a natural event,
4. The event is determined by the Administrator through the process established in the regulations promulgated under the Exceptional Events Rule to be an exceptional event.

In accordance with the Exceptional Events Rule, this wildfire evaluation includes the following elements:

1. A narrative conceptual model; (See **Section 2** of this document)
2. A demonstration that the event affected air quality in such a way that there exists a clear causal relationship between the specific event and the monitored exceedance; (See **Section 4** of this document)
3. Analyses comparing the claimed event influenced concentrations at the monitoring site; (See **Section 4** of this document)
4. A demonstration that the event was both not reasonably controllable and not reasonably preventable; (See **Section 3** of this document)
5. A demonstration that the event was a human activity unlikely to recur at a particular location or was a natural event. (See **Section 5** of this document)

1.3 Public Comment Process

This evaluation was available for public comment from October 26 to November 26, 2023 at the AQMD website (OurCleanAir.com). A hardcopy of the plan was also available at the AQMD office. See Appendix A for AQMD's Public Comment Plan. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact.

1.4 Agency Contacts

For information or questions regarding this contingency plan evaluation, please contact the following individuals of the AQMD.

Francisco Vega, Division Director
(775) 784-7211, or fvega@nnph.org

Craig Petersen, Supervisor, Monitoring and Planning
(775) 784-7233, or cpetersen@nnph.org

Brendan Schnieder, Senior Air Quality Specialist
(775) 784-7207, or bschnieder@nnph.org

Matt McCarthy, Environmental Engineer II, Project Manager
(775) 784-7217, or mmccarthy@nnph.org

Ben McMullen, Air Quality Specialist
(775) 784-7208, or bmcmullen@nnph.org

As Revised
November 26, 2025


2.0 Conceptual Model

2.1 Regional Description

Washoe County is located in the northwest portion of Nevada. It is bounded by California, Oregon, and the Nevada counties of Humboldt, Pershing, Storey, Churchill, Lyon, and Carson City (Figure 2-1). The Truckee Meadows is approximately 200 square miles in size and situated in the southern portion of Washoe County. It is geographically identified as Hydrographic Area 87 (HA 87) as defined by the State of Nevada, Division of Water Resources. Most of Washoe County's population lives in and around the Truckee Meadows.

The Truckee Meadows sits at an elevation of 4,400 feet above sea level and is surrounded by mountain ranges. To the west, the Sierra Nevada rises to elevations of 9,000 to 11,000 feet. Hills to the east reach 6,000 to 8,000 feet. The Truckee River, flowing from the Sierra Nevada eastward, drains into Pyramid Lake to the northeast of the Truckee Meadows.

Figure 2-1
Washoe County, Nevada



Climate

Average annual wind speed measured at the Reno-Tahoe International Airport is 6.4 miles per hour (mph). January is the calmest month (4.5 mph) with April being the windiest (8.3 mph). Wintertime (November-January) averages 4.9 mph and summertime (June-August) averages 7.2 mph.

Most of Reno's precipitation falls from November through March in the form of rain and snow. Reno receives an average of 7.35 inches of precipitation per calendar year (1991-2020 climate normals). Table 2-1 lists temperature and precipitation normals as measured at the Reno-Tahoe International Airport.

Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)

Month	Temperature (°F)			Precipitation (inches)
	Maximum	Minimum	Mean	Mean
January	47.7	26.1	36.9	1.25
February	52.1	29.0	40.6	1.03
March	59.2	34.0	46.6	0.80
April	64.7	38.5	51.6	0.44
May	74.1	46.6	60.3	0.55
June	84.6	53.8	69.2	0.41
July	93.9	60.4	77.2	0.20
August	92.1	58.1	75.1	0.24
September	83.8	50.3	67.0	0.21
October	70.4	39.7	55.1	0.50
November	56.7	31.0	43.8	0.62
December	46.7	25.7	36.2	1.1

Maximum temperatures of 90 °F or above normally occur between July 3 and August 21. Maximum temperatures typically peak at 94 °F between July 22 and July 29.

Demographics

The 2020 population of Washoe County was 486,492. Approximately two-thirds of Washoe County’s residents live in the Truckee Meadows, which includes the cities of Reno and Sparks. Anthropogenic activities such as transportation, manufacturing, freight distribution, and residential wood use are also concentrated in the Truckee Meadows.

Seasons

Washoe County experiences two distinct air pollution seasons - wintertime particulate matter (PM) and summertime ozone (O₃). Wildfire smoke throughout the year, especially during the summer months, can dramatically increase summertime PM and O₃.

Wintertime temperature inversions combined with light winds can contribute to elevated levels of Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter (PM_{2.5}), Particulate Matter less than or equal to 10 microns in aerodynamic diameter (PM₁₀), Nitrogen Dioxide (NO₂), and Carbon Monoxide (CO). Inversions are common in mountain valleys such as the Truckee Meadows. Air pollution episodes persist until stronger winds scour the cold air out of the valley and break the temperature inversion.

Northern Nevada receives an abundant amount of sunshine and solar radiation during the summer months. Mobile sources (i.e., cars and trucks) emit O₃ precursors and their activity increases during the summer. Ozone concentrations are typically highest between May and September, especially during the months of June, July, and August.

Strong winds can occur at any time of year. Two-minute gusts over 40 mph are not uncommon. These winds lower the gaseous pollutant (O₃, CO, NO₂, and SO₂) concentrations but typically increase PM levels, especially PM₁₀. Hourly PM₁₀ levels can reach more than 500 micrograms per cubic meter (µg/m³) for several hours.

Attainment Status

All areas of Washoe County currently attain or are unclassifiable for all National Ambient Air Quality Standards (NAAQS). However, portions of Washoe County had previously been designated non-attainment for the following NAAQS: 1) 1971 Total Suspended Particles (TSP) (24-hour and Annual); 2) CO (8-hour); 3) 1979 O₃ (1-hour); and 4) 1987 PM₁₀ (24-hour and Annual). Some pollutants and standards, such as 1-hour O₃ and TSP, have been revoked and no longer apply. For the other pollutants, CO and PM₁₀, the HA 87 planning area was redesignated to maintenance after the standard was met. Since the 1970's, AQMD has implemented control strategies to target mobile sources, wood-burning devices, and dust control to achieve attainment with the NAAQS.



2.2 Overview of Monitoring Network

In 2021, the Washoe County Health District, Air Quality Management Division (AQMD) operated seven ambient air monitoring sites in Washoe County (Figure 2-2). The blue boundary delineates HA 87 as defined by the State of Nevada, Division of Water Resources. Table 2-2 lists the parameters monitored in 2021, sorted by site.

Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2021

Site	O ₃	CO	Trace CO	Trace NO	NO ₂	NO _x	Trace NO _y	Trace SO ₂	PM ₁₀	PM _{2.5}	PM _{coarse}	PM _{2.5} Speciation	Meteorology
Incline	✓												
Lemmon Valley	✓												
Reno4	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
South Reno	✓												✓
Sparks	✓	✓							✓	✓	✓		✓
Spanish Springs	✓								✓	✓	✓		
Toll	✓								✓	✓	✓		✓

Figure 2-2: Washoe County Health District - AQMD Ambient Air Monitoring Sites



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE




The AQMD’s ambient air monitoring network meets the minimum monitoring requirements for all criteria pollutants pursuant to Title 40, Part 58 of the Code of Federal Regulations (CFR), Appendix D. Washoe County’s monitoring network is reviewed annually pursuant to 40 CFR 58.10 to ensure the network meets the monitoring objectives defined in 40 CFR 58, Appendix D. Data was collected and quality assured in accordance with 40 CFR 58 and submitted to the Air Quality System (AQS). Additionally, 2021 data was certified on April 26, 2022. (See Appendix C).

2.3 Characteristics of Non-event PM₁₀ Concentrations

Without exceptional events, ambient PM₁₀ concentrations within Washoe County are under the limit of the PM₁₀ NAAQS standard. This is because the PM₁₀ emissions that Washoe County produces have been regulated through different policy instruments such as a dust control program, New Source Performance Standards (NSPS) for woodburning devices, and street sanding/sweeping regulations. Figure 2-3 shows that Washoe County produces 38,833 lbs/day of PM₁₀ emissions as per the 2020 Periodic Emissions Inventory. This includes emissions from wildfires within the Washoe County limits. Emissions from purely anthropogenic sources make up about 31,786 lbs/day.

Figure 2-3: PM₁₀ Emissions by Source Category



Based on historic, non-event PM₁₀ monitoring data for the previous six years, below are the characteristics of PM₁₀ levels throughout the year in the Truckee Meadows.

1. October through March: Ambient PM₁₀ concentrations are relatively high during the colder months because some Washoe County residents utilize wood-burning devices for heat. Additionally, PM₁₀ concentrations can increase after snowstorms due to local street sanding and sweeping. The Truckee Meadows region also struggles with inversion layers in which cold air gets trapped at ground level, causing poor atmospheric mixing. This inhibits PM emissions from leaving the air basin and can

cause higher concentrations of PM_{10} . Despite this, the region rarely experiences 24-hour PM_{10} averages over $100 \mu\text{g}/\text{m}^3$ during these times.

2. April through June: Ambient PM_{10} concentrations during this period are usually the lowest of the year. With higher temperatures, there is less residential wood-burning. Additionally, soil generally hasn't been dried by high temperatures such as what could be seen at the end of summertime. Wind speeds are higher in the spring which helps with air mixing and vacating any PM_{10} buildup from the region.
3. July through September: Ambient PM_{10} concentrations are the highest during this time period. This coincides with the wildfire season in the western United States. Although wildfire season is sometimes described as June-August, changes in climate in the western United States has caused wildfire smoke impacts to be more commonly felt in September rather than June. The Washoe County area has been impacted by wildfire events during these months for nine out of the last ten years. The main source of anthropogenic PM_{10} emissions during this time comes from fugitive dust that has been dried after months of high temperatures.

The wildfire events that have caused exceedances have occurred in the July through September period. For the purpose of this evaluation, it is worthwhile to evaluate the diurnal pattern of PM_{10} concentrations during this time period. Figure 2-4 through Figure 2-6 below shows the 2016-2020 PM_{10} diurnal pattern for non-event days at the Toll, Reno4 and Sparks monitors with the 5th, 50th, and 95th percentile included. Throughout the day, PM_{10} concentrations generally rise and peak between the hours of 5:00 PST and 11:00 PST.

As Reviewed,
November 26, 2023

Figure 2-4: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Toll




Figure 2-5: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Reno4





Figure 2-6: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Sparks



2.4 Description of Fires that caused PM₁₀ Exceedances

Dixie Fire



On July 13, 2021, the Dixie fire ignited on U.S. Forest Service land in the Plumas National Forest in Butte County, California, approximately 90 miles northwest of the Truckee Meadows region. The fire started when a tree fell onto a PG&E power transmission line and one of the fuses remained active, causing electric arcing onto wildfire fuels below. From then on, the fire grew rapidly over the next few months with some days showing an increase of up to 100,000 acres burned. Fire crews fought the fire until it was announced as fully contained on October 25, 2021. In total, the Dixie Fire burned 963,309 acres with a perimeter illustrated in Figure 2-7.

Caldor Fire

The Caldor Fire was first reported on August 14, 2021 in Eldorado National Forest in El Dorado County, California, approximately 75 miles southwest of the Truckee Meadows Region. Although not fully proven, officials believe the fire was “likely ignited when a projectile discharged from a firearm and struck an object, causing heated fragments of the projectile to land in a dry receptive fuel bed, igniting the fuels.” The fire exploded in size and ultimately led to the evacuation of South Lake Tahoe. Fire crews fought the fire until it was announced as fully contained on October 21, 2021 after having burned 221,835 acres. The perimeter of the fire is illustrated in Figure 2-7.

An important factor in the start of these fires was dry wildfire fuels. The fires took place in areas that were considered to be either Extreme or Exceptional Drought based on the U.S. Drought Monitor. Figure 2-8 shows what the U.S. Drought Monitor was on August 24, 2021 and illustrates how dry the wildfire fuels were at that time.

Figure 2-7: The Dixie and Caldor Fire in Relation to Washoe County



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE





Figure 2-8: The Drought Conditions Near the Time of the Dixie and Caldor Fires



2.5 PM₁₀ Air Quality Impacts from the Dixie and Caldor Fires

2.5.1 Data Requested to be Excluded

As was mentioned in Section 1.1 of this document, the purpose of this evaluation is to request exclusion of air quality data from contingency plan trigger calculations that were due to exceptional events. Table 2-3 below shows the data that is requested to be excluded as part of this evaluation and the corresponding 24-hour PM₁₀ NAAQS averages. AQMD is requesting exclusion of all hourly PM₁₀ data points on the days of the exceedances from 0000 PST through 2300 PST. For a complete list of each data point to be excluded, see Appendix D of this document.

As Revised
November 26, 2025


Table 2-3: PM₁₀ Data Requested to be Excluded

	Monitoring Site (AQS ID)		
	Toll (AQS ID: 32-031-0025-81102-2)	Reno4 (AQS ID: 32-031-0031-81102-2)	Sparks (AQS ID: 32-031-1005-81102-4)
8/17/2021	161 µg/m ³	-	-
8/20/2021	176 µg/m ³	-	-
8/21/2021	204 µg/m ³	200 µg/m ³	190 µg/m ³
8/22/2021	261 µg/m ³	210 µg/m ³	-
8/23/2021	319 µg/m ³	304 µg/m ³	214 µg/m ³
8/24/2021	284 µg/m ³	233 µg/m ³	168 µg/m ³
8/25/2021	211 µg/m ³	164 µg/m ³	-
8/26/2021	174 µg/m ³	-	-

2.5.2 Narrative of Air Quality Impacts

In the middle of August of 2021, wildfire smoke was transported into the Truckee Meadows from the Dixie and Caldor Fires which eventually led to various PM₁₀ exceedances at the Toll, Reno4, and Sparks air monitoring stations. On August 13, 24-hour PM₁₀ averages were as low as 55, 61, and 76 µg/m³ at Toll, Reno4, and Sparks respectively. Concentrations steadily rose until an exceedance at Toll on August 17. As the wind patterns changed, the smoke vacated the Truckee Meadows and dropped the PM₁₀ concentrations back below the NAAQS for a few days. Wind patterns shifted again and brought large quantities of wildfire smoke into HA 87 resulting in degraded air quality for approximately one week and numerous exceedances. An overview of 24-hour average concentrations for PM₁₀ for the month of August 2021 is shown in Figure 2-9. Since this figure includes data for the whole month, it is important to note that this evaluation is only for the Dixie/Caldor event, the Dixie/Antelope event has a separate evaluation. The days of the exceedances that are relevant to this evaluation are denoted by the red data points between August 17 and August 26, 2021.

Figure 2-9: 24-hour PM₁₀ Concentrations in August 2021



The National Weather Service Office in Reno, Nevada provides at least two daily Area Forecast Discussions that summarize the short and long-term weather forecast for the area. It also provides a synopsis of current observations as well as weather events such as smoke and haze. Below are excerpts from Area Forecast Discussions issued on the days of the exceedances. These excerpts confirm that the previously mentioned sequence of events is accurate.

“Smoke forecast for today into this evening is complex with competing factors. Increasing winds aloft have brought smoke from yet another fire (Caldor) into the region resulting in hazardous air quality in the Truckee-Tahoe region already and not much better around Reno. Expect this pattern to persist this morning with improvements in the afternoon as stronger winds through the boundary layer help mix/thin smoke more. HRRR Smoke model has plumes from Dixie/Caldor turning more easterly by Oz just ahead of the front. Real air quality improvement on the east side probably won't take place until tonight into Wednesday and Thursday when transport winds turn more N/NE.”

Excerpt from NWS-Reno Area Forecast Discussion
(239 AM PDT Tue Aug 17 2021)

“Today will see a return of wildfire smoke from the Dixie and Caldor fires to the eastern Sierra and western NV as winds shift more from the west and southwest this afternoon into Saturday...Expect periods of moderate to poor air quality depending on fire activity and wind trajectory. CAMS guidance shows a west to southwest wind flow continuing through at least Sunday.”

Excerpt from NWS-Reno Area Forecast Discussion
(235 AM PDT Fri Aug 20 2021)

“The gusty conditions will also bring with it elevated fire weather concerns across the region. Smoke and unhealthy air quality impacts will also return from the Dixie and Caldor fires. Winds will lessen into Sunday but wildfire smoke impacts will continue through the remainder of the short-term forecast period.”

Excerpt from NWS Reno Area Forecast Discussion
(307 AM PDT Sat Aug 21 2021)

“What will be making its return is the typical afternoon and evening Zephyr breezes. Their surface development each afternoon and evening will, unfortunately, bring continued influxes of denser smoke from the Caldor and Dixie fires into the eastern Sierra and western NV. Check with [fire.airnow.gov](https://www.fire.airnow.gov) for the latest air quality and [airnow.gov](https://www.airnow.gov) for the air quality forecast in your area.”

Excerpt from NWS Reno Area Forecast Discussion
(241 AM PDT Sun Aug 22 2021)

“The persistent southwest to west lower-level winds each afternoon and evening will allow an increased incursion of dense smoke from the Caldor and Dixie fires into the eastern Sierra and western NV. Some improvement in air quality is possible each afternoon and evening as mixing allows for some dispersion of smoke particulates only to have air quality once again degrade late at night and in the morning.”

Excerpt from NWS Reno Area Forecast Discussion
(214 AM PDT Mon Aug 23 2021)

“A broad trough with a dry southwest flow will promote continued southwest-west afternoon breezes at least through Thursday. This trajectory unfortunately will continue to yield influxes of smoke from the Caldor Fire across western Nevada while Dixie Fire smoke continues to spread across Plumas, Lassen, eastern Modoc, and far northern Washoe counties.”

Excerpt from NWS Reno Area Forecast Discussion
(300 AM PDT Tue Aug 24 2021)

“While the afternoon winds should produce a few hours of modest air quality improvements as a result of afternoon mixing, it will however allow for more influxes of smoke from the Caldor and Dixie wildfires. As a result, air quality is likely to degrade again later this evening and into the morning.”

Excerpt from NWS Reno Area Forecast Discussion
(251 AM PDT Wed Aug 25 2021)

“Lighter breezes and some warming are expected late week into the weekend. There is a chance for less smoke over western Nevada, especially north of Highway 50, as light westerly afternoon winds retreat to the Sierra late in the week. Some smoke and haze will continue to bring the potential for more air quality impacts. Westerly afternoon winds increasing next week may send heavier smoke into western NV.”

Excerpt from NWS Reno Area Forecast Discussion
(249 AM PDT Thu Aug 26 2021)

Satellite imagery also confirms the sequence of events of the exceedances. As can be seen in Figure 2-10 below, smoke from the Dixie and Caldor fires had not entered HA 87 as of August 13, 2021. As wind patterns shifted, smoke from the fires moved into HA 87 causing numerous exceedances between August 17-26, 2021. This is seen in Figures 2-11 through 2-18 below. The maps shown in Figures 2-19 through 2-26 are daily weather maps that were issued by the National Weather Service around the time of the exceedances that provide extra evidence in support of the aforementioned sequence of events.

Figure 2-10: Satellite Imagery from August 13, 2021




Figure 2-11: Satellite Imagery from August 17, 2021




Figure 2-12: Satellite Imagery from August 20, 2021



Figure 2-13: Satellite Imagery from August 21, 2021




Figure 2-14: Satellite Imagery from August 22, 2021




Figure 2-15: Satellite Imagery from August 23, 2021




Figure 2-16: Satellite Imagery from August 24, 2021




Figure 2-17: Satellite Imagery from August 25, 2021




Figure 2-18: Satellite Imagery from August 26, 2021




Figure 2-19: Daily Weather Maps for Aug 17, 2021






Figure 2-20: Daily Weather Maps for Aug 20, 2021



Surface Weather Map at 7:00 A.M. E.S.T.



500-Millibar Height Contour at 7:00 A.M. E.S.T.

24-hr Precipitation (in.) Ending at 7:00 A.M. E.S.T.

Figure 2-21: Daily Weather Maps for Aug 21, 2021




Figure 2-22: Daily Weather Maps for Aug 22, 2021






Figure 2-23: Daily Weather Maps for Aug 23, 2021



Surface Weather Map at 7:00 A.M. E.S.T.



500-Millibar Height Contour at 7:00 A.M. E.S.T.

24-hr Precipitation (in.) Ending at 7:00 A.M. E.S.T.

Figure 2-24: Daily Weather Maps for Aug 24, 2021




Figure 2-25: Daily Weather Maps for Aug 25, 2021





Figure 2-26: Daily Weather Maps for Aug 26, 2021



3.0 Not Reasonably Controllable or Preventable

By definition, an exceptional event is an event that was both not reasonably controllable and not reasonably preventable. Wildfires on wildland satisfy both requirements unless there is evidence to the contrary. This is explained in 40 CFR 50.14(b)(4) which states:

The Administrator shall exclude data from use in determinations of exceedances and violations where a State demonstrates to the Administrator's satisfaction that emissions from wildfires caused a specific air pollution concentration in excess of one or more national ambient air quality standard at a particular air quality monitoring location and otherwise satisfies the requirements of this section. Provided the Administrator determines that there is no compelling evidence to the contrary in the record, the Administrator will determine every wildfire occurring predominantly on wildland to have met the requirements identified in paragraph (c)(3)(iv)(D) of this section regarding the not reasonably controllable or preventable criterion.

As was shown in Figure 2-7, the wildfires that caused the PM₁₀ exceedances between August 17-26, 2021, were both started in the State of California on US Forest Service land. According to the definition of wildland provided in 40 CFR Part 50, §50.1(o), both the Dixie and Caldor fires occurred on wildland because the areas that the fires started were in areas with little human activity.

40 CFR 50.1(o): Wildland means an area in which human activity and development are essentially non-existent, except for roads, railroads, power lines, and similar transportation facilities. Structures, if any, are widely scattered.

In addition, since the wildfires were not within the jurisdiction of Washoe County and the pollution impacts were due to interstate transport, there is no reasonable control method that AQMD could have taken to prevent the PM₁₀ exceedances from happening. The exceedances were caused by the excessive PM₁₀ emissions from the Dixie and Caldor fires, not from anthropogenic sources within Washoe County. This is proven beyond a reasonable doubt in Section 4 of this document, Clear Causal Relationship.

4.0 Clear Causal Relationship

4.1 Fire Emissions Analysis

As can be seen in Figure 2-9, smoke from the Dixie and Caldor fires impacted the Toll, Reno4, and Sparks PM₁₀ monitors starting on August 14, 2021. Between August 14 – August 26, 2021, the wildfires grew quickly and burned through large amounts of fuel, sending thousands of tons of emissions into the air, some of which was transported to the Truckee Meadows region, causing PM₁₀ exceedances. PM₁₀ emissions from the fire during this time frame were estimated by AQMD using the U.S Forest Service BlueSky Playground tool, Version 3.5. The inputs to the BlueSky Playground modeling tool include 1) Latitude and Longitude of fire origination, 2) Emissions Type, 3) Fuel Moisture Condition, 4) FCCS Fuelbed type and 5) acreage burned. For the Caldor Fire, the latitude and longitude were (38.586, -120.538), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 16 – Jeffrey pine-ponderosa pine-Douglas Fir-California black oak forest.” For the Dixie Fire, the latitude and longitude were (39.8713, -121.3894), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 16 – Jeffrey pine-ponderosa pine-Douglas Fir-California black oak forest.” The Fuel Moisture Condition was determined to be “Dry” as a conservative estimate based on the U.S. Drought Monitor from August 24, 2021 shown in Figure 2-8. Fire acreage growth for both fires was determined by changes in acreage burned between daily Smoke Outlook reports issued by the Interagency Wildland Fire Air Quality Response Program. At most large wildfire events, a daily Smoke Outlook report is issued by an Air Resource Advisor that includes the size of the fire (in acres). By finding the difference in fire size listed on consecutive daily Smoke Outlook reports, daily fire growth can be calculated.

As can be seen in Table 4-1, the total PM₁₀ emissions that resulted from the Caldor and Dixie Fires between August 14 and August 26, 2021 was approximately 179,799 tons. As was mentioned in Section 2.3, and as per the 2020 Emissions Inventory, Washoe County produces approximately 38,833 lbs/day of PM₁₀. That is a total of 7,087 tons over the course of the year. By comparison, the emissions from the Caldor Fire and Dixie Fire over this thirteen-day period were over twenty-five times the annual PM₁₀ emissions that Washoe County produces.

Table 4-1: PM₁₀ Emissions Calculations for the Period Prior to the Exceedances

Date	Caldor Fire Growth (Acres)	Dixie Fire Growth (Acres)	Caldor Fire PM ₁₀ Emissions (Tons)	Dixie Fire PM ₁₀ Emissions (Tons)	Total PM ₁₀ Emissions (Tons)
August 14, 2021	*1,131	14,235	571.93	7,198.45	7,770.38
August 15, 2021	*1,131	14,891	571.93	7,530.18	8,102.11
August 16, 2021	20,658	34,804	10,446.48	17,599.92	28,046.40
August 17, 2021	39,667	31,217	20,059.08	15,786.02	35,845.10
August 18, 2021	6,044	42,641	3,056.37	21,562.99	24,619.36
August 19, 2021	7,215	22,261	3,648.53	11,257.09	14,905.62
August 20, 2021	14,262	13,589	7,212.10	6,871.78	14,083.88
August 21, 2021	14,202	7,079	7,181.76	3,579.76	10,761.52
August 22, 2021	9,857	4,523	4,984.55	2,287.22	7,271.77
August 23, 2021	8,814	5,489	4,457.12	2,775.71	7,232.83
August 24, 2021	3,586	3,754	1,813.39	1,898.35	3,711.74
August 25, 2021	12,944	12,027	6,545.61	6,081.90	12,627.51
August 26, 2021	5,953	3,581	3,010.35	1,810.86	4,821.21
Total	145,464	210,091	73,559.20	106,240.23	179,799.43

*First report not until August 16, August 14 and August 15 were calculated through straight-line interpolation.

4.2 Comparison of Event PM₁₀ Concentrations to Historical Concentrations

In order to prove that the days of the exceedances had abnormally high PM₁₀ concentrations, AQMD compared the hourly data to what would be expected on a non-event day in wildfire season. AQMD completed a diurnal pattern analysis to do this. Each hour on the exceedance days were compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from the five-year period from 2016-2020 in the wildfire season of July-September. This analysis was done at the Toll, Reno4, and Sparks PM₁₀ monitors. For the Reno4 historical PM₁₀ concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-1 through 4-16 below, the hourly PM₁₀ concentrations at Toll, Reno4, and Sparks on the days of the exceedances were much higher than what would be expected based on historical concentrations. Most hourly concentrations were orders of magnitude higher than what would be expected (50th percentile). Additionally, most hourly concentrations were much higher than the 95th percentile of the data set.

As Revised
November 26, 2025

Figure 4-1: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/17/21




Figure 4-2: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/20/21




Figure 4-3: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/21/21




Figure 4-4: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Sparks on 08/21/21




Figure 4-5: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/21/21




Figure 4-6: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/22/21




Figure 4-7: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/22/21




Figure 4-8: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/23/21




Figure 4-9: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Sparks on 08/23/21




Figure 4-10: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/23/21




Figure 4-11: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/24/21




Figure 4-12: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Sparks on 08/24/21




Figure 4-13: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/24/21




Figure 4-14: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 08/25/21




Figure 4-15: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/25/21





Figure 4-16: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 08/26/21



4.3 Methods for Determining the Presence of Wildfire Smoke

4.3.1 PM_{2.5} Concentrations

Although this evaluation is written for PM₁₀, analyzing the PM_{2.5} concentrations during the event supports this evaluation by highlighting that the fine particulate matter concentrations followed the same trend as PM₁₀. If the particulate is made up of smoke, PM_{2.5} and PM₁₀ should follow the same trend. If the particulate was made up of something else such as a geologic source, PM_{2.5} would not follow the same trend as PM₁₀. As can be seen in Figure 4-17, Figure 4-18, and Figure 4-19, concentrations of PM_{2.5} and PM₁₀ followed the same trend over duration of the event at all affected monitors, thus supporting AQMD's position that wildfire smoke was present.

Figure 4-17: 24-hour PM_{2.5} and PM₁₀ Concentrations at Toll in August 2021




Figure 4-18: 24-hour PM_{2.5} and PM₁₀ Concentrations at Reno4 in August 2021





Figure 4-19: 24-hour PM_{2.5} and PM₁₀ Concentrations at Sparks in August 2021



Similar to PM₁₀, AQMD also completed a diurnal pattern analysis for PM_{2.5}. Each hour on the exceedance day was compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from non-event days in the five-year period from 2016-2020 during the wildfire season of July-September. This analysis was done for Reno4, and Sparks PM_{2.5} on the days of the exceedances. Since Toll did not monitor for PM_{2.5} until 2019, a diurnal was created for 2019-2020. For the Reno4 historical PM_{2.5} concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-20 through 4-35 below, nearly every hour of the exceedance was multiple times higher than what would be expected (50th percentile) and still much higher than the 95th percentile of the data set.

Figure 4-20: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/17/21




Figure 4-21: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/20/21




Figure 4-22: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/21/21




Figure 4-23: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Sparks on 08/21/21




Figure 4-24: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/21/21




Figure 4-25: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/22/21




Figure 4-26: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/22/21




Figure 4-27: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/23/21




Figure 4-28: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Sparks on 08/23/21




Figure 4-29: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/23/21




Figure 4-30: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/24/21




Figure 4-31: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Sparks on 08/24/21




Figure 4-32: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/24/21




Figure 4-33: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 08/25/21




Figure 4-34: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/25/21





Figure 4-35: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 08/26/21



4.3.2 PM_{2.5}/PM₁₀ Ratio

One method for determining whether the elevated PM₁₀ concentrations were caused by wildfire smoke is by analyzing the ratio of PM_{2.5} to PM₁₀. If a higher fraction of the PM₁₀ is made up of PM_{2.5}, this is indicative that smoke is present in the region. A lower PM_{2.5}/PM₁₀ ratio would mean that more of the particulate is larger than 2.5 microns and is most likely of a geologic origin. As can be seen in Table 4-2, Table 4-3, and Table 4-4, the PM_{2.5}/PM₁₀ ratio at Toll, Reno4, and Sparks started to increase on August 13, 2021, leading up to the exceedance days. The days of the exceedances are highlighted in yellow and show an elevated ratio compared to when the monitors were less affected by the wildfire smoke on August 13, 18, and 30 of 2021.

Table 4-2: PM_{2.5}/PM₁₀ Ratios at Toll

Toll			
Date	24-Hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/13/2021	19.7	55	0.36
8/14/2021	39.7	73	0.54
8/15/2021	55.9	89	0.63
8/16/2021	87.2	133	0.66
8/17/2021	95.6	161	0.59
8/18/2021	21.3	70	0.30
8/19/2021	12	35	0.34
8/20/2021	121.5	176	0.69
8/21/2021	139.3	204	0.68
8/22/2021	201	261	0.77
8/23/2021	241.6	319	0.76
8/24/2021	210.5	284	0.74
8/25/2021	148.6	211	0.70
8/26/2021	123.6	174	0.71
8/27/2021	38.8	74	0.52
8/28/2021	30	57	0.53
8/29/2021	30	59	0.51
8/30/2021	12.8	40	0.32

Table 4-3: PM_{2.5}/PM₁₀ Ratios at Reno4


Reno4			
Date	24-Hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/13/2021	24.6	61	0.40
8/14/2021	44.3	88	0.50
8/15/2021	50.3	100	0.50
8/16/2021	82.9	154	0.54
8/17/2021	77.1	152	0.51
8/18/2021	23.4	73	0.32
8/19/2021	16	42	0.38
8/20/2021	76.7	128	0.60
8/21/2021	135.8	200	0.68
8/22/2021	158.9	210	0.76
8/23/2021	220.1	304	0.72
8/24/2021	165.5	233	0.71
8/25/2021	102.9	164	0.63
8/26/2021	67.6	106	0.64
8/27/2021	39.2	77	0.51
8/28/2021	32.3	67	0.48
8/29/2021	47.8	75	0.64
8/30/2021	15	42	0.36

Table 4-4: PM_{2.5}/PM₁₀ Ratios at Sparks

Sparks			
Date	24-Hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
8/13/2021	30	76	0.39
8/14/2021	55.6	94	0.59
8/15/2021	56.4	95	0.59
8/16/2021	82.2	127	0.65
8/17/2021	68	123	0.55
8/18/2021	20.2	60	0.34
8/19/2021	15	40	0.38
8/20/2021	80	125	0.64
8/21/2021	137.6	190	0.72
8/22/2021	102.3	138	0.74
8/23/2021	159.2	214	0.74
8/24/2021	121.9	168	0.73
8/25/2021	94.6	136	0.70
8/26/2021	47.8	83	0.58
8/27/2021	39.1	78	0.50
8/28/2021	26.4	62	0.43
8/29/2021	32.2	58	0.56
8/30/2021	16.5	45	0.37

The $PM_{2.5}/PM_{10}$ ratio during the Dixie/Caldor event was higher than the rest of August 2021 and what would be expected on a typical summer day. AQMD determined what a typical summertime $PM_{2.5}/PM_{10}$ ratio would be by finding the regional average ratio during July-September between 2016 and 2020. The regional average ratio is the average of the Reno4 and Sparks $PM_{2.5}/PM_{10}$ ratios. The $PM_{2.5}/PM_{10}$ ratio that could be expected when not influenced by wildfire smoke or other events is 0.30. As can be seen in Tables 4-2 through 4-4, the ratios on the days of the exceedances were at least twice what would be expected. This supports AQMD's position that the exceedances were caused by wildfire smoke. Figure 4-36 illustrates this.

Figure 4-36: $PM_{2.5}/PM_{10}$ Ratios throughout August 2021



4.3.3 PM_{2.5}/CO Ratio


It has been documented that ambient PM_{2.5} and CO concentrations are correlated in the presence of wildfire smoke in urban areas.¹ AQMD completed a linear regression analysis that compared the PM_{2.5} and CO concentrations at the Reno4 and Sparks monitoring sites on the days of the exceedances. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. This information was then compared to a linear regression analysis completed for a non-event day on July 13, 2021. The equation and coefficient of determination (R²) that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = -2.5812x + 6.3198$	$R^2 = 0.0021$
Sparks: $y = 2.6136x + 3.017$	$R^2 = 0.0028$

As can be seen in Figure 4-37 through 4-47, a strong correlation was found on the days of the exceedances between PM_{2.5} and CO concentrations. The coefficients of determination for the exceedance days ranged from 0.7127 at a minimum to 0.982 at a maximum. Even at the minimum, this analysis signals a presence of wildfire smoke on the days of the exceedances.

Figure 4-37: Hourly PM_{2.5}/CO at Reno4 on August 17, 2021



¹ Jaffe, D. A., Schnieder, B., and Inouye, D.: Technical note: Use of PM_{2.5} to CO ratio as an indicator of wildfire smoke in urban areas, Atmos. Chem. Phys., 22, 12695–12704, <https://doi.org/10.5194/acp-22-12695-2022>, 2022.

Figure 4-38: Hourly PM_{2.5}/CO at Reno4 on August 20, 2021




Figure 4-39: Hourly PM_{2.5}/CO at Reno4 on August 21, 2021




Figure 4-40: Hourly PM_{2.5}/CO at Sparks on August 21, 2021




Figure 4-41: Hourly PM_{2.5}/CO at Reno4 on August 22, 2021




Figure 4-42: Hourly PM_{2.5}/CO at Reno4 on August 23, 2021




Figure 4-43: Hourly PM_{2.5}/CO at Sparks on August 23, 2021




Figure 4-44: Hourly PM_{2.5}/CO at Reno4 on August 24, 2021




Figure 4-45: Hourly PM_{2.5}/CO at Sparks on August 24, 2021




Figure 4-46: Hourly PM_{2.5}/CO at Reno4 on August 25, 2021





Figure 4-47: Hourly PM_{2.5}/CO at Reno4 on August 26, 2021



4.3.4 PM₁₀/CO Ratio

When an area has the presence of wildfire smoke, the CO and PM₁₀ concentrations should also be correlated, although not as strongly correlated as CO and PM_{2.5}. Similar to section 4.3.3, a linear regression analysis was completed with CO and PM₁₀ data on the days of the exceedances and compared to a non-event day on July 13, 2021. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. The equation and coefficient of determination that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (July 13, 2021)

Reno4: $y = 107.41x + 8.5459$	$R^2 = 0.2209$
Sparks: $y = 66.023x + 11.528$	$R^2 = 0.4516$

As can be seen in Figure 4-48 through 4-58, a strong correlation was found on the days of the exceedances between PM₁₀ and CO concentration. The coefficients of determination on the exceedance days ranged from 0.7183 to 0.9734. Even at the minimum, this analysis signals a presence of wildfire smoke on the days of the exceedances.

Figure 4-48: Hourly PM₁₀/CO at Reno4 on August 17, 2021




Figure 4-49: Hourly PM₁₀/CO at Reno4 on August 20, 2021




Figure 4-50: Hourly PM₁₀/CO at Reno4 on August 21, 2021




Figure 4-51: Hourly PM₁₀/CO at Sparks on August 21, 2021




Figure 4-52: Hourly PM₁₀/CO at Reno4 on August 22, 2021




Figure 4-53: Hourly PM₁₀/CO at Reno4 on August 23, 2021




Figure 4-54: Hourly PM₁₀/CO at Sparks on August 23, 2021




Figure 4-55: Hourly PM₁₀/CO at Reno4 on August 24, 2021




Figure 4-56: Hourly PM₁₀/CO at Sparks on August 24, 2021




Figure 4-57: Hourly PM₁₀/CO at Reno4 on August 25, 2021





Figure 4-58: Hourly PM₁₀/CO at Reno4 on August 26, 2021



4.4 Trajectory Analysis

A trajectory analysis was completed for the event using the Hybrid Single Particle Lagrangian Integrated Trajectory (HYSPLIT) model to compute simple air parcel trajectories and determine where the smoke originated from. The HYSPLIT model's calculation method is a hybrid between the Lagrangian approach, which uses a moving frame of reference as the air parcels move from their initial location, and the Eulerian approach, which uses a fixed three-dimensional grid as a frame of reference. The trajectory models in this section were created with the EPA AirNow-Tech Navigator page and the HYSPLIT model was provided by NOAA's Air Resources Laboratory. The model used the North American Mesoscale Model (NAM) 12-kilometer domain. Each HYSPLIT was completed at 50, 1000, and 2500 meters above ground level (agl). These values were chosen to best illustrate the dynamics of the air mass that affected the Washoe County region before and during the days of the exceedances. According to NWS-Reno, 50 meters agl is a good proxy for boundary layer height in the region. The HYSPLIT figures below include the "HMS Fire" layer which shows the location of each fire, the "HMS Smoke" layer which shows where smoke is at the time, and the 24-hour, midnight to midnight average PM₁₀ concentration in µg/m³ for each air monitoring site in the region.

4.4.1 Monitoring Site Analysis - Backward Trajectory

In order to accurately understand where the affected air mass originated from, AQMD completed 24-hour backward trajectory HYSPLIT models from the affected PM₁₀ monitors at Toll, Reno4, and Sparks. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for backward trajectory HYSPLIT models, the first point on the line would denote 6-hours before the start time of the model.

Figure 4-59: Backward Trajectory from Toll starting August 17, 2021 at 0000 PST




Figure 4-60: Backward Trajectory from Toll starting August 18, 2021 at 0000 PST




Figure 4-61: Backward Trajectory from Reno4 starting August 21, 2021 at 0000 PST




Figure 4-62: Backward Trajectory from Sparks starting August 21, 2021 at 0000 PST



Figure 4-63: Backward Trajectory from Toll starting August 21, 2021 at 0000 PST




Figure 4-64: Backward Trajectory from Reno4 starting August 22, 2021 at 0000 PST



Figure 4-65: Backward Trajectory from Sparks starting August 22, 2021 at 0000 PST




Figure 4-66: Backward Trajectory from Toll starting August 22, 2021 at 0000 PST




Figure 4-67: Backward Trajectory from Reno4 starting August 23, 2021 at 0000 PST




Figure 4-68: Backward Trajectory from Sparks starting August 23, 2021 at 0000 PST




Figure 4-69: Backward Trajectory from Toll starting August 23, 2021 at 0000 PST




Figure 4-70: Backward Trajectory from Reno4 starting August 24, 2021 at 0000 PST




Figure 4-71: Backward Trajectory from Sparks starting August 24, 2021 at 0000 PST




Figure 4-72: Backward Trajectory from Toll starting August 24, 2021 at 0000 PST




Figure 4-73: Backward Trajectory from Reno4 starting August 25, 2021 at 0000 PST




Figure 4-74: Backward Trajectory from Sparks starting August 25, 2021 at 0000 PST




Figure 4-75: Backward Trajectory from Toll starting August 25, 2021 at 0000 PST




Figure 4-76: Backward Trajectory from Reno4 starting August 26, 2021 at 0000 PST




Figure 4-77: Backward Trajectory from Toll starting August 26, 2021 at 0000 PST



Figure 4-78: Backward Trajectory from Toll starting August 27, 2021 at 0000 PST



4.4.2 Source Analysis – Forward Trajectory

In order to fully understand where smoke emissions from each fire moved prior to and on the days of the exceedances, an emissions source analysis was done which included 24-hour forward trajectory HYSPLIT models from both the Caldor and Dixie fires. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for forward trajectory HYSPLIT models, the first point on the line would denote 6-hours after the start time of the model.

Figure 4-79: Forward Trajectory from Dixie/Caldor Fire starting August 16, 2021 at 0000 PST




Figure 4-80: Forward Trajectory from Dixie/Caldor Fire starting August 17, 2021 at 0000 PST



Figure 4-81: Forward Trajectory from Dixie/Caldor Fire starting August 18, 2021 at 0000 PST




Figure 4-82: Forward Trajectory from Dixie/Caldor Fire starting August 19, 2021 at 0000 PST




Figure 4-83: Forward Trajectory from Dixie/Caldor Fire starting August 20, 2021 at 0000 PST




Figure 4-84: Forward Trajectory from Dixie/Caldor Fire starting August 21, 2021 at 0000 PST





Figure 4-85: Forward Trajectory from Dixie/Caldor Fire starting August 22, 2021 at 0000 PST



As
November

Figure 4-86: Forward Trajectory from Dixie/Caldor Fire starting August 23, 2021 at 0000 PST




Figure 4-87: Forward Trajectory from Dixie/Caldor Fire starting August 24, 2021 at 0000 PST




Figure 4-88: Forward Trajectory from Dixie/Caldor Fire starting August 25, 2021 at 0000 PST





Figure 4-89: Forward Trajectory from Dixie/Caldor Fire starting August 26, 2021 at 0000 PST



As of November 20, 2023

Figure 4-90: Forward Trajectory from Dixie/Caldor Fire starting August 27, 2021 at 0000 PST



4.4.3 Trajectory Analysis Explanation

The methodology behind this section is to bracket the exceedance days with forward and backward HYSPLITs. A forward trajectory was completed for August 16 through August 27 of 2021 to accurately depict the characteristics of the wildfire smoke that would have affected HA 87 on the exceedance days. A backward trajectory was completed for August 17, August 18, and August 21 through August 27 of 2021 to characterize where the air mass on the exceedance days came from.

As can be seen in the backward trajectory section, the air masses that affected HA 87 on the days of the exceedances mostly originated from the Caldor Fire with many HYSPLITs tracing directly over the fire. Additionally, the HYSPLITs on August 18 and August 22 of 2021 illustrate when the Dixie Fire affected HA 87. As can be seen in the forward trajectory section, the smoke from the Dixie and Caldor fires was transported into HA 87 on the days of the exceedances. This section also helps illustrate why there was not an exceedance day between August 17 and August 20 of 2021. As can be seen in the forward trajectory section, the wind patterns changed to help vacate some of the smoke from HA 87, and then changed again to reintroduce the smoke.

As Revised
November 26, 2023

4.5 Pollution Rose Analysis

Using the AirNow-Tech Navigator Rose Tool, wind/pollution roses were generated for Toll, Reno4, and Sparks monitoring sites for the days leading to and the days of the exceedances. Hourly PM₁₀ and wind direction data was used to create the roses. These show predominantly westerly and southerly wind components that carried Dixie and Caldor wildfire smoke to Washoe County.

Figure 4-91: PM₁₀ Wind/Pollution Rose for Toll and Reno4 for August 14-26





Figure 4-92: PM₁₀ Wind/Pollution Rose for Sparks for August 14-26



4.6 Conclusion Showing a Clear Causal Relationship

Section 4.0 of this document demonstrates that the elevated PM₁₀ concentrations that led to an exceedance of the primary and secondary PM₁₀ NAAQS was caused by the Dixie and Caldor wildfires. The emissions analysis, historical concentration comparison analysis, PM_{2.5} analysis, PM_{2.5}/PM₁₀ ratio analysis, PM_{2.5}/CO ratio analysis, PM₁₀/CO ratio analysis, trajectory analysis, and pollution rose analysis all support this premise.

The comparisons and statistical analyses provided in this section of the document supports AQMD's evaluation that the Dixie and Caldor wildfire events affected air quality in such a way that there exists a clear causal relationship between the specific events and the monitored PM₁₀ exceedance on August 17 and August 20-26, 2021. Section 4.0 thus shows a clear causal relationship between the wildfire and PM₁₀ exceedances.

As Revised
November 26, 2025

5.0 Natural Event or Human Activity Unlikely to Recur

By definition, an exceptional event must be unlikely to recur at a particular location or be a natural event. The Dixie Fire qualifies as a natural event because human activity played no direct causal role in the start of the fires. A natural event as per 40 CFR 50.1(k) is defined as:

40 CFR 50.1(k): Natural event means an event and its resulting emissions, which may recur at the same location, in which human activity plays little or no direct causal role. For purposes of the definition of a natural event, anthropogenic sources that are reasonably controlled shall be considered to not play a direct role in causing emissions.

As was mentioned in Section 2.4 of this document, the Dixie Fire was started by a tree falling on a power transmission line. AQMD sees no direct causal role by human activity for the Dixie Fire, thus qualifying it as a natural event.

The Caldor Fire was most likely caused by human activity (firearm target shooting). AQMD believes it is unlikely that the event will recur at the same location in the foreseeable future, thus qualifying the Caldor Fire to also be applicable to Section 40 CFR 50.14(c)(3)(iv)(E).

6.0 Public Outreach

An important role that AQMD plays during exceptional events that affect air quality is to notify the public of the current air quality, the air quality forecast, and ways to mitigate potential health impacts that are a result of degraded air quality. AQMD uses a variety of outlets to reach the public during exceptional events including Twitter, Facebook, press releases, and local partners to inform citizens of degraded air quality.

As can be seen in Figure 6-1 through 6-17 below, a majority of social media posts issued by AQMD during the event included information regarding the current AQI, AQI forecasting, and AQMD's public education program, "Be Smoke Smart." "Be Smoke Smart" informs the public of the best ways to protect themselves from wildfire smoke during these events. AQMD also utilized satellite imagery in these posts to highlight the widespread smoke in the region. AQMD also shared links to the published press releases highlighting the Emergency Episode issued during the event. The press releases are a requirement of AQMD's PM_{2.5} Mitigation Plan as well as AQMD's Emergency Episode Plan. Seen in Figure 6-7, a Stage 3 Emergency Episode for PM_{2.5} was issued on August 23, 2021. This was the first time AQMD issued an Emergency Episode to Stage 3. There had been an active PM_{2.5} Emergency Episode since July 23.

AQMD's local partner, NWS Reno, was also very active on social media during the event. NWS Reno shared weather forecasts and how these forecasts impact smoke in the area. NWS Reno also shared imagery from the HRRR Modeling system to share forecasts of smoke movement. AQMD frequently reposted the NWS to increase the social media reach. These reposts are shown below in Figure 6-3, 6-10, and 6-12. By working together, NWS Reno and AQMD were able to reach as many citizens as possible throughout the event to provide accurate information and actions to take.

Figure 6-1: Public Notification of Poor Air Quality on the First Exceedance Day of the Event, August 17, 2021





Figure 6-2: Tweet of the NowCast AQI on August 17, 2021

 Washoe County AQMD 
@WashoeCountyAQ

Reno/Sparks is in the Very Unhealthy AQI range now. People with heart/lung disease, older adults, children should avoid all outdoor activities. Everyone should avoid strenuous outdoor activities. Consider rescheduling outdoor activities or bringing them indoors. [#BeSmokeSmart](#)



Very Unhealthy

Current Air Quality 12 PM PDT Aug 17

229 NowCast AQI	PM2.5		
Forecast AQI	Today	Tomorrow	More
			
	Unhealthy	Unhealthy for Sensitive Groups	

12:38 PM - Aug 17, 2021

Figure 6-3: Facebook Satellite Image of Widespread Smoke August 17, 2021

 **Washoe County Health District: Air Quality Management Division**
August 17, 2021 · 🌐



CALDOR FIRE (EL DORADO COUNTY)

 **US National Weather Service Reno Nevada**
August 17, 2021 · 🌐

...Fire smoke and more!...

The [#CaldorFire](#) southwest of Lake Tahoe is burning intensely and is, as has been so common this year, producing pyrocumulus. North o... See more

👍 Like 💬 Comment

Figure 6-4: Facebook Satellite Image of Widespread Smoke August 20, 2021



Figure 6-5: Twitter AQI Forecast August 20, 2021




Figure 6-6: Tweet of Upgrade to Stage 3 Emergency Episode, August 23, 2021



Figure 6-7: Stage 3 Emergency Episode Press Release August 23, 2021

HEALTH DISTRICT ISSUES STAGE 3 AIR QUALITY EMERGENCY EPISODE
by Scott Oxarant | Aug 23, 2021



Reno/Sparks, Nev. Aug. 23, 2021 – The Washoe County Health District – Air Quality Management Division (AQMD) has issued a Stage 3 Emergency Episode due to smoke from area wildfires. The air quality index (AQI) for the Reno-Sparks area is expected to be “Very Unhealthy” to “Hazardous” at times Monday, Tuesday, and Wednesday.

The Stage 3 Emergency Episode was issued because the PM2.5 AQI was over 200 for a 24-period of time. It also means that all residents should stay indoors as much as possible. This is the first time AQMD has issued a Stage 3 Emergency Episode. The Caldor Fire is the main wildfire contributing to the poor air quality.

To see current air quality in Reno-Sparks, [click here](#); for information on what the air quality index colors mean, [click here](#).

For Washoe County Air Quality Updates to your inbox, [sign up here](#)

Expect periods of heavy smoke during the first half of the week depending on wind patterns and proximity to the Caldor Fire smoke plume. AQMD has issued these recommendations to reduce exposure to smoke:

- Everyone should stay indoors and avoid any outdoor activity
- Stay indoors with the windows and doors closed
- Consult your physician for health questions, especially those with heart and lung issues
- [Create a clean air room](#)


AQMD can issue a Stage 1, Stage 2, Stage 3, and Stage 4 Emergency Episode with the Stage 4 being the most severe. [More information on the stages can be found here](#). The Emergency Episode rule was recently revised and adopted by the District Board of Health on July 22, 2021.

Visit [OurCleanAir.com](#) for additional information on the Air Quality Management Division.

Figure 6-8: Tweet Highlighting Highest AQI on Record August 23, 2021

 **Washoe County AQMD**
@WashoeCountyAQ

The all-time worst PM2.5 daily average for Reno/Sparks occurred yesterday. We averaged an AQI of 251 (Very Unhealthy) due to the [#CaldorFire](#). Expect Unhealthy to Hazardous air quality this week. [#BeSmokeSmart](#) stay indoors, reduce activity, and consider using an air purifier.



Pollutant	Daily AQI	Daily concentration
PM2.5	251	201 µg/m ³

8:07 AM · Aug 23, 2021

19 Retweets 10 Quotes 48 Likes 2 Bookmarks

Figure 6-9: Tweet Linking EPA's Clean Room Webpage August 23, 2021



Figure 6-10: Facebook Share of NWS Reno Post August 23, 2021





Figure 6-11: Tweet of Satellite GIF August 24, 2021



Figure 6-12: Facebook Share of NWS Reno Post August 24, 2021

 Washoe County Health District: Air Quality Management Division
August 24, 2021 · 🌐

HRRR Near Surface Smoke (ug/m3) Weather Forecast Office Reno, NV
Tue 10:00PM Issued Aug 24, 2021 9:53 AM PDT 



0:01 / 0:04  @NWSReno weather.gov/reno

 US National Weather Service Reno Nevada
August 24, 2021 · 🌐

From the Washoe County Health District AQMD: "Very Unhealthy to Hazardous air quality due to #CaldorFire smoke is continuing to impact Washoe County. #BeSmokeSm... See more

Figure 6-13: Tweet of Webcams August 24, 2021



Figure 6-14: Tweet of AirNow Fire and Smoke Map August 25, 2021




Figure 6-15: Facebook Post of NowCast and Fire and Smoke Map August 26, 2021

Washoe County Health District: Air Quality Management Division
August 26, 2021 · 🌐

When it is smoky outside, [#BeSmokeSmart](#) check both the AQI on <http://AirNow.gov> for the highest regional AQI from our monitors and the Fire and Smoke Map (<http://fire.airnow.gov>) for the closest air monitor or sensor AQI.

Expect overall Unhealthy air quality today meaning children, older adults, and those with heart/lung disease should reduce your exposure by avoiding strenuous outdoor activities or keeping outdoor activities short. Consider moving physical activities indoo... See more

Very Unhealthy
Current Air Quality 9 AM PDT Aug 26
233 NowCast AQI | PM2.5
Forecast AQI: Today (Unhealthy), Tomorrow (Unhealthy), More

8 reactions, 2 shares

Figure 6-16: Tweet of Top 10 Worst PM_{2.5} days on Record August 27, 2021

Washoe County AQMD  @WashoeCountyAQ

Top 10 worst PM_{2.5} days for Reno/Sparks. Monitoring for PM_{2.5} started in '99. [#CaldorFire](#) [#DixieFire](#) [#NorthComplexFire](#)

8/23/21-AQI 291
 8/24/21-AQI 260
 8/22/21-AQI 251
 9/13/20-AQI 240
 9/12/20-AQI 212
 8/25/21-AQI 199
 8/21/21-AQI 195
 8/07/21-AQI 195
 7/25/21-AQI 193
 7/26/21-AQI 191

Air Quality Index Levels of Health Concern	Numerical Value	Meaning
Good	0 to 50	Air quality is considered satisfactory, and air pollution poses little or no risk.
Moderate	51 to 100	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.
Unhealthy for Sensitive Groups	101 to 150	Members of sensitive groups may experience health effects. The general public is not likely to be affected.
Unhealthy	151 to 200	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects.
Very Unhealthy	201 to 300	Health warnings of emergency conditions. The entire population is more likely to be affected.
Hazardous	301 to 500	Health alert: everyone may experience more serious health effects.

11:29 AM · Aug 27, 2021

[View Tweet analytics](#)

9 Retweets 3 Quote Tweets 17 Likes

 Tweet your reply [Reply](#)

 Washoe County AQMD  @WashoeCountyAQ · Aug 27, 2021

Replying to @WashoeCountyAQ

Daily AQIs are calculated for PM_{2.5} by averaging all hourly concentrations at each monitoring station from 00:00 to 23:59 PST. AirNow NowCast AQIs can be higher or lower than these 24-hour average AQIs and are considered preliminary until all data is certified by May 1, 2022.

  1  1 

Figure 6-17: Press Release Downgrading Stage 3 Emergency Episode to Stage 1 August 27, 2021 at the End of the Event

STAGE 3 AIR QUALITY EMERGENCY EPISODE DOWNGRADED TO STAGE 1
by Scott Oxarart | Aug 27, 2021

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Reno/Sparks, Nev. Aug. 27, 2021 – The Health Officer for the Washoe County Health District has downgraded the Stage 3 Emergency Episode issued on Monday, August 23 to a Stage 1 Emergency Episode which is the lowest level of the four Emergency Episode Stages. The air quality index (AQI) for the Reno-Sparks area is expected to be “Unhealthy for Sensitive Groups” through the weekend.

[Sign Up for Air Quality Email Updates Here](#)

The Stage 3 Emergency Episode was downgraded to a Stage 1 because the 24-hour PM2.5 AQI was less than 200. The 24-hour PM2.5 AQI is expected to be above 100 for Friday, Saturday, and Sunday. Those in sensitive groups including children, older adults, and those with heart/lung disease should consider reducing prolonged or heavy exertion outdoors. The Dixie and Caldor Fires remain active and are continuing to contribute to the poor air quality in the region.

Expect improved air quality this weekend, but periods of smoke and haze are possible especially areas nearest the wildfires. AQMD has issued these recommendations to reduce exposure to smoke:

- Check the AQI on both AirNow and AirNow's Fire and Smoke Map for the AQI nearest you
- If the smoke is affecting you, stay indoors and reduce activity
- Replace your air filter in your home more frequently during wildfire smoke events
- After periods of heavy smoke, air out your home when air quality has improved

During wildfires, the role of the AQMD is to provide the most current and accurate information and data possible so that the residents and businesses of Washoe County can make the best decisions possible regarding their health.

AQMD can issue a Stage 1, Stage 2, Stage 3, and Stage 4 Emergency Episode with the Stage 4 being the most severe. [More information on the stages can be found here.](#) The Emergency Episode rule was recently revised and adopted by the District Board of Health on July 22, 2021. An air pollution Emergency Episode for Washoe County is not a state of emergency as issued by the Governor or President. The main purposes of an Emergency Episode are to notify the public of the air pollution levels, give recommendations to reduce exposure, and reduce or stop emissions from a local source if it is determined to be significantly contributing to the Emergency Episode.

Visit OurCleanAir.com for additional information on the Air Quality Management Division.

7.0 Conclusions and Recommendations

The Caldor Fire started on August 14, 2021 in Eldorado National Forest in El Dorado County, California, approximately 75 miles southwest of the Truckee Meadows Region. The Caldor Fire was most likely caused by target shooting with firearms. The Dixie Fire was ignited on July 13, 2021, when a tree fell on a power line in Plumas National Forest, approximately 90 miles northwest of the Truckee Meadows. Both fires emitted large quantities of PM₁₀ emissions which eventually led to numerous PM₁₀ exceedances at the Toll, Reno4, and Sparks PM₁₀ monitors between August 17 and August 26, 2021. The 2021 Dixie/Caldor Fire Evaluation supports the criteria for an exceptional event detailed in the 2016 Exceptional Events Rule. Specifically, the documentation used the following evidence to demonstrate the exceptional event:

- ambient air monitoring data
- statistical analyses of the monitoring data compared to historical concentrations
- analyses of wildfire smoke emissions
- satellite imagery (visible and detected smoke)
- narratives from the National Oceanic and Atmospheric Administration and National Weather Service (Reno)
- HYSPLIT trajectory analyses
- social and traditional media posts

This contingency plan evaluation clearly demonstrates justification for exclusion of data for July 26, 2021. The 2021 Dixie/Tamarack Fire Evaluation has provided evidence that:

1. Emissions from a wildfire event caused PM₁₀ exceedances at the Toll, Reno4, and Sparks monitor;
2. The event affected air quality in such a way that there exists a clear causal relationship between the event and the exceedances on August 17 and 20-26, 2021;
3. Event-influenced concentrations were unusual and above normal historical concentrations;
4. The event was related to wildfires of which one was a natural event predominately occurring on wildland, and one was human activity unlikely to recur; and
5. The event was not reasonably controllable or preventable.

The AQMD recommends that data influenced by the 2021 Dixie/Caldor Fire on the days defined in Table 2-3 be excluded from contingency plan trigger calculations.

As Revised
November 26, 2025

WASHOE COUNTY
HEALTH DISTRICT
ENHANCING QUALITY OF LIFE

Please contact Matt McCarthy for
questions or comments at
mmccarthy@nph.org

Appendix A

Public Comment Plan

As Revised
November 26, 2025

Public Comment Period

This contingency plan evaluation was available for public inspection from October 26 to November 26, 2023 at the AQMD website ([OurCleanAir.com](https://www.aqmd.net/our-clean-air)). AQMD issued a press release (included below) on October 26, 2023 to inform the public of the comment period. The press release provides a web link to the draft demonstration and explains how to submit written comments during the comment period. A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact.

One comment was received during the public comment period. The document was not revised in response to the comment since the comment was a general comment in support. The comment, along with AQMD's response are included below.

As Revised
November 26, 2025

From: [McCarthy, Matthew](#)
To: knighteddawn@gmail.com
Cc: [Health - AQ-Planning](#)
Subject: RE: Exceptional events
Date: Monday, October 30, 2023 9:15:00 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)

Good morning Michael,

Thank you for your comment regarding the Exceptional Events demonstrations. Your comment will be included in our submittal to EPA.

Regards,



Matt McCarthy
Environmental Engineer II
Air Quality Management Division

O: [775-784-7217](tel:775-784-7217)
1001 E Ninth St. Bldg. B Reno, NV 89512

OurCleanAir.com

NNPH.org | [f](#) [f](#) [@](#) [X](#) [in](#)

[Click here to take our customer satisfaction survey](#)

From: Michael-Forest <knighteddawn@gmail.com>
Sent: Thursday, October 26, 2023 7:23 PM
To: Health - AQ-Planning <Health-AQ-Planning@nnph.org>
Subject: Exceptional events

[NOTICE: This message originated outside of Washoe County -- DO NOT CLICK on links or open attachments unless you are sure the content is safe.]

Wildfire smoke caused by California wildfires should definitely NOT be included in our data. I completely support asking for an exception. There's not much Renoites can do about California wildfires!

Michael Meservy
6680 Stone Valley Dr

As Revised
November 26, 2025

NORTHERN NEVADA Public Health NEWSROOM

NNPH AIR QUALITY MANAGEMENT DIVISION SEEKS COMMENT ON EXCEPTIONAL EVENTS DEMONSTRATIONS

Oct 26, 2023

Reno/Sparks, Nevada. Oct. 26, 2023 – Northern Nevada Public Health – Air Quality Management Division (AQMD) is requesting written public comment on the 2021 and 2022 PM10 Exceptional Events Demonstrations, a series of technical reports proving that wildfires caused some poor air quality conditions, specifically PM10, in 2021 and 2022. The documents request that EPA exclude that data from regulatory consideration. PM10 is defined as particulate matter that is sized 10 microns in diameter or less and is one of the many air pollutants found in wildfire smoke.

If the EPA agrees to exclude that data, it means that future air quality plans for local emission sources are not affected by PM10 found in wildfire smoke. Excluding this data does not eliminate the public health impacts or AQMD's role in notifying the public of poor air quality.

AQMD's 2nd 10-Year PM10 Maintenance plan is due to EPA next year. In order for EPA to approve this plan, the maintenance area must not be violating the 24-Hour PM10 National Ambient Air Quality Standard (NAAQS). Multiple wildfires in 2021 and 2022 caused fifteen (15) exceedances of the PM10 NAAQS within the Truckee Meadows PM10 maintenance area. Through the Exceptional Events Rule (40 CFR 50.14), AQMD can request that data influenced by wildfires be excluded when determining compliance with the 24-Hour PM10 NAAQS.

The demonstrations are broken down into four separate events:

[2021 Dixie/Tamarack Fire Event](#)

[2021 Dixie/Antelope Fire Event](#)

[2021 Dixie/Caldor Fire Event](#)

[2022 Mosquito Fire Event](#)

Comments will be accepted until midnight on November 26, 2023, and may be submitted via e-mail to

Health-AQ-Planning@nnph.org

All correspondence must include first and last name and a complete mailing address.

For more information regarding the Health District's air quality efforts, visit the Air Quality Management Division's website at OurCleanAir.com.

NOTE: The Washoe County Health District became Northern Nevada Public Health on Aug. 31, 2023. Materials developed prior to that date may contain Washoe County Health District brand, logos, and references.

Northern Nevada Public Health (NNPH) is nationally accredited by the Public Health Accreditation Board and has jurisdiction over all public health matters in Reno, Sparks, and Washoe County through the policy-making District Board of Health. NNPH consists of five divisions: Administrative Health Services, Air Quality Management, Community and Clinical Health Services, Environmental Health Services and Epidemiology & Public Health Preparedness. [More info can be found here.](#)

Appendix B

Exceptional Event Initial Notification

As Revised
November 26, 2025

Initial Notification of Potential Exceptional Event Information Summary for PM₁₀

Submitting Agency: Washoe County Health District Air Quality Management Division

Agency Contact: Daniel Inouye, Branch Chief

Date Submitted: July 1, 2022

Applicable NAAQS: 1987 PM₁₀

Affected Regulatory Decision¹: None

Area Name/Designation Status: Truckee Meadows Hydrographic Basin 87 PM₁₀ Maintenance Area

Design Value Period: 2019-2021

As Revised
November 26, 2025

Table A(1): Information specific to each flagged monitor day that may be submitted to EPA in support of the affected regulatory decision listed above

Date(s) of Event(s)	Type of Event (high wind, volcano, wildfires/prescribed fire, other ²)	AQS Flags	Monitor AQS IDs (and POCs)	Monitor Names	24-hour average Exceedance Concentration (µg/m ³)	Notes (e.g. event name, links to other events)
07/24/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	173	
07/25/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	187	
07/26/2021	Wildfires	IT	32-031-1007-81102-1 32-031-1005-81102-4 32-031-0031-81102-2	Spanish Springs Sparks Reno4	186 174 171	
08/06/2021	Wildfires	IT	32-031-0025-81102-2	Toll	156	
08/07/2021	Wildfires	IT	32-031-0031-81102-2 32-031-1005-81102-4 32-031-1007-81102-1	Reno4 Sparks Spanish Springs	198 163 162	
08/16/2021	Wildfires	IT	32-031-1007-81102-1	Spanish Springs	197	
08/17/2021	Wildfires	IT	32-031-0025-81102-2	Toll	161	
08/20/2021	Wildfires	IT	32-031-0025-81102-2	Toll	176	
08/21/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1007-81102-1 32-031-1005-81102-4	Toll Reno4 Spanish Springs Sparks	204 200 195 190	
08/22/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2	Toll Reno4	261 210	
08/23/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1005-81102-4 32-031-1007-81102-1	Toll Reno4 Sparks Spanish Springs	319 304 214 187	
08/24/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2 32-031-1005-81102-4	Toll Reno4 Sparks	284 233 168	
08/25/2021	Wildfires	IT	32-031-0025-81102-2 32-031-0031-81102-2	Toll Reno4	211 164	
08/26/2021	Wildfires	IT	32-031-0025-81102-2	Toll	174	

¹ designation, classification, attainment determination, attainment date extension, or finding of SIP inadequacy leading to SIP call

² Provide additional information for types of event described as “other”

Table B(1): Violating Monitors Information

Monitor (AQS ID and POC)	Design Value (<u>without</u> EPA concurrence on any of the events listed in table A above)	Design Value (<u>with</u> EPA concurrence on all events listed in table A above)
32-031-1007-81102-1 32-031-0025-81102-2 32-031-1005-81102-4 32-031-0031-81102-2	4.0 expected exceedances 4.0 expected exceedances 2.7 expected exceedances 2.7 expected exceedances	1.7 expected exceedances

Table C(1): Summary of Maximum Design Value (DV) Monitor Information

	Design Value	Design Value Monitor (AQS ID and POC)	Comment(s)
Maximum DV monitor (AQS ID and POC) without EPA concurrence on any of the events listed in table A above	4.0 expected exceedances 4.0 expected exceedances	32-031-1007-81102-1 32-031-0025-81102-2	Includes exceptional event data from 2020 that has not been concurred.
Maximum DV monitor (AQS ID and POC) with EPA concurrence on all events listed in table A above	1.7 expected exceedances	32-031-1007-81102-1	Includes exceptional event data from 2020 that has not been concurred.

Table D(1): List of any monitors (AQS ID and POC) within planning area with invalid design values (e.g. due to data incompleteness)

Monitor (AQS ID and POC)	Comment
---	---

Appendix C

2021 Data Certification Letter

As Revised
November 26, 2025

**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE

April 26, 2022

Gwen Yoshimura
Manager, Air Quality Analysis Office
U.S. EPA, Region 9
75 Hawthorne Street, Mail Stop AIR-7
San Francisco, CA 94105

Re: CY2021 Ambient Air Monitoring Data Certification

Dear Ms. Yoshimura:

Attached please find a copy of the Washoe County Health District, Air Quality Management Division's (AQMD) AQS AMP600 Data Certification Report and AMP450NC Quick Look summary report for ambient air monitoring data for all State and Local Air Monitoring Stations (SLAMS) and Special Purpose Monitors (SPMs) which meet criteria in 40 CFR 58 Appendix A operated from January 1 to December 31, 2021. Included is data from Federal Reference Method (FRM) and Federal Equivalent Method (FEM) monitors for CO, NO₂, ozone, PM₁₀, PM_{10-2.5}, PM_{2.5}, and SO₂ (hourly and 5-minute average data).

This letter certifies that the ambient concentration data and the quality assurance data are completely submitted to AQS, and the ambient data are accurate to the best of my knowledge taking into consideration the quality assurance findings.

Please contact Mr. Daniel Timmons or me at (775) 784-7200 with any questions or concerns.

Sincerely,



Francisco Vega, P.E., MBA
Director, Air Quality Management Division
Washoe County Health District

Attachments

cc: Fletcher Clover, Air Quality Analysis Office, U.S. EPA, Region 9

User ID: BAA

QUICKLOOK ALL PARAMETERS

Report Request ID: 2005956

Report Code: AMP450NC

Apr. 4, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031		86101							
	32	031		42401	2						

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
ALL			

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
AGENCY ROLE	PQAO
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

SCR GROUP SELECTIONS

Washoe Co,NV

DATE CRITERIA

Start Date	End Date
2021	2021

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

As Revised
November 26, 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

Parameter	Unit	P O C	PQAO	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert & Eval	EDH
Site ID: 32-031-0025 City: Reno		County: Washoe		Address: 684A STATE ROUTE 341, RENO NV 89521										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8524	881.0	602.0	586.0	563.0	13.46	1 HOUR		5
Site ID: 32-031-0031 City: Reno		County: Washoe		Address: 1260-A Stewart St.										
42401 Sulfur dioxide	Parts per billion	2	1138	2021	600	98036	8.8	7.1	5.6	4.7	.25	5 MINUTE		0
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	000	118	56.1	51.5	43.1	37.0	14.27	24 HOUR		5
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	2	1138	2021	185	8581	488.0	434.0	387.0	311.0	14.99	1 HOUR		5
Site ID: 32-031-1005 City: Sparks		County: Washoe		Address: 750 4TH ST, SPARKS, NV 89431										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8592	425.0	354.0	330.0	305.0	14.58	1 HOUR		5
Site ID: 32-031-1007 City: Sparks		County: Washoe		Address: 7200 Pyramid Hwy, Sparks, NV, 89441										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2021	185	8618	709.0	707.0	495.0	370.0	9.74	1 HOUR		5

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU
86101	000	MULTIPLE METHODS	MULTIPLE METHODS
86101	185	Met One BAM-1020 System	Paired Beta Difference

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

PQAOS USED IN THIS REPORT

PQAO	AGENCY DESCRIPTION
1138	Washoe County District Health Department

As Revised
November 26, 2025

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 4, 2022

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.

User ID: BAA

CERTIFICATION EVALUATION AND CONCURRENCE

Report Request ID: 2014498

Report Code: AMP600

Apr. 26, 2022

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

32

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	CERTIFYING

DATE CRITERIA

Start Date	End Date
2021	2021

As Revised November 26, 2025

Data Evaluation and Concurrence Report Summary

Certification Year: 2021

Certifying Agency (CA): Washoe County District Health Department (1138)

Pollutants in Report:

<u>Parameter Name</u>	<u>Code</u>	<u>Monitors Evaluated</u>	<u>Monitors Recommended for Concurrence by AQS</u>	<u>Monitors NOT Recommended for Concurrence by AQS</u>
Carbon monoxide	42101	2	2	0
Nitrogen dioxide (NO2)	42602	1	1	0
Ozone	44201	7	7	0
PM10 Total 0-10um STP	81102	4	4	0
PM2.5 - Local Conditions	88101	5	5	0
Sulfur dioxide	42401	1	1	0

PQAOs in Report:

<u>PQAO Name</u>	<u>PQAO Code</u>	<u>TSA Date</u>
Washoe County District Health Department	1138	08/15/19

Summary of 'N' flags for all pollutants:

<u>PQAO</u>	<u>Code</u>	<u>AQS Site-ID</u>	<u>POC</u>	<u>AQS Recommended Flag</u>	<u>Cert. Agency Recommended Flag</u>	<u>Reason for AQS Recommendation</u>

Signature of Monitoring Organization Representative: _____

Elizabeth Vega

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Carbon monoxide (42101) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	2.84708	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP		Concur. Flag			
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.274	0.032	2.437	0	0	97	2.66	+/-2.11	100	- 0.04	100	2.85	Y	Y	Y	Y	S
32-031-1005	1 SLAMS	0.387	0.000	2.200	0	0	99	1.08	+/-0.61	100	1.94	100		Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Nitrogen dioxide (NO2) (42602) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	8.18765	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	11.8	0.1	54.6		0	97	4.08	+/-3.40	100	-1.60	100	8.19	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Ozone (44201) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	3.05318	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP			Concur. Flag		
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0020	1 SLAMS	0.052	0.006	0.102	0	0	99	1.98	+/-1.65	100	2.96	100	Y	Y	Y	Y	S	
32-031-0025	1 SLAMS	0.051	0.013	0.096	0	0	99	1.77	+/-1.23	100	0.25	100	Y	Y	Y	Y	S	
32-031-0031	1 SLAMS	0.051	0.009	0.099	0	0	96	1.61	+/-1.65	100	1.63	100	3.05	Y	Y	Y	Y	S
32-031-1005	1 SLAMS	0.051	0.015	0.100	0	0	99	1.62	+/-1.28	100	- 0.25	100	Y	Y	Y	Y	S	
32-031-1007	1 SLAMS	0.049	0.017	0.100	0	0	99	1.72	+/-1.57	100	0.71	100	Y	Y	Y	Y	S	
32-031-2002	1 SLAMS	0.053	0.029	0.093	0	0	95	5.01	+/-3.55	100	3.29	100	Y	Y	Y	Y	S	
32-031-2009	1 SLAMS	0.053	0.022	0.096	0	0	98	2.01	+/-1.57	100	1.31	100	Y	Y	Y	Y	S	

As Required November 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2021
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Sulfur dioxide (42401) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
0	2.92973	Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.2	- 0.6	3.6		0	97	4.06	+/-3.20	100	- 3.74	100	2.93	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Particulate Matter

Certifying Year:2021

Certifying Agency:Washoe County District Health Department (1138)

Parameter: PM10 Total 0-10um STP (81102) CONTINUOUS

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Monitors Summaries

AQS Site ID	POC	Monitor Type	Routine Data (ug/m3)					Flow Rate Verification		Flow Rate Audit		Concurrence Flag			
			Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	Bias	% Complete	QAPP Appr.	AQS Rec Flag	CA Rec Flag
32-031-0025	2	SLAMS	28.45	-4.0	985.0	0	97	+/-0.48	100	+0.16	100	Y	Y	Y	S
32-031-0031	2	SLAMS	31.36	-1.0	597.0	0	98	+/-0.44	100	+0.41	100	Y	Y	Y	S
32-031-1005	4	SLAMS	30.48	-5.0	552.0	0	98	+/-0.44	100	+0.17	100	Y	Y	Y	S
32-031-1007	1	SLAMS	24.53	-2.0	985.0	0	98	+/-0.69	100	+0.52	100	Y	Y	Y	S

Parameter: PM2.5 - Local Conditions (88101)

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Collocation Summary

Method	# Sites	# Sites Req	# Sites Collocated	% Collocated	CV Est	CV UB	Criteria Met?
170	4	1	1	100	10.03	11.08	Y

PEP Summary

# Methods	# Audited Methods	# PEP Required	# PEP Submitted	% Complete	Bias	Criteria Met?
1	1	5	3	60	-3.18	Y

Monitors Summaries

AQS Site ID	POC	Method	Monitor Type	Routine Data (ug/m3)					Flow Rate Audit		Collocation			Concurrence Flag					
				Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	CV	% Complete	PQAO Crit. Met	PEP PQAO Crit. Met	QAPP Appr.	AQS Rec Flag	CA Rec Flag	EPA Rec Concur
32-031-0025	1	170	SLAMS	11.17	-8.0	375.0	0	98	+0.57	100				Y	Y	Y	Y	Y	S
32-031-0031	1	545/ 142	SLAMS	12.16	.6	218.9	0	97	-0.95	100				Y	Y	Y	Y	Y	S
32-031-0031	2	170	SLAMS	12.59	-7.0	312.0	0	98	-0.58	100	11.08	100		Y	Y	Y	Y	Y	S
32-031-1005	1	170	SLAMS	12.10	-7.0	278.0	0	99	-0.43	100				Y	Y	Y	Y	Y	S
32-031-1007	1	170	SLAMS	11.59	-3.0	364.0	0	99	+0.29	100				Y	Y	Y	Y	Y	S

Data Concurrence and Evaluation Report for Lead

As Revised
November 26, 2025

Appendix D

AQS Report Showing RT Flags Applied

As Revised
November 26, 2025

User ID: BMC MULLEN

RAW DATA QUALIFIER REPORT

Report Request ID: 2107456

Report Code: AMP360

May. 22, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031									

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	81102		

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	PQAO
CONCURRENCE STATUS	All Data (Concurred and Non-concurred)
QUALIFIER TYPES	REQUEST EXCLUSION (EVENT) QUALIFIERS ONLY
QUALIFIER COUNTS BY MONITOR	YES
QUALIFIER CODE	RT - Wildfire-U. S. (REQEXC)

SCR GROUP SELECTIONS

Washoe Co, NV

DATE CRITERIA

Start Date	End Date
2021 08 17	2021 08 26

As Revised November 26, 2025

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Qualifier Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 00:00	81	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 01:00	117	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 02:00	138	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 03:00	108	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 04:00	113	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 05:00	156	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 06:00	180	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 07:00	202	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 08:00	196	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 09:00	264	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 10:00	432	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 11:00	524	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 12:00	301	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 13:00	197	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 14:00	123	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 15:00	94	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 16:00	34	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 17:00	79	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 18:00	139	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 19:00	98	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 20:00	96	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 21:00	100	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 22:00	59	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-17 23:00	53	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 00:00	30	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 01:00	20	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 02:00	28	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 03:00	21	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 04:00	25	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 05:00	37	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 07:00	71	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 08:00	61	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 09:00	50	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 10:00	32	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 11:00	37	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 12:00	39	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 13:00	48	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 14:00	30	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 15:00	242	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 16:00	373	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 17:00	444	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 18:00	508	RT	Wildfire-U. S.	2023-05-16		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 19:00	435	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 20:00	407	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 21:00	416	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 22:00	428	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-20 23:00	385	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 00:00	323	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 01:00	218	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 02:00	298	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 03:00	314	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 04:00	280	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 05:00	195	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 06:00	203	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 07:00	272	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 08:00 281 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 09:00 189 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 10:00 245 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 11:00 270 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 12:00 265 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 13:00 308 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 14:00 246 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 15:00 160 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 16:00 73 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 17:00 69 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 18:00 78 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 19:00	105	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 20:00	117	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 21:00	98	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 22:00	134	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-21 23:00	162	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 00:00	214	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 01:00	219	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 02:00	225	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 03:00	269	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 04:00	263	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 05:00	233	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 06:00 250 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 07:00 243 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 08:00 253 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 09:00 241 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 10:00 228 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 11:00 173 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 12:00 150 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 13:00 157 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 14:00 227 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 15:00 219 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 16:00 308 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 17:00	330	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 18:00	399	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 19:00	333	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 20:00	311	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 21:00	313	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 22:00	355	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-22 23:00	359	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 00:00	285	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 01:00	262	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 02:00	246	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 03:00	232	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 04:00	261	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 05:00	274	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 06:00	288	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 07:00	332	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 08:00	360	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 09:00	369	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 10:00	386	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 11:00	378	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 12:00	324	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 13:00	287	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 14:00	423	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 15:00	374	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 16:00	370	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 17:00	393	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 18:00	367	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 19:00	348	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 20:00	259	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 21:00	225	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 22:00	301	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-23 23:00	332	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 00:00	312	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 01:00	345	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 02:00	346	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 03:00	368	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 04:00	334	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 05:00	317	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 06:00	308	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 07:00	298	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 08:00	337	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 09:00	296	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 10:00	306	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 11:00	301	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 12:00	212	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 13:00	397	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 14:00	290	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 15:00	306	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 16:00	336	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 17:00	269	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 18:00	203	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 19:00	219	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 20:00	188	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 21:00	220	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 22:00	154	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-24 23:00	169	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 00:00	182	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 01:00	188	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 02:00	198	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 03:00	225	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 04:00	211	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 05:00	213	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 06:00	236	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 07:00	174	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 08:00	227	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 09:00	264	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 10:00	244	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 11:00	298	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 12:00	499	RT	Wildfire-U. S.	2023-05-16		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 13:00	270	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 14:00	154	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 15:00	206	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 16:00	134	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 17:00	69	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 18:00	73	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 19:00	84	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 20:00	130	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 21:00	216	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 22:00	252	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-25 23:00	318	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 00:00	322	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 01:00	284	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 02:00	237	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 03:00	226	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 04:00	200	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 05:00	225	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 06:00	261	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 07:00	277	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 08:00	201	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 09:00 197 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 11:00 123 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 12:00 143 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 13:00 145 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 14:00 138 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 15:00 132 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 16:00 125 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 17:00 118 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 18:00 126 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 19:00 132 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 20:00 145 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-22 2023-05-22		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 21:00	120	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 22:00	76	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2021-08-26 23:00	61	RT	Wildfire-U. S.	2021-11-22		
	Event:			Dixie and Caldor Fires	2023-05-22		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 190

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 00:00	351	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 01:00	334	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 02:00	277	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 03:00	350	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 04:00	374	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 05:00	326	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 06:00	274	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 07:00	208	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 08:00	266	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-21 09:00	263	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 10:00	214	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2	2021-08-21 10:00	214	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 11:00	237	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 12:00	250	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 13:00	208	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 14:00	139	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 15:00	78	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 16:00	71	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 17:00	70	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 18:00	75	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 19:00	91	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 20:00	70	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 21:00	75	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 22:00	105	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-21 23:00	114	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-22 00:00	166	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-22 01:00	214	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-22 02:00	278	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 02:00	278	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 03:00	334	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 04:00	364	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 05:00	352	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 06:00	328	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 07:00	320	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 08:00	292	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 09:00	270	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 10:00	203	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 11:00	147	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 12:00	134	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 13:00	175	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 14:00	181	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 15:00	131	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 16:00	185	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 17:00	105	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-22 18:00	99	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / <u>Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 18:00	99	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 19:00	100	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 20:00	132	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 21:00	147	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 22:00	203	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-22 23:00	188	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 00:00	307	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 01:00	284	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 02:00	290	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 03:00	308	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 04:00	272	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 05:00	318	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 06:00	383	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 07:00	410	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 08:00	403	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 09:00	382	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 10:00	379	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / <u>Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 10:00	379	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 11:00	303	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 12:00	307	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 13:00	307	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 14:00	259	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 15:00	254	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 16:00	277	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 17:00	138	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 18:00	188	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 19:00	233	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 20:00	270	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 21:00	323	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 22:00	350	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-23 23:00	356	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 00:00	320	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 01:00	297	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 02:00	306	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 02:00	306	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 03:00	300	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 04:00	311	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 05:00	332	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 06:00	371	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 07:00	363	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 08:00	341	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 09:00	330	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 10:00	315	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 11:00	206	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 12:00	269	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 13:00	298	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 14:00	197	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 15:00	137	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 16:00	130	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 17:00	72	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-24 18:00	68	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / <u>Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 18:00	68	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 19:00	83	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 20:00	114	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 21:00	155	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 22:00	133	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-24 23:00	165	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 00:00	167	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 01:00	165	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 02:00	169	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 03:00	214	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 04:00	209	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 05:00	226	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 06:00	274	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 07:00	308	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 08:00	324	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2 1260-A Stewart St.	2021-08-25 09:00	247	RT	Wildfire-U. S.	2021-11-17		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 10:00	213	RT	Wildfire-U. S.	2021-11-17		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2	2021-08-25 10:00	213	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 11:00	181	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 12:00	162	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 13:00	144	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 14:00	131	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 15:00	180	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 16:00	104	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 17:00	86	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 18:00	71	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 19:00	59	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 20:00	61	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 21:00	70	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 22:00	85	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-0031-81102-2	2021-08-25 23:00	90	RT	Wildfire-U. S.	2021-11-17		
1260-A Stewart St.	Event:			Dixie and Caldor Fires	2023-05-22		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 120

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4	2021-08-21 00:00	326	RT	Wildfire-U. S.	2021-11-18		
750 4TH ST, SPARKS, NV	Event:			Dixie and Caldor Fires	2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 01:00 317 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 02:00 311 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 03:00 308 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 04:00 291 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 05:00 285 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 06:00 302 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 07:00 331 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 08:00 248 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 09:00 226 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 10:00 210 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 11:00 252 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 12:00	230	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 13:00	196	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 14:00	125	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 15:00	71	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 16:00	62	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 17:00	58	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 18:00	67	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 19:00	70	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 20:00	63	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 21:00	71	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 22:00	80	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-21 23:00 65 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 00:00 77 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 01:00 83 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 02:00 117 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 03:00 124 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 04:00 129 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 05:00 140 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 06:00 171 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 07:00 238 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 08:00 297 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 09:00 332 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 10:00	261	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 11:00	205	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 12:00	234	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 13:00	266	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 14:00	248	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 15:00	220	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 16:00	262	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 17:00	139	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 18:00	192	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 19:00	227	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 20:00	265	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 21:00	336	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 22:00	330	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-23 23:00	258	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 00:00	156	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 01:00	152	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 02:00	180	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 03:00	167	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 04:00	161	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 05:00	135	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 06:00	145	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 07:00	274	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 08:00 303 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 09:00 250 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 10:00 249 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 11:00 152 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 12:00 200 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 13:00 299 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 14:00 236 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 15:00 134 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 16:00 119 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 17:00 71 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 18:00 53 Event:	RT	Wildfire-U. S. Dixie and Caldor Fires	2021-11-18 2023-05-22		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key /</u> <u>Site Address</u>	<u>Sample</u> <u>Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action</u> <u>Date</u>	<u>NAAQS Standard</u>	<u>Concurrence</u> <u>Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 19:00	84	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 20:00	112	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 21:00	137	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 22:00	143	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Caldor Fires	2023-05-22		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2021-08-24 23:00	130	RT	Wildfire-U. S.	2021-11-18		
	Event:			Dixie and Caldor Fires	2023-05-22		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 72

All Qualifiers Utilized:

<u>Qualifier</u>		<u>Qualifier</u>
<u>Code:</u>	<u>Qualifier Description:</u>	<u>Count:</u>
RT	Wildfire-U. S.	382

As Revised
November 26, 2025

Appendix J

Contingency Plan Trigger Evaluation of September 11 and 14-16, 2022 PM₁₀
Exceedances due to the Mosquito Fire

As Revised
November 26, 2025

WASHOE COUNTY HEALTH DISTRICT

ENHANCING QUALITY OF LIFE

Contingency Plan Trigger Evaluation
of September 11 and 14-16, 2022
PM₁₀ Exceedances due to Mosquito
Fire



Public Health
Prevent. Promote. Protect.



VISION

A healthy community

MISSION

To improve and protect our community's quality of life and increase equitable opportunities for better health.

Table of Contents

1.0 Introduction	1
1.1 Purpose	1
1.2 Contingency Plan Trigger Procedure.....	1
1.3 Public Comment Process	2
1.4 Agency Contacts	2
2.0 Conceptual Model	3
2.1 Regional Description	3
2.2 Overview of Monitoring Network	5
2.3 Characteristics of Non-event PM ₁₀ Concentrations.....	7
2.4 Description of Fire that caused PM ₁₀ Exceedances.....	12
2.5 PM ₁₀ Air Quality Impacts from the Mosquito Fire.....	15
3.0 Not Reasonably Controllable or Preventable	30
4.0 Clear Causal Relationship	31
4.1 Fire Emissions Analysis	31
4.2 Comparison of Event PM ₁₀ Concentrations to Historical Concentrations	33
4.3 Methods for Determining the Presence of Wildfire Smoke.....	42
4.4 Trajectory Analysis.....	62
4.5 Pollution Rose Analysis	82
4.6 Conclusion Showing a Clear Causal Relationship	84
5.0 Natural Event or Human Activity Unlikely to Recur.....	85
6.0 Public Outreach	86
7.0 Conclusions and Recommendations	97
Figures.....	iii
Tables	vi
Acronyms and Abbreviations	vii

Appendices

- Appendix A – Public Comment Plan
- Appendix B – Exceptional Event Initial Notification
- Appendix C – 2022 Data Certification Letter
- Appendix D – AQS Report Showing RT Flags Applied

Figures

Figure 2-1: Washoe County, NV	3
Figure 2-2: Washoe County Health District-AQMD Ambient Air Monitoring Sites	6
Figure 2-3: PM ₁₀ Emissions by Source Category	7
Figure 2-4: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Toll	9
Figure 2-5: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Reno4	10
Figure 2-6: 2016-2020 Wildfire Season PM ₁₀ Diurnal Pattern at Sparks	11
Figure 2-7: The Mosquito Fire in Relation to Washoe County	13
Figure 2-8: The Drought Conditions Near the Time of the Mosquito Fire	14
Figure 2-9: 24-hour PM ₁₀ Concentrations in September 2022	17
Figure 2-10: Satellite Imagery from September 8, 2022	20
Figure 2-11: Satellite Imagery from September 11, 2022	21
Figure 2-12: Satellite Imagery from September 14, 2022	22
Figure 2-13: Satellite Imagery from September 15, 2022	23
Figure 2-14: Satellite Imagery from September 16, 2022	24
Figure 2-15: Satellite Imagery from September 17, 2022	25
Figure 2-16: Daily Weather Maps for September 11, 2022	26
Figure 2-17: Daily Weather Maps for September 14, 2022	27
Figure 2-18: Daily Weather Maps for September 15, 2022	28
Figure 2-19: Daily Weather Maps for September 16, 2022	29
Figure 4-1: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 09/11/22	34
Figure 4-2: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 09/14/22	35
Figure 4-3: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 09/14/22	36
Figure 4-4: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Sparks on 09/14/22	37
Figure 4-5: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 09/15/22	38
Figure 4-6: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 09/15/22	39
Figure 4-7: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Toll on 09/16/22	40
Figure 4-8: 2016-2020 PM ₁₀ Diurnal Pattern Comparison for Reno4 on 09/16/22	41
Figure 4-9: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Toll in September 2022	42
Figure 4-10: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Reno4 in September 2022	43
Figure 4-11: 24-hour PM _{2.5} and PM ₁₀ Concentrations at Sparks in September 2022	44
Figure 4-12: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 09/11/22	45
Figure 4-13: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 09/14/22	46
Figure 4-14: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 09/14/22	47
Figure 4-15: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Sparks on 09/14/22	48
Figure 4-16: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 09/15/22	49
Figure 4-17: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 09/15/22	50
Figure 4-18: 2019-2020 PM _{2.5} Diurnal Pattern Comparison for Toll on 09/16/22	51
Figure 4-19: 2016-2020 PM _{2.5} Diurnal Pattern Comparison for Reno4 on 09/16/22	52
Figure 4-20: PM _{2.5} /PM ₁₀ Ratios throughout September 2022	55
Figure 4-21: Hourly PM _{2.5} /CO at Reno4 on September 11, 2022	56
Figure 4-22: Hourly PM _{2.5} /CO at Reno4 on September 14, 2022	57
Figure 4-23: Hourly PM _{2.5} /CO at Sparks on September 14, 2022	57
Figure 4-24: Hourly PM _{2.5} /CO at Reno4 on September 15, 2022	58
Figure 4-25: Hourly PM _{2.5} /CO at Reno4 on September 16, 2022	58
Figure 4-26: Hourly PM ₁₀ /CO at Reno4 on September 11, 2022	59
Figure 4-27: Hourly PM ₁₀ /CO at Reno4 on September 14, 2022	60
Figure 4-28: Hourly PM ₁₀ /CO at Sparks on September 14, 2022	60
Figure 4-29: Hourly PM ₁₀ /CO at Reno4 on September 15, 2022	61

Figure 4-30: Hourly PM ₁₀ /CO at Reno4 on September 16, 2022.....	61
Figure 4-31: Backward Trajectory from Toll starting September 11, 2022 at 0000 PST	63
Figure 4-32: Backward Trajectory from Toll starting September 12, 2022 at 0000 PST	64
Figure 4-33: Backward Trajectory from Reno4 starting September 14, 2022 at 0000 PST	65
Figure 4-34: Backward Trajectory from Sparks starting September 14, 2022 at 0000 PST	66
Figure 4-35: Backward Trajectory from Toll starting September 14, 2022 at 0000 PST	67
Figure 4-36: Backward Trajectory from Reno4 starting September 15, 2022 at 0000 PST	68
Figure 4-37: Backward Trajectory from Sparks starting September 15, 2022 at 0000 PST	69
Figure 4-38: Backward Trajectory from Toll starting September 15, 2022 at 0000 PST	70
Figure 4-39: Backward Trajectory from Reno4 starting September 16, 2022 at 0000 PST	71
Figure 4-40: Backward Trajectory from Toll starting September 16, 2022 at 0000 PST	72
Figure 4-41: Backward Trajectory from Reno4 starting September 17, 2022 at 0000 PST	73
Figure 4-42: Backward Trajectory from Toll starting September 17, 2022 at 0000 PST	74
Figure 4-43: Forward Trajectory from Mosquito Fire starting September 10, 2022 at 0000 PST	75
Figure 4-44: Forward Trajectory from Mosquito Fire starting September 11, 2022 at 0000 PST	76
Figure 4-45: Forward Trajectory from Mosquito Fire starting September 13, 2022 at 0000 PST	77
Figure 4-46: Forward Trajectory from Mosquito Fire starting September 14, 2022 at 0000 PST	78
Figure 4-47: Forward Trajectory from Mosquito Fire starting September 15, 2022 at 0000 PST	79
Figure 4-48: Forward Trajectory from Mosquito Fire starting September 16, 2022 at 0000 PST	80
Figure 4-49: PM ₁₀ Wind/Pollution Rose for Toll and Reno4 for September 7-16.....	82
Figure 4-50: PM ₁₀ Wind/Pollution Rose for Sparks for September 7-16.....	83
Figure 6-1: Tweet of the Stage 2 Emergency Episode on September 9, 2022	87
Figure 6-2: Stage 2 Emergency Episode Press Release September 9, 2022	88
Figure 6-3: NWS Reno Tweet showing Mosquito Fire smoke on September 11, 2022.....	89
Figure 6-4: Tweet of the Be Smoke Smart campaign used during the Mosquito Fire	90
Figure 6-5: NWS Reno Tweet of the Mosquito Fire smoke rolling into the Truckee Meadows	91
Figure 6-6: Facebook Post of the Stage 3 Emergency Episode on September 14, 2022.....	92
Figure 6-7: Stage 3 Emergency Episode Press Release September 14, 2022	93

Figure 6-8: Tweet of the AQI on September 14, 2022 by the Washoe County Health District94

Figure 6-9: Tweet of the Historical AQIs and Current on September 15, 202295

Figure 6-10: Tweet of EPA respirator factsheet on September 16, 202296

Tables

Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)4

Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2022.....5

Table 2-3: PM₁₀ Data Requested to be Excluded.....16

Table 4-1: PM₁₀ Emissions Calculations for the Period Prior to the Exceedance.....32

Table 4-2: PM_{2.5}/PM₁₀ Ratios at Toll53

Table 4-3: PM_{2.5}/PM₁₀ Ratios at Reno454

Table 4-4: PM_{2.5}/PM₁₀ Ratios at Sparks.....54

As Revised
November 26, 2025

Acronyms and Abbreviations

AGL	Above Ground Level
AQI	Air Quality Index
AQMD	Washoe County Health District - Air Quality Management Division
AQS	Air Quality System
CAA	Clean Air Act
CFR	Code of Federal Regulations
CO	Carbon Monoxide
EE	Exceptional Event
EPA	U.S. Environmental Protection Agency
°F	Degrees Fahrenheit
FCCS	Fuel Characteristic Classification System
HA 87	Hydrographic Area 87
HMS	Hazardous Mapping System
HYSPLIT	Hybrid Single-Particle Lagrangian Integrated Trajectory
Lbs	Pounds
µg/m ³	Micrograms per cubic meter
MPH	Miles Per Hour
NAAQS	National Ambient Air Quality Standards
NAM	North American Mesoscale
NSPS	New Source Performance Standards
NOAA	National Oceanic and Atmospheric Administration
NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NOx	Nitrogen Oxides
NOy	Reactive Nitrogen Compounds
NWS	National Weather Service
O ₃	Ozone
PG&E	Pacific Gas and Electric
PM	Particulate Matter
PM _{2.5}	Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter
PM ₁₀	Particulate Matter less than or equal to 10 microns in aerodynamic diameter
ppm	Parts Per Million
PST	Pacific Standard Time
R ²	Coefficient of Determination
SO ₂	Sulfur Dioxide
TSP	Total Suspended Particles

1.0 Introduction

1.1 Purpose

The analysis in this report demonstrates that the exceedance of the primary and secondary 24-hour PM₁₀ National Ambient Air Quality Standard (NAAQS) recorded on July 26, 2021, at the Sparks and Reno4 air monitoring sites were caused by the Dixie and Tamarack wildfires. Pursuant to “Contingency Plan “A”” of the First 10-Year Maintenance Plan, the data from exceptional events may be excluded from contingency plan trigger calculations for PM₁₀ NAAQS. Washoe County Health District Air Quality Management Division (AQMD) prepared this evaluation of the exceedance in order to exclude all PM₁₀ data from the Reno4 (AQS ID: 32-031-0031-81102-2) and Sparks (AQS ID: 32-031-1005-81102-4) PM₁₀ primary monitors on July 26, 2021. Exclusion of the data caused by this exceptional event will have an impact on contingency plan evaluation.

1.2 Contingency Plan Trigger Procedure

The contingency plan for the Truckee Meadows Maintenance area is described in AQMD’s First 10-Year PM₁₀ Maintenance Plan. The First 10-Year PM₁₀ maintenance plan describes that a contingency measure is triggered when a violation of the NAAQS is determined in accordance with Appendix K of 40 CFR Part 50. Appendix K of 40 CFR Part 50 states that the inclusion of data from exceptional events may result in inappropriate estimates of exceedances or averages, and it may be appropriate to discount the event from those calculations. The CAA 319(b) includes four requirements that, collectively, define an exceptional event:

1. The event affected air quality,
2. The event was not reasonably controllable or preventable,
3. The event was caused by human activity that is unlikely to recur at a particular location or was a natural event,
4. The event is determined by the Administrator through the process established in the regulations promulgated under the Exceptional Events Rule to be an exceptional event.

In accordance with the Exceptional Events Rule, this wildfire evaluation includes the following elements:

1. A narrative conceptual model; (See **Section 2** of this document)
2. A demonstration that the event affected air quality in such a way that there exists a clear causal relationship between the specific event and the monitored exceedance; (See **Section 4** of this document)
3. Analyses comparing the claimed event influenced concentrations at the monitoring site; (See **Section 4** of this document)
4. A demonstration that the event was both not reasonably controllable and not reasonably preventable; (See **Section 3** of this document)
5. A demonstration that the event was a human activity unlikely to recur at a particular location or was a natural event. (See **Section 5** of this document)

1.3 Public Comment Process

This evaluation was available for public comment from October 26 to November 26, 2023 at the AQMD website (OurCleanAir.com). A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact. See Appendix A for AQMD's Public Comment Plan.

1.4 Agency Contacts

For information or questions regarding this contingency plan evaluation, please contact the following individuals of the AQMD.

Francisco Vega, Division Director
(775) 784-7211, or fvega@nnph.org

Craig Petersen, Supervisor, Monitoring and Planning
(775) 784-7233, or cpetersen@nnph.org

Brendan Schnieder, Senior Air Quality Specialist
(775) 784-7207, or bschnieder@nnph.org

Matt McCarthy, Environmental Engineer II, Project Manager
(775) 784-7217, or mmccarthy@nnph.org

Ben McMullen, Air Quality Specialist
(775) 784-7208, or bmcmullen@nnph.org

As Revised
November 26, 2025

2.0 Conceptual Model

2.1 Regional Description

Washoe County is located in the northwest portion of Nevada. It is bounded by California, Oregon, and the Nevada counties of Humboldt, Pershing, Storey, Churchill, Lyon, and Carson City (Figure 2-1). The Truckee Meadows is approximately 200 square miles in size and situated in the southern portion of Washoe County. It is geographically identified as Hydrographic Area 87 (HA 87) as defined by the State of Nevada, Division of Water Resources. Most of Washoe County's population lives in and around the Truckee Meadows.

The Truckee Meadows sits at an elevation of 4,400 feet above sea level and is surrounded by mountain ranges. To the west, the Sierra Nevada rises to elevations of 9,000 to 11,000 feet. Hills to the east reach 6,000 to 8,000 feet. The Truckee River, flowing from the Sierra Nevada eastward, drains into Pyramid Lake to the northeast of the Truckee Meadows.

Climate

Average annual wind speed measured at the Reno-Tahoe International Airport is 6.4 miles per hour (mph). January is the calmest month (4.5 mph) with April being the windiest (8.3 mph). Wintertime (November-January) averages 4.9 mph and summertime (June-August) averages 7.2 mph.

Most of Reno's precipitation falls from November through March in the form of rain and snow. Reno receives an average of 7.35 inches of precipitation per calendar year (1991-2020 climate normals). Table 2-1 lists temperature and precipitation normals as measured at the Reno-Tahoe International Airport.

Figure 2-1
Washoe County, Nevada




Table 2-1: Monthly Normal Temperature and Rainfall (1991-2020)

Month	Temperature (°F)			Precipitation (inches)
	Maximum	Minimum	Mean	Mean
January	47.7	26.1	36.9	1.25
February	52.1	29.0	40.6	1.03
March	59.2	34.0	46.6	0.80
April	64.7	38.5	51.6	0.44
May	74.1	46.6	60.3	0.55
June	84.6	53.8	69.2	0.41
July	93.9	60.4	77.2	0.20
August	92.1	58.1	75.1	0.24
September	83.8	50.3	67.0	0.21
October	70.4	39.7	55.1	0.50
November	56.7	31.0	43.8	0.62
December	46.7	25.7	36.2	1.1

Maximum temperatures of 90 °F or above normally occur between July 3 and August 21. Maximum temperatures typically peak at 94 °F between July 22 and July 29.

Demographics

The 2020 population of Washoe County was 486,492. Approximately two-thirds of Washoe County’s residents live in the Truckee Meadows, which includes the cities of Reno and Sparks. Anthropogenic activities such as transportation, manufacturing, freight distribution, and residential wood use are also concentrated in the Truckee Meadows.

Seasons

Washoe County experiences two distinct air pollution seasons - wintertime particulate matter (PM) and summertime ozone (O₃). Wildfire smoke throughout the year, especially during the summer months, can dramatically increase summertime PM and O₃.

Wintertime temperature inversions combined with light winds can contribute to elevated levels of Particulate Matter less than or equal to 2.5 microns in aerodynamic diameter (PM_{2.5}), Particulate Matter less than or equal to 10 microns in aerodynamic diameter (PM₁₀), Nitrogen Dioxide (NO₂), and Carbon Monoxide (CO). Inversions are common in mountain valleys such as the Truckee Meadows. Air pollution episodes persist until stronger winds scour the cold air out of the valley and break the temperature inversion.

Northern Nevada receives an abundant amount of sunshine and solar radiation during the summer months. Mobile sources (i.e., cars and trucks) emit O₃ precursors and their activity increases during the summer. Ozone concentrations are typically highest between May and September, especially during the months of June, July, and August.

Strong winds can occur at any time of year. Two-minute gusts over 40 mph are not uncommon. These winds lower the gaseous pollutant (O₃, CO, NO₂, and SO₂) concentrations but typically increase PM levels, especially PM₁₀. Hourly PM₁₀ levels can reach more than 500 micrograms per cubic meter (µg/m³) for several hours.

Attainment Status

All areas of Washoe County currently attain or are unclassifiable for all National Ambient Air Quality Standards (NAAQS). However, portions of Washoe County had previously been designated nonattainment for the following NAAQS: 1) 1971 Total Suspended Particles (TSP) (24-hour and Annual); 2) CO (8-hour); 3) 1979 O₃ (1-hour); and 4) 1987 PM₁₀ (24-hour and Annual). Some pollutants and standards, such as 1-hour O₃ and TSP, have been revoked and no longer apply. For the other pollutants, CO and PM₁₀, the HA 87 planning area was redesignated to maintenance after the standard was met. Since the 1970's, AQMD has implemented control strategies to target mobile sources, wood-burning devices, and dust control to achieve attainment with the NAAQS.


2.2 Overview of Monitoring Network

In 2022, the Washoe County Health District, Air Quality Management Division (AQMD) operated seven ambient air monitoring sites in Washoe County (Figure 2-2). The blue boundary delineates HA 87 as defined by the State of Nevada, Division of Water Resources. Table 2-2 lists the parameters monitored in 2022, sorted by site.

Table 2-2: List of Monitoring Sites and Pollutants Monitored in 2022

Site	O ₃	CO	Trace CO	Trace NO	NO ₂	NO _x	Trace NO _y	Trace SO ₂	PM ₁₀	PM _{2.5}	PM _{coarse}	PM _{2.5} Speciation	Meteorology
Incline	✓												
Lemmon Valley	✓												
Reno4	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
South Reno	✓												✓
Sparks	✓	✓							✓	✓	✓		✓
Spanish Springs	✓								✓	✓	✓		
Toll	✓								✓	✓	✓		✓

Figure 2-2: Washoe County Health District - AQMD Ambient Air Monitoring Sites



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE




The AQMD’s ambient air monitoring network meets the minimum monitoring requirements for all criteria pollutants pursuant to Title 40, Part 58 of the Code of Federal Regulations (CFR), Appendix D. Washoe County’s monitoring network is reviewed annually pursuant to 40 CFR 58.10 to ensure the network meets the monitoring objectives defined in 40 CFR 58, Appendix D. Data was collected and quality assured in accordance with 40 CFR 58 and submitted to the Air Quality System (AQS). Additionally, 2022 data was certified on April 13, 2023. (See Appendix C).

2.3 Characteristics of Non-event PM₁₀ Concentrations

Without exceptional events, ambient PM₁₀ concentrations within Washoe County are under the limit of the PM₁₀ NAAQS standard. This is because the PM₁₀ emissions that Washoe County produces have been regulated through different policy instruments such as a dust control program, New Source Performance Standards (NSPS) for woodburning devices, and street sanding/sweeping regulations. Figure 2-3 shows that Washoe County produces 38,833 lbs/day of PM₁₀ emissions as per the 2020 Periodic Emissions Inventory. This includes emissions from wildfires within the Washoe County limits. Emissions from purely anthropogenic sources make up about 31,786 lbs/day.

Figure 2-3: PM₁₀ Emissions by Source Category



Based on historic, non-event PM₁₀ monitoring data for the previous six years, below are the characteristics of PM₁₀ levels throughout the year in the Truckee Meadows.

1. October through March: Ambient PM₁₀ concentrations are relatively high during the colder months because some Washoe County residents utilize wood-burning devices for heat. Additionally, PM₁₀ concentrations can increase after snowstorms due to local street sanding and sweeping. The Truckee Meadows region also struggles with inversion layers in which cold air gets trapped at ground level, causing poor atmospheric mixing. This inhibits PM emissions from leaving the air basin and can

cause higher concentrations of PM_{10} . Despite this, the region rarely experiences 24-hour PM_{10} averages over $100 \mu\text{g}/\text{m}^3$ during these times.

2. April through June: Ambient PM_{10} concentrations during this period are usually the lowest of the year. With higher temperatures, there is less residential wood-burning. Additionally, soil generally hasn't been dried by high temperatures such as what could be seen at the end of summertime. Wind speeds are higher in the spring which helps with air mixing and vacating any PM_{10} buildup from the region.
3. July through September: Ambient PM_{10} concentrations are the highest during this time period. This coincides with the wildfire season in the western United States. Although wildfire season is sometimes described as June-August, changes in climate in the western United States has caused wildfire smoke impacts to be more commonly felt in September rather than June. The Washoe County area has been impacted by wildfire events during these months for nine out of the last ten years. The main source of anthropogenic PM_{10} emissions during this time comes from fugitive dust that has been dried after months of high temperatures.

The wildfire events that have caused exceedances have occurred in the July through September period. For the purpose of this evaluation, it is worthwhile to evaluate the diurnal pattern of PM_{10} concentrations during this time period. Figures 2-4 through 2-6 below shows the 2016-2020 PM_{10} diurnal pattern for non-event days at the Toll, Reno4, and Sparks monitors with the 5th, 50th, and 95th percentile included. Throughout the day, PM_{10} concentrations generally rise and peak between the hours of 5:00 PST and 11:00 PST.

As Reviewed,
November 26, 2023

Figure 2-4: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Toll




Figure 2-5: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Reno4





Figure 2-6: 2016-2020 Wildfire Season PM₁₀ Diurnal Pattern at Sparks



2.4 Description of Fire that caused PM₁₀ Exceedances



Mosquito Fire

The Mosquito Fire started on September 6, 2022 in the Tahoe National Forest in Placer County, California, approximately 60 miles southwest of the Truckee Meadows region. The cause of the fire is still under investigation although allegations have been made that the fire was caused by power transmission infrastructure. The fire grew quickly with over 35,000 acres burned in the first five days of the fire. Fire crews fought the fire until it was announced as fully contained on October 22, 2022. In total, the Mosquito Fire burned 76,788 acres with a perimeter illustrated in Figure 2-7.

An important factor in the start of the fire was dry wildfire fuels. The fire took place in an area that was considered to be either Severe or Extreme Drought based on the U.S. Drought Monitor. Figure 2-8 shows what the U.S. Drought Monitor was on September 13, 2022 and illustrates how dry the wildfire fuels were at that time.

As Revised
November 26, 2025

Figure 2-7: The Mosquito Fire in Relation to Washoe County



**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE





Figure 2-8: The Drought Conditions Near the Time of the Mosquito Fire



2.5 PM₁₀ Air Quality Impacts from the Mosquito Fire

2.5.1 Data Requested to be Excluded

As was mentioned in Section 1.1 of this document, the purpose of this evaluation is to request exclusion of air quality data from contingency plan trigger calculations. Table 2-3 below shows the data that is requested to be excluded as part of this evaluation and the corresponding 24-hour PM₁₀ NAAQS averages. AQMD is requesting exclusion of all hourly PM₁₀ data points on the days of the exceedances from 0000 PST through 2300 PST. For a complete list of each data point to be excluded, see Appendix D of this document.

As Revised
November 26, 2025


Table 2-3: PM₁₀ Data Requested to be Excluded

Monitoring Site (AQS ID)	9/11/2022	9/14/2022	9/15/2022	9/16/2022
Toll (AQS ID: 32-031-0025-81102-2)	173 µg/m ³	187 µg/m ³	230 µg/m ³	192 µg/m ³
Reno4 (AQS ID: 32-031-0031-81102-2)	-	177 µg/m ³	162 µg/m ³	220 µg/m ³
Sparks (AQS ID: 32-031-1005-81102-4)	-	231 µg/m ³	-	-

2.5.2 Narrative of Air Quality Impacts

In the middle of September of 2022, wildfire smoke was transported into the Truckee Meadows from the Mosquito Fire which eventually led to various PM₁₀ exceedances at the Toll, Reno4, and Sparks air monitoring stations. On September 8, 24-hour PM₁₀ averages were as low as 47, 25, and 33 µg/m³ at Toll, Reno4, and Sparks respectively. Concentrations steadily rose until an exceedance at Toll on September 11. As the wind patterns changed, some of the smoke vacated the Truckee Meadows and dropped the PM₁₀ concentrations back below the NAAQS for a few days. Weather patterns shifted again and brought large quantities of wildfire smoke into the Truckee Meadows resulting in degraded air quality for approximately three days and numerous exceedances. An overview of 24-hour average concentrations for PM₁₀ for the month of September 2022 is shown in Figure 2-9. The days of the exceedances are denoted by the red data points between September 11 and September 16, 2022.

Figure 2-9: 24-hour PM₁₀ Concentrations in September 2022



The National Weather Service Office in Reno, Nevada provides at least two daily Area Forecast Discussions that summarize the short and long-term weather forecast for the area. It also provides a synopsis of current observations as well as weather events such as smoke and haze. Below are excerpts from Area Forecast Discussions issued on the days of the exceedances. These excerpts confirm that the previously mentioned sequence of events is accurate.

“Degraded air quality persists across the Tahoe Basin and Sierra Front with area sensors reporting unhealthy to hazardous air quality due to yesterday’s smoke influx from the Mosquito wildfire. While minor improvement is possible by late morning due to low level mixing, smoke modeling depicts another swath of smoke moving in once again across the Tahoe Basin and Sierra Front late this afternoon and evening which could worsen air quality and reduce surface visibility to around 1-3 miles. Overall, not a good time to be outdoors. For the latest air quality in your location, please visit fire.airnow.gov.”

Excerpt from NWS-Reno Area Forecast Discussion
(306 AM PDT Sun Sep 11 2022)

“Area sensors are currently reporting hazardous air quality along the I-80 corridor downwind of the Mosquito wildfire extending through Truckee into Reno/Sparks/North Valleys. From a weather perspective, there is unfortunately no good news in terms of smoke transport in the short term as we will continue to see southwesterly flow in the afternoon which will provide our familiar mid to late afternoon influx of dense smoke across portions of the Tahoe Basin and into the Truckee Meadows. Latest HRRR smoke modeling continues to show another smoke push this afternoon, with perhaps more widespread coverage extending to near Pyramid Lake with drainage flows seeping through Lyon and Mineral counties.”

Excerpt from NWS-Reno Area Forecast Discussion
(322 AM PDT Wed Sep 14 2022)

“In terms of wildfire smoke, the same pattern will hold as we've seen over the last several days where some improvement will be in place mid-morning into early afternoon before our southwest flow transports denser smoke across the Tahoe Basin and into the greater Reno-Sparks-Carson-Carson Valley areas during the afternoon. Expected continued impacts to visibility and air quality during the afternoon. For the latest air quality information continue to visit: fire.airnow.gov or you can also refer to your local Air Quality Management Division.”

Excerpt from NWS Reno Area Forecast Discussion
(231 AM PDT Thu Sep 15 2022)

“Well, we still have to talk about smoke from the Mosquito Fire as it continues to bring significant air quality degradation to a large part of the region. Plan on similar conditions today as southwest flow remains in place, with the plume pushing more to the north

*Saturday as southerly flow deepens ahead of an incoming trough.
The good news is that changes are on the way for this weekend
into the early part of next week.*

Excerpt from NWS Reno Area Forecast Discussion
(247 AM PDT Fri Sept 16 2022)

Satellite imagery also confirms the sequence of events of the exceedances. As can be seen in Figure 2-10 below, smoke from the Mosquito fire had not entered HA 87 as of September 8, 2022. As wind patterns shifted, smoke from the fire moved into HA 87 causing numerous exceedances between September 11-16, 2022. This is seen in Figures 2-11 through 2-14 below. The wind then shifted again, causing most of the smoke to vacate HA 87 on September 17, 2022. This is illustrated in Figure 2-15. The maps shown in Figures 2-16 through 2-19 are daily weather maps that were issued by the National Weather Service around the time of the exceedances that provide extra evidence in support of the aforementioned sequence of events.

As Revised
November 26, 2025

Figure 2-10: Satellite Imagery from September 8, 2022




Figure 2-11: Satellite Imagery from September 11, 2022




Figure 2-12: Satellite Imagery from September 14, 2022




Figure 2-13: Satellite Imagery from September 15, 2022




Figure 2-14: Satellite Imagery from September 16, 2022




Figure 2-15: Satellite Imagery from September 17, 2022




Figure 2-16: Daily Weather Maps for September 11, 2022




Figure 2-17: Daily Weather Maps for September 14, 2022




Figure 2-18: Daily Weather Maps for September 15, 2022





Figure 2-19: Daily Weather Maps for September 16, 2022



3.0 Not Reasonably Controllable or Preventable

By definition, an exceptional event is an event that was both not reasonably controllable and not reasonably preventable. Wildfires on wildland satisfy both requirements unless there is evidence to the contrary. This is explained in 40 CFR 50.14(b)(4) which states:

The Administrator shall exclude data from use in determinations of exceedances and violations where a State demonstrates to the Administrator's satisfaction that emissions from wildfires caused a specific air pollution concentration in excess of one or more national ambient air quality standard at a particular air quality monitoring location and otherwise satisfies the requirements of this section. Provided the Administrator determines that there is no compelling evidence to the contrary in the record, the Administrator will determine every wildfire occurring predominantly on wildland to have met the requirements identified in paragraph (c)(3)(iv)(D) of this section regarding the not reasonably controllable or preventable criterion.

As was shown in Figure 2-7, the wildfire that caused the PM₁₀ exceedances between September 11-16, 2022, was started in the State of California on US Forest Service land. According to the definition of wildland provided in 40 CFR Part 50, §50.1(o), the Mosquito fire occurred on wildland because the areas that the fire started were in areas with little human activity.

40 CFR 50.1(o): Wildland means an area in which human activity and development are essentially non-existent, except for roads, railroads, power lines, and similar transportation facilities. Structures, if any, are widely scattered.

In addition, since the wildfire was not within the jurisdiction of Washoe County and the pollution impacts were due to interstate transport, there is no reasonable control method that AQMD could have taken to prevent the PM₁₀ exceedances from happening. The exceedances were caused by the excessive PM₁₀ emissions from the Mosquito fire, not from anthropogenic sources within Washoe County. This is proven beyond a reasonable doubt in Section 4 of this document, Clear Causal Relationship.

4.0 Clear Causal Relationship

4.1 Fire Emissions Analysis

As can be seen in Figure 2-9, smoke from the Mosquito fire impacted the Toll, Reno4, and Sparks PM₁₀ monitors starting on September 7, 2022. Between September 7 – September 16, 2022, the wildfire grew quickly and burned through large amounts of fuel, sending thousands of tons of emissions into the air, some of which was transported to the Truckee Meadows region, causing PM₁₀ exceedances. PM₁₀ emissions from the fire during this time frame were estimated by AQMD using the U.S Forest Service BlueSky Playground tool, Version 3.5. The inputs to the BlueSky Playground modeling tool include 1) Latitude and Longitude of fire origination, 2) Emissions Type, 3) Fuel Moisture Condition, 4) FCCS Fuelbed type and 5) acreage burned. For the fire, the latitude and longitude were (39.006, -120.745), the emissions type was “Wildfire”, the Fuel Moisture Condition was “Dry”, and the FCCS Fuelbed type was “Fuel bed code 16 – Jeffrey pine-ponderosa pine-Douglas Fir-California black oak forest.” The Fuel Moisture Condition was determined to be “Dry” as a conservative estimate based on the U.S. Drought Monitor from September 13, 2022 shown in Figure 2-8. Fire acreage growth for the fire was determined by changes in acreage burned between daily Fire Updates issued by the United States Forest Service and CalFire. Updates were written daily, or more frequently, by the Incident Command Team in charge of the incident. By finding the difference in fire size listed on consecutive daily updates, daily fire growth can be calculated.

As can be seen in Table 4-1, the total PM₁₀ emissions that resulted from the Mosquito Fire between September 7 and September 16 was approximately 36,051.42 tons. As was mentioned in Section 2.3, and as per the 2020 Emissions Inventory, Washoe County produces approximately 38,833 lbs/day of PM₁₀. That is approximately 93% of Washoe County’s annual PM₁₀ emissions over the course of 10 days of the fire.

Table 4-1: PM₁₀ Emissions Calculations for the Period Prior and During the Exceedances

Date	Mosquito Fire Growth (Daily Acres)	Mosquito Fire PM₁₀ Emissions (Daily Tons)
September 7, 2022	5,705	2,884.94
September 8, 2022	8,000	4,045.49
September 9, 2022	15,880	8,030.31
September 10, 2022	7,741	3,914.52
September 11, 2022	9,261	4,683.17
September 12, 2022	2,113	1,068.52
September 13, 2022	1,630	824.27
September 14, 2022	13,446	6,799.46
September 15, 2022	3,893	1,968.64
September 16, 2022	3,623	1,832.10
Total	71,292	36,051.42

As Revised
November 26, 2025

4.2 Comparison of Event PM₁₀ Concentrations to Historical Concentrations

In order to prove that the days of the exceedances had abnormally high PM₁₀ concentrations, AQMD compared the hourly data to what would be expected on a non-event day in wildfire season. AQMD completed a diurnal pattern analysis to do this. Each hour on the exceedance days were compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from the five-year period from 2016-2020 in the wildfire season of July-September. This analysis was done at the Toll, Reno4, and Sparks PM₁₀ monitors. For the Reno4 historical PM₁₀ concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-1 through 4-8 below, the hourly PM₁₀ concentrations at Toll, Reno4, and Sparks on the days of the exceedances were much higher than what would be expected based on historical concentrations. Most hourly concentrations were orders of magnitude higher than what would be expected (50th percentile). Additionally, most hourly concentrations were much higher than the 95th percentile of the data set.

As Revised
November 26, 2025

Figure 4-1: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 09/11/22




Figure 4-2: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 09/14/22




Figure 4-3: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 09/14/22




Figure 4-4: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Sparks on 09/14/22




Figure 4-5: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 09/15/22




Figure 4-6: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 09/15/22




Figure 4-7: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Toll on 09/16/22





Figure 4-8: 2016-2020 PM₁₀ Diurnal Pattern Comparison for Reno4 on 09/16/22



4.3 Methods for Determining the Presence of Wildfire Smoke

4.3.1 PM_{2.5} Concentrations

Although this evaluation is written for PM₁₀, analyzing the PM_{2.5} concentrations during the event supports this evaluation by highlighting that the fine particulate matter concentrations followed the same trend as PM₁₀. If the particulate is made up of smoke, PM_{2.5} and PM₁₀ should follow the same trend. If the particulate was made up of something else such as a geologic source, PM_{2.5} would not follow the same trend as PM₁₀. As can be seen in Figure 4-9, Figure 4-10, and Figure 4-11, concentrations of PM_{2.5} and PM₁₀ followed the same trend over duration of the event at all affected monitors, thus supporting AQMD's position that wildfire smoke was present.

Figure 4-9: 24-hour PM_{2.5} and PM₁₀ Concentrations at Toll in September 2022




Figure 4-10: 24-hour PM_{2.5} and PM₁₀ Concentrations at Reno4 in September 2022





Figure 4-11: 24-hour PM_{2.5} and PM₁₀ Concentrations at Sparks in September 2022



Similar to PM₁₀, AQMD also completed a diurnal pattern analysis for PM_{2.5}. Each hour on the exceedance day was compared to the 5th percentile, 50th percentile, and 95th percentile of historical hourly concentrations. The historical concentrations were from non-event days in the five-year period from 2016-2020 during the wildfire season of July-September. This analysis was done for Reno4, and Sparks PM_{2.5} on the days of the exceedances. Since Toll did not monitor for PM_{2.5} until 2019, a diurnal was created for 2019-2020. For the Reno4 historical PM_{2.5} concentrations of 2016, 2017, 2018, and 2019, Reno3 data was used to add to Reno4's 2020 data.

As can be seen in Figure 4-12 through 4-19 below, nearly every hour of the exceedance was multiple times higher than what would be expected (50th percentile) and still much higher than the 95th percentile of the data set.

Figure 4-12: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 09/11/22




Figure 4-13: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 09/14/22




Figure 4-14: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 09/14/22




Figure 4-15: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Sparks on 09/14/22




Figure 4-16: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 09/15/22




Figure 4-17: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 09/15/22




Figure 4-18: 2019-2020 PM_{2.5} Diurnal Pattern Comparison for Toll on 09/16/22





Figure 4-19: 2016-2020 PM_{2.5} Diurnal Pattern Comparison for Reno4 on 09/16/22



4.3.2 PM_{2.5}/PM₁₀ Ratio

One method for determining whether the elevated PM₁₀ concentrations were caused by wildfire smoke is by analyzing the ratio of PM_{2.5} to PM₁₀. If a higher fraction of the PM₁₀ is made up of PM_{2.5}, this is indicative that smoke is present in the region. A lower PM_{2.5}/PM₁₀ ratio would mean that more of the particulate is larger than 2.5 microns and is most likely of a geologic origin. As can be seen in Table 4-2, Table 4-3, and Table 4-4, the PM_{2.5}/PM₁₀ ratio at Toll, Reno4, and Sparks started to increase on September 6, 2022, leading up to the exceedance days. The days of the exceedances are highlighted in yellow and show an elevated ratio compared to when the monitors were less affected by the wildfire smoke on September 6 and 18 of 2022.

Table 4-2: PM_{2.5}/PM₁₀ Ratios at Toll

Toll			
Date	24-Hour Average (µg/m ³)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
9/6/2022	6.5	27	0.24
9/7/2022	19.2	45	0.43
9/8/2022	22.8	47	0.49
9/9/2022	21.5	56	0.38
9/10/2022	34.7	73	0.48
9/11/2022	123	173	0.71
9/12/2022	98.7	133	0.74
9/13/2022	68	111	0.61
9/14/2022	133.7	187	0.71
9/15/2022	134.9	230	0.59
9/16/2022	149.7	192	0.78
9/17/2022	77.4	106	0.73
9/18/2022	5	14	0.36

Table 4-3: PM_{2.5}/PM₁₀ Ratios at Reno4


Reno4			
Date	24-Hour Average ($\mu\text{g}/\text{m}^3$)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
9/6/2022	6.6	26	0.25
9/7/2022	10.2	27	0.38
9/8/2022	8.7	25	0.35
9/9/2022	22.2	54	0.41
9/10/2022	67.2	102	0.66
9/11/2022	74.1	107	0.69
9/12/2022	92.7	127	0.73
9/13/2022	95	136	0.70
9/14/2022	131.5	177	0.74
9/15/2022	123.5	162	0.76
9/16/2022	173	220	0.79
9/17/2022	87.2	114	0.76
9/18/2022	3.4	11	0.31

Table 4-4: PM_{2.5}/PM₁₀ Ratios at Sparks

Sparks			
Date	24-Hour Average ($\mu\text{g}/\text{m}^3$)		PM _{2.5} /PM ₁₀
	PM _{2.5}	PM ₁₀	
9/6/2022	8	33	0.24
9/7/2022	14	36	0.39
9/8/2022	12.1	33	0.37
9/9/2022	14.2	48	0.30
9/10/2022	57.6	99	0.58
9/11/2022	81.8	119	0.69
9/12/2022	97.1	131	0.74
9/13/2022	94.8	129	0.73
9/14/2022	179.1	231	0.78
9/15/2022	109.7	141	0.78
9/16/2022	111.4	144	0.77
9/17/2022	76.5	101	0.76
9/18/2022	4	15	0.27

The $PM_{2.5}/PM_{10}$ ratio during the Mosquito Fire event was higher than the rest of September 2022 and what would be expected on a typical summer day. AQMD determined what a typical summertime $PM_{2.5}/PM_{10}$ ratio would be by finding the regional average ratio during July-September between 2016 and 2020. The regional average ratio is the average of the Reno4 and Sparks $PM_{2.5}/PM_{10}$ ratios. The $PM_{2.5}/PM_{10}$ ratio that could be expected when not influenced by wildfire smoke or other events is 0.30. As can be seen in Tables 4-2 through 4-4, the ratios on the days of the exceedances were at least twice what would be expected. This supports AQMD's position that the exceedances were caused by wildfire smoke. Figure 4-20 illustrates this.

Figure 4-20: $PM_{2.5}/PM_{10}$ Ratios throughout September 2022



4.3.3 PM_{2.5}/CO Ratio


It has been documented that ambient PM_{2.5} and CO concentrations are correlated in the presence of wildfire smoke in urban areas.¹ AQMD completed a linear regression analysis that compared the PM_{2.5} and CO concentrations at the Reno4 and Sparks monitoring sites on the days of the exceedances. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. This information was then compared to a linear regression analysis completed for a non-event day on September 21, 2022. The equation and coefficient of determination (R²) that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (September 21, 2022)

Reno4: $y = 2.9031x + 2.0296$	$R^2 = 0.0169$
Sparks: $y = 8.8227x + 3.0909$	$R^2 = 0.1794$

As can be seen in Figure 4-21 through 4-25, a strong correlation was found on the days of the exceedances between PM_{2.5} and CO concentrations. The coefficients of determination for the exceedance days ranged from 0.9594 at a minimum to 0.9827 at a maximum. Even at the minimum, this analysis signals a strong presence of wildfire smoke on the days of the exceedances.

Figure 4-21: Hourly PM_{2.5}/CO at Reno4 on September 11, 2022



¹ Jaffe, D. A., Schnieder, B., and Inouye, D.: Technical note: Use of PM_{2.5} to CO ratio as an indicator of wildfire smoke in urban areas, Atmos. Chem. Phys., 22, 12695-12704, <https://doi.org/10.5194/acp-22-12695-2022>, 2022.

Figure 4-22: Hourly PM_{2.5}/CO at Reno4 on September 14, 2022




Figure 4-23: Hourly PM_{2.5}/CO at Sparks on September 14, 2022




Figure 4-24: Hourly PM_{2.5}/CO at Reno4 on September 15, 2022





Figure 4-25: Hourly PM_{2.5}/CO at Reno4 on September 16, 2022



4.3.4 PM₁₀/CO Ratio

When an area has the presence of wildfire smoke, the CO and PM₁₀ concentrations should also be correlated, although not as strongly correlated as CO and PM_{2.5}. Similar to section 4.3.3, a linear regression analysis was completed with CO and PM₁₀ data on the days of the exceedances and compared to a non-event day on September 21, 2022. Since the Toll monitoring site does not measure CO, this same analysis was done using Reno4 as a proxy. The equation and coefficient of determination that resulted from the linear regression on the non-event day is shown below.

Non-Event Slopes (September 21, 2022)

Reno4: $y = 22.484x + 5.3048$	$R^2 = 0.1408$
Sparks: $y = 6.9896x + 8.1818$	$R^2 = 0.0282$

As can be seen in Figure 4-26 through 4-30, a strong correlation was found on the days of the exceedances between PM₁₀ and CO concentration. The coefficients of determination on the exceedance days ranged from 0.9087 to 0.9849. Even at the minimum, this analysis signals a strong presence of wildfire smoke on the days of the exceedances.

Figure 4-26: Hourly PM₁₀/CO at Reno4 on September 11, 2022




Figure 4-27: Hourly PM₁₀/CO at Reno4 on September 14, 2022




Figure 4-28: Hourly PM₁₀/CO at Sparks on September 14, 2022




Figure 4-29: Hourly PM₁₀/CO at Reno4 on September 15, 2022





Figure 4-30: Hourly PM₁₀/CO at Reno4 on September 16, 2022




4.4 Trajectory Analysis

A trajectory analysis was completed for the event using the Hybrid Single Particle Lagrangian Integrated Trajectory (HYSPLIT) model to compute simple air parcel trajectories and determine where the smoke originated from. The HYSPLIT model's calculation method is a hybrid between the Lagrangian approach, which uses a moving frame of reference as the air parcels move from their initial location, and the Eulerian approach, which uses a fixed three-dimensional grid as a frame of reference. The trajectory models in this section were created with the EPA AirNow-Tech Navigator page and the HYSPLIT model was provided by NOAA's Air Resources Laboratory. The model used the North American Mesoscale Model (NAM) 12-kilometer domain. Each HYSPLIT was completed at 50, 1000, and 2500 meters above ground level (agl). These values were chosen to best illustrate the dynamics of the air mass that affected the Washoe County region before and during the days of the exceedances. According to NWS-Reno, 50 meters agl is a good proxy for boundary layer height in the region. The HYSPLIT figures below include the "HMS Fire" layer which shows the location of each fire, the "HMS Smoke" layer which shows where smoke is at the time, and the 24-hour, midnight to midnight average PM₁₀ concentration in µg/m³ for each air monitoring site in the region.

4.4.1 Monitoring Site Analysis - Backward Trajectory

In order to accurately understand where the affected air mass originated from, AQMD completed 24-hour backward trajectory HYSPLIT models from the affected PM₁₀ monitors at Toll, Reno4, and Sparks. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for backward trajectory HYSPLIT models, the first point on the line would denote 6-hours before the start time of the model.

Figure 4-31: Backward Trajectory from Toll starting September 11, 2022 at 0000 PST



As
November

Figure 4-32: Backward Trajectory from Toll starting September 12, 2022 at 0000 PST




Figure 4-33: Backward Trajectory from Reno4 starting September 14, 2022 at 0000 PST




Figure 4-34: Backward Trajectory from Sparks starting September 14, 2022 at 0000 PST





Figure 4-35: Backward Trajectory from Toll starting September 14, 2022 at 0000 PST



As
November

Figure 4-36: Backward Trajectory from Reno4 starting September 15, 2022 at 0000 PST




Figure 4-37: Backward Trajectory from Sparks starting September 15, 2022 at 0000 PST




Figure 4-38: Backward Trajectory from Toll starting September 15, 2022 at 0000 PST




Figure 4-39: Backward Trajectory from Reno4 starting September 16, 2022 at 0000 PST




Figure 4-40: Backward Trajectory from Toll starting September 16, 2022 at 0000 PST




Figure 4-41: Backward Trajectory from Reno4 starting September 17, 2022 at 0000 PST





Figure 4-42: Backward Trajectory from Toll starting September 17, 2022 at 0000 PST



4.4.2 Source Analysis – Forward Trajectory

In order to fully understand where smoke emissions from each fire moved prior to and on the days of the exceedances, an emissions source analysis was done which included 24-hour forward trajectory HYSPLIT models from the Mosquito Fire. In the figures below, the green line denotes 50 meters agl, the blue line denotes 1000 meters agl, and the red line denotes 2500 meters agl. The points on each line denote 6-hour increments. Because this section is for forward trajectory HYSPLIT models, the first point on the line would denote 6-hours after the start time of the model.

Figure 4-43: Forward Trajectory from Mosquito Fire starting September 10, 2022 at 0000 PST




Figure 4-44: Forward Trajectory from Mosquito Fire starting September 11, 2022 at 0000 PST





Figure 4-45: Forward Trajectory from Mosquito Fire starting September 13, 2022 at 0000 PST



As
November

Figure 4-46: Forward Trajectory from Mosquito Fire starting September 14, 2022 at 0000 PST




Figure 4-47: Forward Trajectory from Mosquito Fire starting September 15, 2022 at 0000 PST





Figure 4-48: Forward Trajectory from Mosquito Fire starting September 16, 2022 at 0000 PST



4.4.3 Trajectory Analysis Explanation

The methodology behind this section is to bracket the exceedance days with forward and backward HYSPLITs. A 24-hour forward trajectory was completed for September 10, September 11 and September 13-16 of 2022 to accurately depict the characteristics of the wildfire smoke that would have affected HA 87 on the exceedance days. A 24-hour backward trajectory was completed for September 11, September 12, and September 14-16 of 2022 to characterize where the airmass on the exceedance days came from.

As can be seen in the backward trajectory section, the airmasses that affected HA 87 on the days of the exceedances originated at or near the Mosquito Fire on all trajectories besides the September 11, 2022 trajectory at 0000 PST. The difference in the trajectories on September 11, 2022 (Figure 4-31) and September 12, 2022 (Figure 4-32) show how wind patterns changed between the beginning and end of September 11, 2022, thus transporting Mosquito Fire smoke into HA 87. As can be seen in the forward trajectory section, the smoke from the Mosquito fire was transported into HA 87 on the days of the exceedances. Similar to the backward trajectory section, the differences in Figure 4-43 and Figure 4-44 show how wind patterns shifted to push smoke into the region between September 10 and September 11 of 2022. All forward trajectories after September 13, 2022 show a direct impact by the Mosquito Fire on HA 87 during the exceedance days.

As Revisio
November 26, 2023

4.5 Pollution Rose Analysis

Using the AirNow-Tech Navigator Rose Tool, wind/pollution roses were generated for Toll, Reno4, and Sparks monitoring sites for the days leading to and the days of the exceedances. Hourly PM₁₀ and wind direction data was used to create the roses. These show predominantly westerly and southerly wind components that carried Mosquito wildfire smoke to HA 87.

Figure 4-49: PM₁₀ Wind/Pollution Rose for Toll and Reno4 for September 7-16, 2022





Figure 4-50: PM₁₀ Wind/Pollution Rose for Sparks for September 7-16, 2022



4.6 Conclusion Showing a Clear Causal Relationship

Section 4.0 of this document demonstrates that the elevated PM_{10} concentrations that led to the exceedances of the primary and secondary PM_{10} NAAQS were caused by the Mosquito wildfire. The emissions analysis, historical concentration comparison analysis, $PM_{2.5}$ analysis, $PM_{2.5}/PM_{10}$ ratio analysis, $PM_{2.5}/CO$ ratio analysis, PM_{10}/CO ratio analysis, trajectory analysis, and pollution rose analysis all support this premise.

The comparisons and statistical analyses provided in this section of the document supports AQMD's evaluation that the Mosquito wildfire event affected air quality in such a way that there exists a clear causal relationship between the specific event and the monitored PM_{10} exceedances on September 11 and September 14-16, 2022. Section 4.0 thus shows a clear causal relationship between the wildfire and the PM_{10} exceedances.

As Revised
November 26, 2025

5.0 Natural Event or Human Activity Unlikely to Recur

By definition, an exceptional event must be unlikely to recur at a particular location or be a natural event. The Mosquito Fire qualifies as a natural event because human activity played no direct causal role in the start of the fire. A natural event as per 40 CFR 50.1(k) is defined as:

40 CFR 50.1(k): Natural event means an event and its resulting emissions, which may recur at the same location, in which human activity plays little or no direct causal role. For purposes of the definition of a natural event, anthropogenic sources that are reasonably controlled shall be considered to not play a direct role in causing emissions.

As was mentioned in Section 2.4 of this document, the Mosquito Fire was likely started by power transmission infrastructure. AQMD sees no direct causal role by human activity for the Mosquito Fire, thus qualifying it as a natural event.

As Revised
November 26, 2025

6.0 Public Outreach

An important role that AQMD plays during exceptional events that affect air quality is to notify the public of the current air quality, the air quality forecast, and ways to mitigate potential health impacts that are a result of degraded air quality. AQMD uses a variety of outlets to reach the public during exceptional events including Twitter, Facebook, press releases, and local partners to inform citizens of degraded air quality.

As can be seen in Figure 6-1 through 6-10 below, a majority of social media posts issued by AQMD during the event included information regarding the current AQI, AQI forecasting, and AQMD's public education program, "Be Smoke Smart." "Be Smoke Smart" informs the public of the best ways to protect themselves from wildfire smoke during these events. AQMD also utilized satellite imagery in these posts to highlight the widespread smoke in the region. AQMD also shared links to the published press releases highlighting the Emergency Episodes issued during the event. The press releases are a requirement of AQMD's PM_{2.5} Mitigation Plan as well as AQMD's Emergency Episode Plan. Seen in Figure 6-2, a Stage 2 Emergency Episode for PM_{2.5} was issued on September 9, 2022. The Stage 2 Emergency Episode was rescinded and a Stage 3 Emergency Episode was issued on September 14, 2022 (Figure 6-7). This was the first time AQMD issued a Stage 3 Emergency Episode since the Caldor Fire in 2021.

AQMD's local partner, NWS Reno, was also very active on social media during the event. NWS Reno shared weather forecasts and how these forecasts impact smoke in the area. AQMD frequently reposted the NWS to increase the social media reach. These reposts are shown below in Figures 6-3 and 6-5. By working together, NWS Reno and AQMD were able to reach as many citizens as possible throughout the event to provide accurate information and actions to take.

Figure 6-1: Tweet of the Stage 2 Emergency Episode on September 9, 2022



Figure 6-2: Stage 2 Emergency Episode Press Release September 9, 2022

UPDATE: STAGE 2 AIR POLLUTION EMERGENCY EPISODE ISSUED
by Scott Oxarart | Sep 9, 2022



THIS INFORMATION HAS BEEN UPDATED. SEE THIS PAGE FOR THE LATEST UPDATES.

Reno/Sparks, Nev. Sept. 9, 2022 – Due to the Mosquito Fire burning west of Lake Tahoe, the Washoe County Health District – Air Quality Management Division (AQMD) has issued a Stage 2 Emergency Episode. This means that air quality in the Reno-Sparks area is expected to get progressively worse at times Saturday evening and Sunday.

After issuing an [air quality advisory on Thursday](#), a Stage 2 Emergency Episode warns residents that air quality could be in the “Unhealthy for Sensitive Groups” to “Unhealthy” air quality index (AQI) range, with a chance it could hit the “Very Unhealthy” range through Sunday. [See what those ranges mean here.](#)

Thursday’s advisory was upgraded to a Stage 2 because the 24-hour fine particulate matter (PM2.5) AQI is expected to be above 100 on Saturday and 150 on Sunday. Those in sensitive groups including children, older adults, and those with heart/lung disease should avoid strenuous outdoor activities. Everyone else should reduce strenuous outdoor activities.

| [Sign up for Washoe County Air Quality updates here.](#)

Periods of smoke and clearing may rapidly fluctuate during the weekend depending on wind patterns. AQMD has issued these recommendations to reduce exposure to smoke:

- Check the AQI on both AirNow and AirNow’s Fire and Smoke Map for the AQI nearest you
- Avoid or reduce outdoor and physical activities when it is smoky
- Stay indoors with the windows and doors closed
- Keep air clean. Do not vacuum, light candles, fry food, or smoke
- Consult your physician for health questions, especially those with heart and lung issues

During wildfires, the role of the AQMD is to provide the most current and accurate information and data possible so that the residents and businesses of Washoe County can make the best decisions possible regarding their health.

AQMD can issue a Stage 1, Stage 2, Stage 3, or Stage 4 Emergency Episode with the Stage 4 meaning the conditions are the most severe. [More information on the stages can be found here.](#) The Emergency Episode rule was recently revised and adopted by the District Board of Health on July 22, 2021. An air pollution Emergency Episode for Washoe County is not a state of emergency as issued by the Governor or President. The main purposes of an Emergency Episode are to notify the public of the air pollution levels, give recommendations to reduce exposure, and reduce or stop emissions from a local source if it is determined to be significantly contributing to the Emergency Episode.

Visit [OurCleanAir.com](#) for additional information on the Air Quality Management Division

Figure 6-3: NWS Reno Tweet showing Mosquito Fire smoke on September 11, 2022



Figure 6-4: Tweet of the Be Smoke Smart campaign used during the Mosquito Fire



Figure 6-5: NWS Reno Tweet of the Mosquito Fire smoke rolling into the Truckee Meadows



Figure 6-6: Facebook Post of the Stage 3 Emergency Episode on September 14, 2022

Washoe County Health District: Air Quality Management Division
September 14, 2022 · 🌐

We have rescinded the Stage 2 Emergency Episode and have now issued a Stage 3 Emergency Episode. Everyone should remain indoors and reduce activity. Very Unhealthy air quality is expected today with Hazardous hours at times. #BeSmokeSmart
<https://washoelife.washoecounty.gov/.../stage-3-air.../>



👍🙄😱 7 54 shares

👍 Like 💬 Comment

Figure 6-7: Stage 3 Emergency Episode Press Release September 14, 2022

STAGE 3 AIR QUALITY EMERGENCY EPISODE ISSUED
by Scott Oxarart | Sep 14, 2022



Reno/Sparks, Nev. Sept. 14, 2022 – The Washoe County Health District – Air Quality Management Division (AQMD) has issued a Stage 3 Emergency Episode due to smoke from the Mosquito Fire burning west of Lake Tahoe. The NowCast air quality index (AQI) for the Reno/Sparks area was over 350 and in the "Hazardous" category on Wednesday morning, which was much worse than expected due to increased fire activity.

The Health District supports decisions by local organizations, including the University of Nevada, Reno and the Washoe County School District, to cancel classes and events.

The Stage 3 Emergency Episode was issued because the PM_{2.5} AQI is expected to be over 200 for a 24-period of time. This is the second time AQMD has issued a Stage 3 Emergency Episode; the first being in August 2021 due to the Caldor Fire.

Residents are encouraged to [follow air quality updates in Reno/Sparks, click here](#). [See what the colors and ranges mean here](#).

Measures residents can do include:

- Stay indoors and reduce activity
- Make sure windows and doors closed in your home.
- Consult your physician for health questions, especially those with heart and lung issues.
- [Create a clean air room](#)

[Sign up for Washoe County Air Quality updates here](#).

AQMD can issue a Stage 1, Stage 2, Stage 3, and Stage 4 Emergency Episode with the Stage 4 being the most severe. [More information on the stages can be found here](#).

Visit OurCleanAir.com for additional information on the Air Quality Management Division.

Figure 6-8: Tweet of the AQI on September 14, 2022 by the Washoe County Health District



Figure 6-9: Tweet of the Historical AQIs and Current on September 15, 2022




Figure 6-10: Tweet of EPA respirator factsheet on September 16, 2022


 Washoe County AQMD 
@WashoeCountyAQ

Unhealthy to Hazardous air quality from #MosquitoFire smoke is expected today into tomorrow morning. Avoid outdoor activities and reduce activity indoors. #BeSmokeSmart if you must be outdoors take extra of breaks, stay hydrated, and wear a properly fitted N95 respirator.

 **The right respirator* and proper fit can reduce your exposure to wildfire smoke.**

Cloth (wet or dry), paper masks, and tissues will **NOT** filter out wildfire smoke. Look for respirators (masks) marked NIOSH with N95 or P100. They can be found online, or in hardware, home repair, or drugstores.

* Respirators are not designed to fit children. Facial hair prevents proper fit and reduces effectiveness.



Ask your doctor before using if you have heart or lung health issues.	Throw mask away if it's dirty or you find it difficult to breathe.	If you are dizzy or nauseous, go to where there is less smoke and seek medical attention.
---	--	---

Use a respirator only after first trying other, more effective methods to avoid smoke. That includes staying indoors and reducing activity. When possible, people at risk should move away from the smoke area.

airnow.gov

9:33 AM · Sep 16, 2022

7.0 Conclusions and Recommendations

The Mosquito Fire started on September 6, 2022 in Tahoe National Forest in Placer County, California, approximately 60 miles southwest of the Truckee Meadows Region. The Mosquito Fire cause is still under investigation but was most likely caused by power transmission infrastructure. The fire emitted large quantities of PM₁₀ emissions which eventually led to numerous PM₁₀ exceedances at the Toll, Reno4, and Sparks PM₁₀ monitors between September 11 and September 16, 2022. The Mosquito Fire Evaluation supports the criteria for an exceptional event detailed in the 2016 Exceptional Events Rule. Specifically, the documentation used the following evidence to demonstrate the exceptional event:

- ambient air monitoring data
- statistical analyses of the monitoring data compared to historical concentrations
- analyses of wildfire smoke emissions
- satellite imagery (visible and detected smoke)
- narratives from the National Oceanic and Atmospheric Administration and National Weather Service (Reno)
- HYSPLIT trajectory analyses
- social and traditional media posts

This contingency plan evaluation clearly demonstrates justification for exclusion of data for July 26, 2021. The 2021 Dixie/Tamarack Fire Evaluation has provided evidence that:

1. Emissions from a wildfire event caused PM₁₀ exceedances at the Toll, Reno4, and Sparks monitors;
2. The event affected air quality in such a way that there exists a clear causal relationship between the event and the exceedances on September 11 and 14-16, 2022;
3. Event-influenced concentrations were unusual and above normal historical concentrations;
4. The event was related to a wildfire that was a natural event predominately occurring on wildland;
5. The event was not reasonably controllable or preventable.

The AQMD recommends that data influenced by the 2022 Mosquito Fire on the days defined in Table 2-3 be excluded from contingency plan trigger calculations.

As Revised
November 26, 2025

WASHOE COUNTY
HEALTH DISTRICT
ENHANCING QUALITY OF LIFE

Please contact Matt McCarthy for
questions or comments at
mmccarthy@nph.org

Appendix A

Public Comment Plan

As Revised
November 26, 2025

Public Comment Plan

This contingency plan evaluation was available for public inspection from October 26 to November 26, 2023 at the AQMD website ([OurCleanAir.com](https://www.aqmd.net/our-clean-air)). AQMD issued a press release (included below) on October 26, 2023 to inform the public of the comment period. The press release provides a web link to the draft evaluation and explains how to submit written comments during the comment period. A hardcopy of the plan was also available at the AQMD office. At the time of the public comment, this evaluation was known as an exceptional event demonstration and has since been renamed due to its lack of regulatory impact.

One comment was received during the public comment period. The document was not revised in response to the comment since the comment was a general comment in support. The comment, along with AQMD's response are included below.

As Revised
November 26, 2025

From: [McCarthy, Matthew](#)
To: knighteddawn@gmail.com
Cc: [Health - AQ-Planning](#)
Subject: RE: Exceptional events
Date: Monday, October 30, 2023 9:15:00 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)

Good morning Michael,

Thank you for your comment regarding the Exceptional Events demonstrations. Your comment will be included in our submittal to EPA.

Regards,

NORTHERN NEVADA
Public Health

Matt McCarthy
Environmental Engineer II
Air Quality Management Division

O: [775-784-7217](tel:775-784-7217)
1001 E Ninth St. Bldg. B Reno, NV 89512

OurCleanAir.com

NNPH.org | [f](#) [f](#) [@](#) [X](#) [in](#)

[Click here to take our customer satisfaction survey](#)

From: Michael-Forest <knighteddawn@gmail.com>
Sent: Thursday, October 26, 2023 7:23 PM
To: Health - AQ-Planning <Health-AQ-Planning@nnp.org>
Subject: Exceptional events

[NOTICE: This message originated outside of Washoe County -- DO NOT CLICK on links or open attachments unless you are sure the content is safe.]

Wildfire smoke caused by California wildfires should definitely NOT be included in our data. I completely support asking for an exception. There's not much Renoites can do about California wildfires!

Michael Meservy
6680 Stone Valley Dr

As Revised
November 26, 2025

NORTHERN NEVADA Public Health NEWSROOM

NNPH AIR QUALITY MANAGEMENT DIVISION SEEKS COMMENT ON EXCEPTIONAL EVENTS DEMONSTRATIONS

Oct 26, 2023

Reno/Sparks, Nevada. Oct. 26, 2023 – Northern Nevada Public Health – Air Quality Management Division (AQMD) is requesting written public comment on the 2021 and 2022 PM10 Exceptional Events Demonstrations, a series of technical reports proving that wildfires caused some poor air quality conditions, specifically PM10, in 2021 and 2022. The documents request that EPA exclude that data from regulatory consideration. PM10 is defined as particulate matter that is sized 10 microns in diameter or less and is one of the many air pollutants found in wildfire smoke.

If the EPA agrees to exclude that data, it means that future air quality plans for local emission sources are not affected by PM10 found in wildfire smoke. Excluding this data does not eliminate the public health impacts or AQMD's role in notifying the public of poor air quality.

AQMD's 2nd 10-Year PM10 Maintenance plan is due to EPA next year. In order for EPA to approve this plan, the maintenance area must not be violating the 24-Hour PM10 National Ambient Air Quality Standard (NAAQS). Multiple wildfires in 2021 and 2022 caused fifteen (15) exceedances of the PM10 NAAQS within the Truckee Meadows PM10 maintenance area. Through the Exceptional Events Rule (40 CFR 50.14), AQMD can request that data influenced by wildfires be excluded when determining compliance with the 24-Hour PM10 NAAQS.

The demonstrations are broken down into four separate events:

[2021 Dixie/Tamarack Fire Event](#)

[2021 Dixie/Antelope Fire Event](#)

[2021 Dixie/Caldor Fire Event](#)

[2022 Mosquito Fire Event](#)

Comments will be accepted until midnight on November 26, 2023, and may be submitted via e-mail to

Health-AQ-Planning@nnph.org

All correspondence must include first and last name and a complete mailing address.

For more information regarding the Health District's air quality efforts, visit the Air Quality Management Division's website at OurCleanAir.com.

NOTE: The Washoe County Health District became Northern Nevada Public Health on Aug. 31, 2023. Materials developed prior to that date may contain Washoe County Health District brand, logos, and references.

Northern Nevada Public Health (NNPH) is nationally accredited by the Public Health Accreditation Board and has jurisdiction over all public health matters in Reno, Sparks, and Washoe County through the policy-making District Board of Health. NNPH consists of five divisions: Administrative Health Services, Air Quality Management, Community and Clinical Health Services, Environmental Health Services and Epidemiology & Public Health Preparedness. [More info can be found here.](#)

Appendix B

Exceptional Event Initial Notification

As Revised
November 26, 2025

Initial Notification of Potential Exceptional Event Information Summary for PM₁₀

Submitting Agency: Washoe County Health District Air Quality Management Division

Agency Contact: Craig Petersen, Supervisor, Monitoring and Planning

Date Submitted: July 18, 2023

Applicable NAAQS: 1987 PM₁₀

Affected Regulatory Decision¹: 2nd 10-Year PM₁₀ Maintenance Plan

Area Name/Designation Status: Truckee Meadows Hydrographic Basin 87 PM₁₀ Maintenance Area

Design Value Period: 2020-2022

Table A(1): Information specific to each flagged monitor day that may be submitted to EPA in support of the affected regulatory decision listed above

Date(s) of Event(s)	Type of Event (high wind, volcano, wildfires/prescribed fire, other ²)	AQS Flags	Monitor AQS IDs (and POCs)	Monitor Names	24-hour average Exceedance Concentration (µg/m ³)	Notes (e.g. event name, links to other events)
09/11/2022	Wildfires	RT	32-031-0025-81102-1	Toll	173	Mosquito Fire
09/14/2022	Wildfires	RT	32-031-0025-81102-1 32-031-1005-81102-4 32-031-0031-81102-2	Toll Sparks Reno4	187 231 177	Mosquito Fire
09/15/2022	Wildfires	RT	32-031-0025-81102-1 32-031-0031-81102-2	Toll Reno4	197 162	Mosquito Fire
09/16/2022	Wildfires	RT	32-031-0025-81102-1 32-031-0031-81102-2	Toll Reno4	192 220	Mosquito Fire

¹ designation, classification, attainment determination, attainment date extension, or finding of SIP inadequacy leading to SIP call

² Provide additional information for types of event described as "other"

Table B(1): Violating Monitors Information

Monitor (AQS ID and POC)	Design Value (<u>without</u> EPA concurrence on any of the events listed in table A above)	Design Value (<u>with</u> EPA concurrence on all events listed in table A above)
32-031-0025-81102-2 32-031-1005-81102-4 32-031-0031-81102-2	5.3 expected exceedances 3.0 expected exceedances 3.7 expected exceedances	1.0 expected exceedances

Table C(1): Summary of Maximum Design Value (DV) Monitor Information

	Design Value	Design Value Monitor (AQS ID and POC)	Comment(s)
Maximum DV monitor (AQS ID and POC) without EPA concurrence on any of the events listed in table A above	5.3 expected exceedances	32-031-0025-81102-2	Includes exceptional event data from 2021
Maximum DV monitor (AQS ID and POC) with EPA concurrence on all events listed in table A above	1.0 expected exceedances 1.0 expected exceedances	32-031-0025-81102-2 32-031-1005-81102-1	Assumes exclusion of exceptional event data from 2021

Table D(1): List of any monitors (AQS ID and POC) within planning area with invalid design values (e.g. due to data incompleteness)

Monitor (AQS ID and POC)	Comment
---	---

Appendix C

2022 Data Certification Letter

As Revised
November 26, 2025

**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE

April 13, 2023

Dena Vallano
Manager, Air Quality Analysis Office
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street, AIR-4-2
San Francisco, CA 94105

Re: CY2022 Ambient Air Monitoring Data Certification

Dear Ms. Vallano:

Attached please find a copy of the Washoe County Health District, Air Quality Management Division's (AQMD) AQS AMP600 Data Certification Report and AMP450NC Quick Look summary report for ambient air monitoring data for all State and Local Air Monitoring Stations (SLAMS) which meet criteria in 40 CFR 58 Appendix A operated from January 1 to December 31, 2022. Included is data from Federal Reference Method (FRM) and Federal Equivalent Method (FEM) monitors for CO, NO₂, ozone, PM₁₀, PM_{10-2.5}, PM_{2.5}, and SO₂ (hourly and 5-minute average data).

This letter certifies that the ambient concentration data and the quality assurance data are completely submitted to AQS, and the ambient data are accurate to the best of my knowledge taking into consideration the quality assurance findings.

Please contact Mr. Daniel Timmons or me at (775) 784-7200 with any questions or concerns.

Sincerely,



Francisco Vega, P.E., MBA
Director, Air Quality Management Division
Washoe County Health District

Attachments:

AMP600 Data Certification Report 2022
AMP450NC Quick Look All Parameters Report 2022

cc: Fletcher Clover, Air Quality Analysis Office, U.S. EPA, Region 9

User ID: BMC MULLEN

CERTIFICATION EVALUATION AND CONCURRENCE

Report Request ID: 2095169

Report Code: AMP600

Apr. 11, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031									

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration

CRITERIA

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	CERTIFYING

DATE CRITERIA

Start Date	End Date
2022	2022

As Revised November 26, 2025

Data Evaluation and Concurrence Report Summary

Certification Year: 2022

Certifying Agency (CA): Washoe County District Health Department (1138)

Pollutants in Report:

<u>Parameter Name</u>	<u>Code</u>	<u>Monitors Evaluated</u>	<u>Monitors Recommended for Concurrence by AQS</u>	<u>Monitors NOT Recommended for Concurrence by AQS</u>
Carbon monoxide	42101	2	2	0
Nitrogen dioxide (NO2)	42602	1	1	0
Ozone	44201	7	7	0
PM10 Total 0-10um STP	81102	4	4	0
PM2.5 - Local Conditions	88101	5	5	0
Sulfur dioxide	42401	1	1	0

PQAOs in Report:

<u>PQAO Name</u>	<u>PQAO Code</u>	<u>TSA Date</u>
Washoe County District Health Department	1138	08/15/19

Summary of 'N' flags for all pollutants:

<u>PQAO</u>	<u>Code</u>	<u>AQS Site-ID</u>	<u>POC</u>	<u>AQS Recommended Flag</u>	<u>Cert. Agency Recommended Flag</u>	<u>Reason for AQS Recommendation</u>

Signature of Monitoring Organization Representative: _____

Travis Vega

As Revised 20, 2025
November 20, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2022
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Carbon monoxide (42101) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
1	3.20599	Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP			Concur. Flag		
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.238	-0.001	3.256	0	0	98	2.20	+2.13	100	0.35	100	3.21	Y	Y	Y	Y	S
32-031-1005	1 SLAMS	0.372	0.000	2.700	0	0	99	1.35	+/-1.62	100	1.65	100		Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2022
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Nitrogen dioxide (NO2) (42602) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary: **Number of Passed Audits** **NPAP Bias** **Criteria Met**
Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag			
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag
32-031-0031	1 SLAMS	11.8	0.0	51.4		0	97	4.55	-5.18	100	-5.53	100	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2022
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Ozone (44201) (ppm)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary: **Number of Passed Audits** **NPAP Bias** **Criteria Met**
Y

AQS Site ID	POC Monitor Type	Routine Data						One Point Quality Check			Annual PE		NPAP			Concur. Flag		
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0020	1 SLAMS	0.049	0.017	0.082	0	0	99	2.05	+/-1.49	100	- 0.81	100	Y	Y	Y	Y	S	
32-031-0025	1 SLAMS	0.047	0.021	0.076	0	0	99	1.84	+/-1.50	100	- 0.19	100	Y	Y	Y	Y	S	
32-031-0031	1 SLAMS	0.048	0.015	0.080	0	0	98	1.54	+/-1.13	100	- 0.86	100	Y	Y	Y	Y	S	
32-031-1005	1 SLAMS	0.046	0.011	0.077	0	0	98	2.86	+/-2.37	100	0.59	100	Y	Y	Y	Y	S	
32-031-1007	1 SLAMS	0.048	0.020	0.079	0	0	99	0.96	+/-0.89	100	0.48	100	Y	Y	Y	Y	S	
32-031-2002	1 SLAMS	0.051	0.033	0.080	0	0	99	2.55	+/-1.96	100	5.81	100	Y	Y	Y	Y	S	
32-031-2009	1 SLAMS	0.048	0.022	0.071	0	0	99	3.30	+/-2.55	100	1.53	100	Y	Y	Y	Y	S	

As Reviewed November 2025

Data Evaluation and Concurrence Report for Gaseous Pollutants

Certifying Year 2022
Certifying Agency Code Washoe County District Health Department (1138)
Parameter Sulfur dioxide (42401) (ppb)

PQAO Name Washoe County District Health Department (1138)
QAPP Approval Date 12/12/2019

NPAP Audit Summary:

Number of Passed Audits	NPAP Bias	Criteria Met
		Y

AQS Site ID	POC Monitor Type	Routine Data					One Point Quality Check			Annual PE		NPAP		Concur. Flag				
		Mean	Min	Max	Exceed. Count	Outlier Count	Perc. Comp.	Precision	Bias	Complete	Bias	Complete	Bias	PQAO Level Criteria	QAPP Appr.	Aqs Rec Flag	CA Rec Flag	Epa Concur
32-031-0031	1 SLAMS	0.4	-	0.5	4.0	0	98	5.10	+/-4.16	100	-	2.37	100	Y	Y	Y	Y	S

As Revised November 26, 2025

Data Evaluation and Concurrence Report for Particulate Matter

Certifying Year:2022

Certifying Agency:Washoe County District Health Department (1138)

Parameter: PM10 Total 0-10um STP (81102) CONTINUOUS

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Monitors Summaries

AQS Site ID	POC	Monitor Type	Routine Data (ug/m3)					Flow Rate Verification		Flow Rate Audit		Concurrence Flag			
			Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	Bias	% Complete	QAPP Appr.	AQS Rec Flag	CA Rec Flag
32-031-0025	2	SLAMS	21.67	-3.0	985.0	0	98	+0.66	100	+0.44	100	Y	Y	Y	S
32-031-0031	2	SLAMS	21.91	-5.0	558.0	0	98	+/-0.81	100	-0.49	100	Y	Y	Y	S
32-031-1005	4	SLAMS	26.32	-5.0	587.0	0	98	+/-0.76	100	-0.41	100	Y	Y	Y	S
32-031-1007	1	SLAMS	19.97	-3.0	820.0	0	95	+/-0.87	100	-0.59	100	Y	Y	Y	S

Parameter: PM2.5 - Local Conditions (88101)

PQAO Name: Washoe County District Health Department (1138)

Quality Assurance Project Plan Approval Date: 12/12/2019

Collocation Summary

Method	# Sites	# Sites Req	# Sites Collocated	% Collocated	CV Est	CV UB	Criteria Met?
170	4	1	1	100	11.49	12.73	Y

PEP Summary

# Methods	# Audited Methods	# PEP Required	# PEP Submitted	% Complete	Bias	Criteria Met?
1	1	5	3	60	+13.06	Y

Monitors Summaries

AQS Site ID	POC	Method	Monitor Type	Routine Data (ug/m3)					Flow Rate Audit		Collocation		PEP PQAO	QAPP	Concurrence Flag			
				Mean	Min	Max	Exceed. Count	Outlier Count	% Complete	Bias	% Complete	CV	% Complete	Crit. Met	Crit. Met	Appr.	AQS Rec Flag	CA Rec Flag
32-031-0025	1	170	SLAMS	6.72	-6.0	432.0	0	99	-0.55	100			Y	Y	Y	Y	Y	S
32-031-0031	1	545	SLAMS	7.76	.8	129.7	0	100	-0.04	100			Y	Y	Y	Y	Y	S
32-031-0031	2	170	SLAMS	8.16	-9.0	435.0	0	94	-0.73	100	12.73	100	Y	Y	Y	Y	Y	S
32-031-1005	1	170	SLAMS	10.15	-8.0	439.0	0	99	+0.00	100			Y	Y	Y	Y	Y	S
32-031-1007	1	170	SLAMS	7.79	-5.0	391.0	0	98	+0.12	100			Y	Y	Y	Y	Y	S

Data Concurrence and Evaluation Report for Lead

As Revised
November 26, 2025

User ID: BMC MULLEN

QUICKLOOK ALL PARAMETERS

Report Request ID: 2093798

Report Code: AMP450NC

Apr. 6, 2023

PROTOCOL SELECTIONS			
Parameter Classification	Parameter	Method	Duration
ALL	86101		
ALL	42401		H

AGENCY SELECTIONS
Washoe County District Health Department

SELECTED OPTIONS	
Option Type	Option Value
EVENTS PROCESSING	EXCLUDE REGIONALLY CONCURRED EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER	
Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC
6	DATES
7	EDT_ID

SCR GROUP SELECTIONS
Washoe Co,NV

DATE CRITERIA	
Start Date	End Date
2022	2022

APPLICABLE STANDARDS
Standard Description

As Revised 26, 2025
November 26, 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 6, 2023

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

As Revised
November 26, 2025

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 6, 2023

Parameter	Unit	P O C	PQAO	Year	Meth	# Obs	1st Max Value	2nd Max Value	3rd Max Value	4th Max Value	Arith. Mean	Duration	Cert & Eval	EDH
Site ID: 32-031-0025 City: Reno		County: Washoe		Address: 684A STATE ROUTE 341, RENO NV 89521										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2022	185	8612	817.0	492.0	407.0	379.0	12.36	1 HOUR	0	0
Site ID: 32-031-0031 City: Reno		County: Washoe		Address: 1260-A Stewart St.										
42401 Sulfur dioxide	Parts per billion	2	1138	2022	600	98911	5.8	4.6	4.6	4.4	.44	5 MINUTE	0	0
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2022	247	118	31.1	24.3	23.8	21.5	10.59	24 HOUR	0	0
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	2	1138	2022	185	8209	305.0	210.0	204.0	125.0	11.59	1 HOUR	0	0
Site ID: 32-031-1005 City: Sparks		County: Washoe		Address: 750 4TH ST, SPARKS, NV 89431										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2022	185	8600	503.0	440.0	396.0	262.0	13.21	1 HOUR	0	0
Site ID: 32-031-1007 City: Sparks		County: Washoe		Address: 7200 Pyramid Hwy, Sparks, NV, 89441										
86101 PM10-2.5 - Local Conditions (LC)	Micrograms/cubic meter	1	1138	2022	185	8376	623.0	452.0	326.0	265.0	9.94	1 HOUR	0	0

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 6, 2023

METHODS USED IN THIS REPORT

PARAMETER	METHOD CODE	COLLECTION METHOD	ANALYSIS METHOD
42401	600	Instrumental	Ultraviolet Fluorescence API 100 EU
86101	185	Met One BAM-1020 System	Paired Beta Difference
86101	247	Met One E-SEQ-FRM PM10-2.5 sampler pair	Paired Gravimetric

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 6, 2023

PQAOS USED IN THIS REPORT

PQAO	AGENCY DESCRIPTION
1138	Washoe County District Health Department

As Revised
November 26, 2025

Note: The * indicates that the mean does not satisfy summary criteria.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM

QUICKLOOK ALL PARAMETERS

Apr. 6, 2023

CERTIFICATION EVALUATION AND CONCURRENCE FLAG MEANINGS

FLAG	MEANING
M	The monitoring organization has revised data from this monitor since the most recent certification letter received from the state.
N	The certifying agency has submitted the certification letter and required summary reports, but the certifying agency and/or EPA has determined that issues regarding the quality of the ambient concentration data cannot be resolved due to data completeness, the lack of performed quality assurance checks or the results of uncertainty statistics shown in the AMP255 report or the certification and quality assurance report.
S	The certifying agency has submitted the certification letter and required summary reports. A value of "S" conveys no Regional assessment regarding data quality per se. This flag will remain until the Region provides an "N" or "Y" concurrence flag.
U	Uncertified. The certifying agency did not submit a required certification letter and summary reports for this monitor even though the due date has passed, or the state's certification letter specifically did not apply the certification to this monitor.
X	Certification is not required by 40 CFR 58.15 and no conditions apply to be the basis for assigning another flag value
Y	The certifying agency has submitted a certification letter, and EPA has no unresolved reservations about data quality (after reviewing the letter, the attached summary reports, the amount of quality assurance data submitted to AQS, the quality statistics, and the highest reported concentrations).

Note: The * indicates that the mean does not satisfy summary criteria.

Appendix D

AQS Report Showing RT Flags Applied

As Revised
November 26, 2025

User ID: BMC MULLEN

RAW DATA QUALIFIER REPORT

Report Request ID: 2107459

Report Code: AMP360

May. 22, 2023

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	32	031									

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	81102		

AGENCY SELECTIONS

Washoe County District Health Department

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
AGENCY ROLE	PQAO
CONCURRENCE STATUS	All Data (Concurred and Non-concurred)
QUALIFIER TYPES	REQUEST EXCLUSION (EVENT) QUALIFIERS ONLY
QUALIFIER COUNTS BY MONITOR	YES
QUALIFIER CODE	RT - Wildfire-U. S. (REQEXC)

SCR GROUP SELECTIONS

Washoe Co, NV

DATE CRITERIA

Start Date	End Date
2022 09 11	2022 09 16

As Revised November 26, 2025

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Qualifier Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 00:00	116	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 01:00	97	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 02:00	104	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 03:00	96	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 04:00	98	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 05:00	101	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 06:00	96	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 07:00	109	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 08:00	110	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 09:00	103	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 10:00	105	RT	Wildfire-U. S.	2022-12-14		
		Event:		Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 11:00	100	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 12:00	65	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 13:00	24	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 14:00	19	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 15:00	16	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 16:00	354	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 17:00	567	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 18:00	453	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 19:00	388	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 20:00	310	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 21:00	217	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 22:00	273	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-11 23:00	253	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 00:00	244	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 01:00	226	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 02:00	226	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 03:00	225	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 04:00	235	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 05:00	243	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 06:00	321	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 07:00	269	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 08:00	265	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 09:00	306	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 10:00	217	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 11:00	129	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 12:00	130	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 13:00	48	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 14:00	94	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 15:00	58	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 16:00	12	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 17:00	19	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 18:00	167	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 19:00	234	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 20:00	223	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 21:00	223	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 22:00	212	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-14 23:00	184	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 00:00	160	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 01:00	156	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 02:00	142	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 03:00	147	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 04:00	156	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 05:00	154	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 06:00	288	RT	Wildfire-U. S. Event: Mosquito Wildfire	2022-12-14 2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 07:00	451	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 08:00	985	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 09:00	148	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 10:00	127	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 11:00	101	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 12:00	98	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 13:00	74	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 14:00	128	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 15:00	71	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 16:00	288	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 17:00	348	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 18:00	325	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 19:00	243	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 20:00	204	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 21:00	262	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 22:00	246	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-15 23:00	218	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 00:00	179	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 01:00	168	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 02:00	164	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 03:00	164	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 04:00	155	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 05:00 156 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 06:00 149 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 07:00 153 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 08:00 171 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 09:00 179 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 10:00 154 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 11:00 117 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 12:00 102 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 13:00 89 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 14:00 79 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 15:00 83 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 16:00	107	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 17:00	417	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 18:00	305	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 19:00	303	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 20:00	317	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 21:00	312	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 22:00	320	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0025-81102-2 684A STATE ROUTE 341, RENO NV 89521	2022-09-16 23:00	272	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 96

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 00:00	357	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 01:00	287	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 02:00	230	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 03:00	225	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 04:00	176	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 05:00	143	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 06:00	134	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 07:00	145	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 08:00	178	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 09:00	233	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 10:00	125	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 11:00	81	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 12:00	54	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 13:00	31	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 14:00	66	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 15:00	166	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 16:00	200	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 17:00	236	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 18:00	265	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-14 19:00	244	RT	Wildfire-U. S.	2022-12-14		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 19:00	244	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 20:00	214	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 21:00	179	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 22:00	141	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-14 23:00	161	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 00:00	172	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 01:00	151	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 02:00	185	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 03:00	109	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 04:00	108	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 05:00	102	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 06:00	101	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 07:00	105	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 08:00	110	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 09:00	122	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-15 10:00	142	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 11:00	109	RT	Wildfire-U. S.	2022-12-14		

United States Environmental Protection Agency
Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2	2022-09-15 11:00	109	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 12:00	77	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 13:00	69	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 14:00	70	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 15:00	187	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 16:00	293	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 17:00	225	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 18:00	272	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 19:00	297	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 20:00	217	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 21:00	205	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 22:00	274	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-15 23:00	187	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-16 00:00	257	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-16 01:00	231	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-16 02:00	212	RT	Wildfire-U. S.	2022-12-14		
1260-A Stewart St.	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-16 03:00	212	RT	Wildfire-U. S.	2022-12-14		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time	Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 03:00	212	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 04:00	201	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 05:00	194	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 06:00	196	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 07:00	206	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 08:00	211	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 09:00	176	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 10:00	117	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 11:00	92	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 12:00	108	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 13:00	67	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 14:00	69	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 15:00	75	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 16:00	409	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 17:00	313	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 18:00	265	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2	2022-09-16 19:00	360	RT	Wildfire-U. S.	2022-12-14		

**United States Environmental Protection Agency
Air Quality System**

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Sample Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 19:00	360	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 20:00	354	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 21:00	310	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 22:00	311	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-0031-81102-2 1260-A Stewart St.	2022-09-16 23:00	352	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 72

<u>Monitor Key / Site Address</u>	<u>Sample Date-Time</u>	<u>Value</u>	<u>Sample Qualifier Code</u>	<u>Description</u>	<u>Action Date</u>	<u>NAAQS Standard</u>	<u>Concurrence Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 00:00	400	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 01:00	399	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 02:00	409	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 03:00	386	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 04:00	375	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 05:00	346	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV	2022-09-14 06:00	366	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

Monitor Key / Site Address	Sample Date-Time Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind Date
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 07:00 299 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 08:00 265 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 09:00 215 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 10:00 123 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 11:00 74 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 12:00 41 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 13:00 37 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 14:00 46 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 15:00 165 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 16:00 191 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 17:00 268 Event:	RT	Wildfire-U. S. Mosquito Wildfire	2022-12-14 2023-05-16		

United States Environmental Protection Agency

Air Quality System

Raw Data Qualifier Report (v 1.1)

Report Date: May. 22, 2023

Parameter: PM10 Total 0-10um STP (81102)

Standard Units: Micrograms/cubic meter (25 C) (001)

<u>Monitor Key /</u> <u>Site Address</u>	<u>Sample</u> <u>Date-Time</u>	<u>Value</u>	<u>Code</u>	<u>Description</u>	<u>Action</u> <u>Date</u>	<u>NAAQS Standard</u>	<u>Concurrence</u> <u>Ind Date</u>
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 18:00	249	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 19:00	208	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 20:00	190	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 21:00	169	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 22:00	167	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		
32-031-1005-81102-4 750 4TH ST, SPARKS, NV 89431	2022-09-14 23:00	157	RT	Wildfire-U. S.	2022-12-14		
	Event:			Mosquito Wildfire	2023-05-16		

Monitor Qualifier Counts: RT Wildfire-U. S.

Count: 24

All Qualifiers Utilized:

<u>Qualifier</u>		<u>Qualifier</u>
<u>Code:</u>	<u>Qualifier Description:</u>	<u>Count:</u>
RT	Wildfire-U. S.	192

As Revised
November 26, 2025

Appendix K

Network Modifications for PM₁₀ Completed in Accordance with 40 CFR 58.14
During the First 10-Year Maintenance Period

As Revised
November 26, 2025

March 5, 2015

Meredith Kurpius
Manager, Air Quality Analysis Office
U.S. Environmental Protection Agency, Region IX
75 Hawthorne Street, AIR-7
San Francisco, CA 94105

Subject: Proposed Modification to the Washoe County Health District, Air Quality Management Division Ambient Air Monitoring Network

Dear Ms. Kurpius:

Pursuant to 40 CFR 58.14, the Washoe County Health District, Air Quality Management Division (AQMD) requests review and approval for a modification to the existing ambient air monitoring network. The AQMD is proposing to:

1. Closure of the Galletti SLAMS (AQS ID 32-031-0022) including discontinuation of all monitors (CO, PM₁₀, PM_{2.5}, PM_{10-2.5}, and meteorology); and
2. Initiate a Special Purpose Monitor (SPM) for 18 months and establishing a State and Local Air Monitoring Stations (SLAMS) in the Spanish Springs area of southern Washoe County to monitor Ozone, PM₁₀, PM_{2.5}, PM_{10-2.5}, and meteorology.

In November 2014, the Nevada Department of Transportation (NDOT) informed the AQMD of an emergency paving project requiring the Galletti SLAMS to be removed its current location. Final quality assurance verifications were conducted during the week of November 17, 2014. CO and PM data through the final verifications will be submitted to AQS. Data capture will not meet 75 percent for the October-December 2014 reporting period. As of March 1, 2015, the emergency paving project has not been completed. NDOT's paving project and reconfiguration will make it extremely difficult to return to Galletti's original location.

The proposed modifications are consistent with the AQMD 2010 Network Assessment and 2014 Annual Network Plan. Attached are data demonstrations (Appendices A, B, C) and an Excel spreadsheet (Network Modification Request (2015-03-05).xlsx) to support AQMD's proposal to close Galletti. Additional case-by-case justifications for the closure of Galletti include proximity to trees and NDOT's "dirt pile" operation. PM₁₀ and PM_{2.5} concentrations were impacted by the American/Rim (2013) and King (2014) Fires. These data are flagged in AQS with either Informational or Request to Exclude flags. An Exceptional Events Demonstration for the American/Rim Fires was submitted to EPA Region IX in 2014. A demonstration for the King Fire is expected to be submitted in Fall 2015.

Subject: Network Modification Request
Date: March 5, 2015
Page 2 of 14

If you require additional information, feel free to contact me or Mr. Craig Petersen at (775) 784-7200.

Sincerely,



Daniel Inouye
Monitoring and Planning Branch Chief

cc: Katherine Hoag, EPA Region IX
Craig Petersen, AQMD
Jennifer Budge, Washoe County Regional Parks and Open Space

As Revised
November 26, 2025

Attachment A

40 CFR 58.14(c)(1) Criteria Test for the Galletti SLAMS with and without
2013 American/Rim Fires Exceptional Events

As Revised
November 26, 2025

Subject: Network Modification Request

Date: March 5, 2015

Page 4 of 14

		5 Year Maximums with EE (2009-13)												
		Year 1	Year 2	Year 3	Year 4	Year 5	Ave Max	Std. Dev. s	Student's t value (90% Confidence)	Number of Data Values (n)	90% Upper CI	MAAQs	80% NAAQS	Test
Parameter	Averaging Times	2009	2010	2011	2012	2013	2009-13							
CO (ppm)	1-hr	3.1	2.7	2.8	2.9	2.6	2.82	0.19	2.13	5	3.0	35	28.0	PASS
CO (ppm)	8-hr	2.6	2.3	1.9	2.1	2.2	2.22	0.26	2.13	5	2.5	9	7.2	PASS
PM10 (ug/m3)	24-hr	91	87	113	77	131	99.80	21.84	2.13	5	120.6	150	120.0	FAIL
PM2.5 (ug/m3)	24-hr					100.2	100.20	#DIV/0!	2.13	5	#DIV/0!	35	28.0	#DIV/0!
PM2.5 (ug/m3)	Annual					11.5	11.50	#DIV/0!	2.13	5	#DIV/0!	12	9.6	#DIV/0!

		5 Year Maximums without EE (2009-13)												
		Year 1	Year 2	Year 3	Year 4	Year 5	Ave Max	Std. Dev. s	Student's t value (90% Confidence)	Number of Data Values (n)	90% Upper CI	MAAQs	80% NAAQS	Test
Parameter	Averaging Times	2009	2010	2011	2012	2013	2009-13							
CO (ppm)	1-hr	3.1	2.7	2.8	2.9	2.6	2.82	0.19	2.13	5	3.0	35	28.0	PASS
CO (ppm)	8-hr	2.6	2.3	1.9	2.1	2.2	2.22	0.26	2.13	5	2.5	9	7.2	PASS
PM10 (ug/m3)	24-hr	91	87	113	77	117	97.00	17.26	2.13	5	113.4	150	120.0	PASS
PM2.5 (ug/m3)	24-hr					33.8	33.80	#DIV/0!	2.13	5	#DIV/0!	35	28.0	#DIV/0!
PM2.5 (ug/m3)	Annual					9.5	9.50	#DIV/0!	2.13	5	#DIV/0!	12	9.6	#DIV/0!

As Reviewed November 2015

Attachment B

Closure of the Galletti SLAMS including discontinuing CO, PM₁₀, PM_{2.5}, and PM_{10-2.5} monitoring

As Revised
November 26, 2025

Carbon Monoxide

Discontinuation of CO monitoring is based on criteria in 40 CFR 58.14(c)(1), including the points below.

1. The monitor has shown attainment during the previous five years (2009-2013), specifically:
 - a. The monitor has never exceeded the 1-hour NAAQS of 35 ppm, and
 - b. The monitor last exceeded the 8-hour NAAQS in 1991.
2. The monitor has a probability of less than 10 percent of exceeding 80 percent of the current 1-hour and 8-hour NAAQS.

Table 1
40 CFR 58.14(c)(1) Criteria Test
(2009-13)

Averaging Time	90% Upper CI (ppm)	80% of NAAQS (ppm)	Criteria Met?
1-hour	3.0	28.0	Yes
8-hour	2.5	7.2	Yes

3. The monitor is not required in the:
 - a. EPA approved CO maintenance plan, nor
 - b. Second-ten year maintenance plan submitted to EPA on November 7, 2014.
4. The monitor is not the only CO monitor in the Truckee Meadows CO maintenance area. CO monitoring will continue at four stations, including the Reno3 (32-031-0016) and Sparks (32-031-1005) stations which are approximately 1.5 miles west and 2.1 miles east respectively, of the Galletti SLAMS.
5. The requirements of Appendix D will continue to be met.
6. In addition, EPA identified trees that affect the monitor's spatial scale (See Technical System Audit Report (September 4-6, 2013) August 2014, Finding 5).

PM₁₀

Discontinuation of PM₁₀ monitoring is based on criteria in 40 CFR 58.14(c), specifically the case-by-case criteria and including the points below.

1. The monitor has shown attainment during the previous five years (2009-2013), specifically the monitor last exceeded the 24-hour NAAQS in 2005. (Note: One PM₁₀ exceedance occurred in 2014 from the King Fire. An Exceptional Events Demonstration is expected to be submitted to EPA Region IX in Fall 2015.)
2. The monitor does not have a probability of less than 10 percent of exceeding 80 percent of the current 24-hour NAAQS of 150 µg/m³. However, the monitor will pass this test if 154 µg/m³ is used as the NAAQS. The monitor will also pass if Informationally flagged data from the 2013 American/Rim Fires are excluded from this test.

Table 2
 40 CFR 58.14(c)(1) Criteria Test
 (2009-13)

	90% Upper CI ($\mu\text{g}/\text{m}^3$)	80% of NAAQS ($\mu\text{g}/\text{m}^3$)	Criteria Met?
24-hour	120.6	120.0	No

3. The monitor is not required in the:
 - a. “Serious” PM₁₀ Attainment Plan submitted to EPA on August 5, 2002, , nor
 - b. Redesignation Request and Maintenance Plan submitted to EPA on November 7, 2014.
4. The monitor is not the only PM₁₀ monitor in the Truckee Meadows PM₁₀ non-attainment area. PM₁₀ monitoring will continue at five stations, including the Reno3 (32-031-0016) and Sparks (32-031-1005) stations which are approximately 1.5 miles west and 2.1 miles east respectively, of the Galletti SLAMS.
5. Closure of the Galletti SLAMS is a recommendation in the 2010 Network Assessment.
6. The requirements of Appendix D will continue to be met.
7. In addition, EPA identified trees and a minor PM source that affect the monitor’s spatial scale (See Technical System Audit Report (September 4-6, 2013) August 2014, Findings 5 and 6).
8. In conjunction with the proposed Spanish Springs SPM/SLAMS, the overall balance of the PM network Area Served and Population Served distributions will be improved.

PM_{2.5}

Discontinuation of PM_{2.5} monitoring is based on criteria in 40 CFR 58.14(c), specifically the case-by-case criteria and including the points below.

1. The monitor began sampling in 2013 and does not have a valid design value to compare against the 24-hour and annual PM_{2.5} NAAQS. (Note: PM_{2.5} concentrations were impacted by the American/Rim (2013) and King (2014) Fires. These data are flagged in AQS with either Informational or Request to Exclude flags. An Exceptional Events Demonstration for the American/Rim Fires was submitted to EPA Region IX in 2014. A Demonstration for the King Fire is expected to be submitted in Fall 2015.)
2. All geographic areas of Washoe County are currently designated as “Unclassifiable/Attainment” for the 24-hour and annual PM_{2.5} NAAQS, therefore the monitor is not required in any attainment nor maintenance plan.
3. The monitor is not the only PM_{2.5} monitor in the Truckee Meadows. PM_{2.5} monitoring will continue at two stations, including the Reno3 (32-031-0016) and Sparks (32-031-1005) stations which are approximately 1.5 miles west and 2.1 miles east respectively, of the Galletti SLAMS.
4. Closure of the Galletti SLAMS is a recommendation in the 2010 Network Assessment.
5. The requirements of Appendix D will continue to be met.
6. EPA identified trees and a minor PM source that affects the monitor’s spatial scale (See Technical System Audit Report (September 4-6, 2013) August 2014, Findings 5 and 6).
7. In conjunction with the proposed Spanish Springs SPM/SLAMS, the overall balance of the PM network Area Served and Population Served distributions will be improved.

Attachment C

Initiation of an SPM/SLAMS in Spanish Springs to monitor Ozone, PM₁₀, PM_{2.5}, PM_{10-2.5}, and Meteorology


As Revised
November 26, 2025

Initiation of an SPM/SLAMS in the Spanish Springs area (Lazy 5 Regional Park)

Initiating a SPM/SLAMS station to monitor Ozone, PM₁₀, PM_{2.5}, PM_{10-2.5}, and Meteorology is based on 40 CFR 58.14(b). The AQMD is requesting approval of the Spanish Springs SPM/SLAMS to be in conjunction with closure of the Galletti SLAMS. The points below support the AQMD request.

1. An SPM/SLAMS station in the Spanish Springs area is a recommendation in the 2010 Network Assessment.
2. In conjunction with the proposed Galletti SLAMS closure, the overall balance of the PM network Area Served and Population Served distributions will be improved.
3. In conjunction with the proposed Galletti SLAMS closure, the AQMD will maintain staffing and budgetary capacity. This is consistent with the “Zero-Sum Game” - “Monitoring Network Assessments: Best Practices and Lessons Learned” presented at the 2014 National Ambient Air Monitoring Conference.
4. AQMD has received preliminary approval from the Washoe County Regional Parks and Open Space Department to establish an SPM/SLAMS at the Lazy 5 Regional Park in Spanish Springs. AQMD is researching other requirements (i.e., Parks Commission approval, availability of power, right of entry, etc.).
5. The proposed location will not prohibit any planned future development included in the Lazy 5 Park Master Plan.

Figure 1



Proposed Spanish Springs SPM/SLAMS Detailed Site Information

Site Name:	Spanish Springs
AQS ID:	31-031-xxxx
Geographical coordinates:	39° 37.287' N, 119° 43.124' W
Location:	North side of Lazy 5 Regional Park
Street address:	7200 Pyramid Way Sparks, NV 89436
County:	Washoe
Distance to road:	460 meters to Pyramid Hwy
Traffic count:	10,033 AADT (2011-2013) (NDOT ATR 0311032 - SR445, 0.375 miles north of Sunset Spring Road)
Groundcover:	Paved / Vegetated
Representative area:	Reno-Sparks MSA

Figure 2
Proposed Spanish Springs Monitoring Station (looking north)



Proposed Spanish Springs SPM/SLAMS

	PM₁₀	PM_{2.5}	PM_{10-2.5}	Ozone
Site type	Population Exposure	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Sampling method	Met One BAM 1020	Met One BAM 1020	Met One BAM 1020	TAPI T400
Analysis method	Beta Attenuation	Beta Attenuation	Beta Attenuation	UV Photometry
Method code	122	170	185	087
Parameter code	81102 & 85101	88101	86101	44201
Parameter occurrence code	1	1	1	1
Start date	07/01/15 (est)	07/01/15 (est)	07/01/15 (est)	07/01/15 (est)
Operation schedule	Continuous	Continuous	Continuous	Continuous
Sampling season	All year	All year	All year	All year
Monitoring objective(s)	NAAQS comparison	NAAQS comparison	Research Support	NAAQS comparison
Probe height	4.8 meters	4.8 meters	4.8 meters	4.0 meters
Height of obstruction not on roof	14.5 meters	14.5 meters	14.5 meters	14.5 meters
Distance:				
from obstructions not on roof	30.5 meters	30.5 meters	30.5 meters	30.5 meters
from obstructions on roof	n/a	n/a	n/a	n/a
from trees				
to furnace or incinerator flue	n/a	n/a	n/a	n/a
between collocated monitors	n/a	n/a	n/a	n/a
from supporting structure	2.0 meters	2.0 meters	2.0 meters	1.2 meters
Flow rate	16.7 l/min	16.7 l/min	16.7 l/min	720-880 cc/min
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	n/a	n/a	n/a	Teflon
Residence time	n/a	n/a	n/a	13 seconds
Proposed modifications within the next 18 months?				
Is the monitor suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	Yes	n/a	n/a
Frequency of:				
flow rate verification for manual samplers audit (PM)	n/a	n/a	n/a	n/a
flow rate verification for automated analyzers audit (PM)	Bi-weekly verifications and quarterly audits	Bi-weekly verifications and quarterly audits	Bi-weekly verifications and quarterly audits	n/a
one-point QC check (gaseous)	n/a	n/a	n/a	Bi-weekly (3 point)

Figure 3
Proposed Spanish Springs Monitoring Station
Fence and Shelter Footprint




Figure 4
Proposed Spanish Springs Monitoring Station
Distance to Roadway



Figure 5
Proposed Spanish Springs Monitoring Station
Air Monitoring Shelter Description



Monitoring Station

1. Sani-Hut built shelter, 8' x 12', skid mounted.
2. 10 meter, T-135 telescoping Aluma Tower with building brackets (no guy wiring).
3. 100A, single-phase 120V/240V overhead power service.
4. Black iron security fence, 16' x 24' perimeter, 8' in height, 3/4" square pressed point picket top.

Instrumentation (inside shelter)

1. Teledyne-API T400 ozone analyzer.
2. Met One BAM 1020 continuous PM₁₀ monitor.
3. Met One BAM 1020 continuous PM_{2.5} monitor.
4. ESC 8832 data logger.

Instrumentation (on tower)

1. Met One 50.5H sonic anemometer.
2. YSI 700 ambient temperature sensor.

Instrumentation (on roof)

1. Met One BAM 1020 PM₁₀ inlet.
2. Met One BAM 1020 PM_{2.5} inlet.
3. Avant Wireless broadband antenna.

Interior Heating/Cooling

1. Baseboard heater.
2. Window mounted A/C unit.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

75 Hawthorne Street
San Francisco, CA 94105-3901

APR 22 2015

Mr. Daniel Inouye
Chief, Monitoring and Planning
Air Quality Management Division
Washoe County Health District
P.O. Box 11130
Reno, Nevada 89520-0027

Dear Mr. Inouye:

This letter is in response to your March 5, 2015 request for approval for the discontinuation of SLAMS (State or Local Air Monitoring Station) CO, PM₁₀, PM_{2.5}, and PM_{10-2.5} monitoring at the Galletti site (AQS ID 32-031-0022) and for the initiation of a new SLAMS in the Spanish Springs area. Washoe County Health District Air Quality Management Division (Washoe County AQMD) proposed the relocation of the entire Galletti monitoring site in its Ambient Air Monitoring Network Plan submitted to the U.S. Environmental Protection Agency (EPA) in July 2014 (page 8). The plan was available for public inspection prior to its submittal to EPA and received no public comments on this proposed monitoring network change. EPA did not act on the request as part of the network plan approval, as the network plan did not contain sufficient information.

As noted in Washoe County AQMD's request, the Galletti site was forced to close in late 2014 due to an emergency paving project undertaken by the Nevada Department of Transportation. In addition, there are trees within 10 meters of monitor inlets and probes at the Galletti site, which does not conform to 40 CFR §58 Appendix E siting. This siting issue was a finding in EPA's technical systems audit of Washoe County AQMD in September 2013. EPA also recommended that Washoe County AQMD evaluate the appropriate spatial scale for PM measurements given the presence of a nearby minor particulate matter source. Washoe County AQMD has been unable to resolve these 40 CFR §58 Appendix E siting issues at the existing site.

The CO, PM₁₀, PM_{2.5}, and PM_{10-2.5} monitors at the Galletti site are not specifically required by an attainment or maintenance plan and Washoe County will continue to meet the minimum required SLAMS sites as described in 40 CFR §58, Appendix D for each of these pollutants after this site is closed. Washoe County AQMD will also continue to monitor for PM_{2.5} at two SLAMS, for PM₁₀ at five SLAMS, and for CO at four SLAMS. All three pollutants will continue to be monitored at Reno3 (32-031-0016) and Sparks (32-031-1005) which are approximately 1.5 miles west and 2.1 miles east, respectively, of the Galletti site.

Per 40 CFR §58.14, monitoring agencies are required to obtain EPA approval for the discontinuation of SLAMS monitors. Washoe County AQMD's statistical analysis, based on 2009-2013, demonstrates that there is a less than 10 percent probability of exceeding 80 percent of any CO NAAQS (National Ambient Air Quality Standards) at this site during the next three

years (2014-2016). 2014 concentrations continue to show low values, with a maximum one-hour concentration of 2.8 parts per million. EPA approves the closure for CO at Galletti in accordance with 40 CFR §58.14(c)(1).

Washoe County AQMD's statistical analysis for PM₁₀ demonstrates, using the annual maximum 24-hour concentrations from 2009-2013, that there is just over a 10 percent probability of exceeding 80 percent of the PM₁₀ NAAQS at this site during the next three years (2014-2016). The 90 percent confidence interval (CI) associated with a 10 percent probability of exceeding 80 percent of any PM₁₀ NAAQS is 120.0 µg/m³, and the 2009-2013 time period has a CI of 120.6 µg/m³. If the days in 2013 that are flagged as exceptional events due to the American and Rim Fires are removed from the dataset, the 2009-2013 data demonstrate that there is a less than 10 percent probability of exceeding 80 percent of the PM₁₀ NAAQS. Also, the statistical analysis of 2008-2012 data meets the criteria for having less than a 10 percent probability of exceeding 80 percent of the PM₁₀ NAAQS, with a CI of 103.7 µg/m³.

Since the PM_{2.5} monitor at Galletti ran from January 2013 through mid-November 2014, there is not enough historical information to evaluate the closure under 40 CFR §58.14(c)(1). Since insufficient data are available to calculate a single design value, the annual mean and 98th percentiles were compared between Galletti and the PM_{2.5} monitor at Sparks (32-031-1005). As previously noted, Sparks is 2.1 miles east of the Galletti site. Based on 2013 and preliminary 2014 data, the annual means are higher at Sparks than at Galletti, and the preliminary 2014 98th percentiles are higher at Sparks than at Galletti. The 2013 98th percentiles at Sparks and Galletti are similar (38.2 µg/m³ and 41.1 µg/m³ respectively) and are higher at Sparks than at Galletti when flagged exceptional events due to the American and Rim fires are excluded.

While EPA has not concurred on the Galletti PM₁₀ and PM_{2.5} flagged exceptional events on 2013 data, the American/Rim fires burned a total of 284,754 acres of forest from August through October 2013 in the Sierra Nevada Mountains, upwind of the Reno area. These fires resulted in elevated PM_{2.5} and PM₁₀ concentrations above what is usually observed in August and September without the contribution of fire emissions, and the effects they had on air quality in California and Nevada were widely discussed in the news. Finally, these wildfires affected air quality similarly at the Sparks, Galletti and Reno3 sites. Given these factors, that Washoe County APCD has already been forced to close the site, and that the existing site has significant siting issues that Washoe County APCD has been unable to resolve, EPA approves the closure for PM₁₀ at Galletti in accordance with 40 CFR §58.14(c)(1), and approves the closure of the PM_{2.5} monitor at Galletti on a case-by-case basis per 40 CFR §58.14(c). EPA also approves the discontinuation of meteorology measurements and of reporting PM_{10-2.5} data from this location, neither of which were required.

EPA has also reviewed the new site proposal for Spanish Springs. According to the information presented, the new site will operate as a SPM for 18 months and then is expected to be converted to a SLAMS. The proposed location meets siting requirements and improves Washoe County AQMD's overall network coverage. The addition of a site in Spanish Springs was also a recommendation in Washoe County AQMD's 2010 Network Assessment. Per 40 CFR §58.14(b), EPA approves the new Spanish Springs site for Ozone, PM₁₀, PM_{2.5}, and PM_{10-2.5}, as a SPM for 18 months and then expected conversion to a SLAMS.

Please include these network modifications and EPA's approval in your next annual network plan. If you have any questions, please contact me at (415) 947-4534 or Katherine Hoag (Hoag.Katherine@epa.gov) at (415) 972-3970.

Sincerely,



Meredith Kurpius
Manager, Air Quality Analysis Office

As Revised
November 26, 2025

**WASHOE COUNTY
HEALTH DISTRICT**
ENHANCING QUALITY OF LIFE

June 30, 2017

Meredith Kurpius
Manager, Air Quality Analysis Office
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street, AIR-7
San Francisco, CA 94105

Subject: Proposed Modifications to the Washoe County Health District, Air Quality Management Division Ambient Air Monitoring Network

Dear Ms. Kurpius:

Pursuant to 40 CFR 58.14, the Washoe County Health District, Air Quality Management Division (AQMD) requests review and approval for two modifications to the existing ambient air monitoring network. The AQMD is proposing to:

1. Discontinue PM₁₀ monitoring at the South Reno SLAMS (AQS ID 32-031-0020) effective December 31, 2017; and
2. Discontinue PM₁₀ monitoring and a complete site closure at the Plumb-Kit SLAMS (AQS ID 32-031-0030) effective December 31, 2017.

The proposed modifications are consistent with the AQMD's most recent Network Assessment (2015) and/or Annual Network Plan (2017). Attached are demonstrations to support AQMD's proposal to discontinue PM₁₀ monitoring at the South Reno and Plumb-Kit SLAMS. Approval of these requests will also build capacity to operate and maintain two new monitoring stations - Spanish Springs and West Reno. The Spanish Springs SPM (AQS ID 32-031-1007) has been submitting data to AQS since January 1, 2017. AQMD is actively reviewing potential monitoring locations in West Reno. A separate network modification request will be submitted when a specific location in West Reno is secured.

If you require additional information, feel free to contact Mr. Craig Petersen or me at (775) 784-7200.

Sincerely,



Daniel Inouye
Monitoring and Planning Branch Chief

cc: Anna Mebust, EPA Region 9
Craig Petersen, AQMD

Attachment A
 Discontinuation of PM₁₀ monitoring at the South Reno SLAMS (AQS ID 32-031-0020)

Discontinuation of PM₁₀ monitoring is based on criteria in 40 CFR 58.14(c)(1), including the points below.

1. The monitor has shown attainment during the previous five years (2012-16), specifically:
 - a. The monitor has not exceeded nor violated the 24-hour NAAQS of 150 µg/m³.
2. The monitor has a probability of less than 10 percent of exceeding 80 percent of the current 24-hour NAAQS.¹

Parameter (µg/m ³)	Averaging Time	5 Year Maximums (2012-16)					Ave Max	Std. Dev.	Student's t value (90% confidence)	Number of Data Values (n)	90% Upper CI	NAAQS	80% of NAAQS	Test
		Year 1	Year 2	Year 3	Year 4	Year 5								
PM ₁₀ including EE ¹	24-hr	61	133	106	100	62	92.40	30.83	2.13	5	121.8	150	120	FAIL
PM ₁₀ excluding EE ¹	24-hr	61	80	70	100	62	74.60	16.12	2.13	5	90.0	150	120	PASS

3. The monitor is not required in the PM₁₀ maintenance plan effective January 7, 2016 (80 FR 76232, December 8, 2015).
4. The monitor is located in the Truckee Meadows PM₁₀ maintenance area. PM₁₀ monitoring will continue at three stations in the maintenance area - Reno3 NCore (32-031-0016), Sparks SLAMS (32-031-1005), and Toll SLAMS (32-031-0025).
5. Discontinuation of PM₁₀ monitoring is listed in the most recent Network Assessment (2015) and ANP (2017).
6. The requirements of 40 CFR 58, Appendix D will continue to be met.

¹ Rim and American Fires (2013) and King Fire (2014) Exceptional Events

Attachment B

Discontinuation of PM₁₀ monitoring and complete site closure at the Plumb-Kit SLAMS (AQS ID 32-031-0025)

Discontinuation of PM₁₀ monitoring and complete site closure is based on criteria in 40 CFR 58.14(c)(1), including the points below.

1. The monitor has shown attainment during the previous five years (2012-16), specifically:
 - a. The monitor has not exceeded nor violated the 24-hour NAAQS of 150 µg/m³.
2. The monitor has a probability of less than 10 percent of exceeding 80 percent of the current 24-hour NAAQS.²

Parameter (µg/m ³)	Averaging Time	5 Year Maximums (2012-16)					Ave Max	Std. Dev.	Student's t value (90% confidence)	Number of Data Values (n)	90% Upper CI	NAAQS	80% of NAAQS	Test	
		Year 1	Year 2	Year 3	Year 4	Year 5									
PM ₁₀ including EE ²	24-hr	2012	2013	2014	2015	2016	2012-16								FAIL
PM ₁₀ excluding EE ²	24-hr	92	127	136	70	80	101.00	29.09	2.13	5	128.7	150	120		PASS
		92	113	89	70	80	88.80	16.02	2.13	5	104.1	150	120		

3. The monitor is not required in the PM₁₀ maintenance plan effective January 7, 2016 (80 FR 76232, December 8, 2015).
4. The monitor is located in the Truckee Meadows PM₁₀ maintenance area. PM₁₀ monitoring will continue at three stations in the maintenance area - Reno3 NCore (32-031-0016), Sparks SLAMS (32-031-1005), and Toll SLAMS (32-031-0025).
5. Discontinuation of PM₁₀ monitoring and complete site closure is listed in the most recent ANP (2017).
6. The requirements of 40 CFR 58, Appendix D will continue to be met.

² Rim and American Fires (2013) and King Fire (2014) Exceptional Events



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IX
75 Hawthorne Street
San Francisco, CA 94105
DEC 19 2017

Mr. Daniel K. Inouye
Chief, Monitoring and Planning Branch
Air Quality Management Division
Washoe County Health District
P.O. Box 11130
Reno, Nevada 89520-0027

Dear Mr. Inouye:

This letter provides the Environmental Protection Agency's (EPA's) review and approval for the Washoe County Health District's (WCHD's) closure of the Federal Reference Method (FRM) PM₁₀ SLAMS monitor reporting parameter code 81102 data to parameter occurrence code (POC) 1 at Reno3 (AQS ID: 32-031-0016-81102-1). This letter also approves the discontinuation of the PM₁₀ State or Local Air Monitoring Station (SLAMS) monitors at South Reno (AQS ID: 32-031-0020) and Plumb-Kit (AQS ID: 32-031-0030). On June 30, 2017 and December 8, 2017, WCHD sent letters to EPA describing these network changes.

Per 40 CFR 58.14, monitoring agencies are required to obtain EPA approval for the discontinuation of SLAMS monitors. Discontinuation of these monitors was specifically reviewed under 40 CR 58.14(c), which states that requests for discontinuation "may also be approved on a case-by-case basis if discontinuance does not compromise data collection needed for implementation of a [National Ambient Air Quality Standard (NAAQS)] and if the requirements of appendix D to this part, if any, continue to be met."

The Reno3 PM₁₀ FRM has been operating since 1988 and has been used to provide PM_{coarse} measurements since 2009 to fulfill requirements for National Core (NCore) multipollutant monitoring stations. In 2013, WCHD began reporting regulatory PM₁₀ data from a continuous Federal Equivalent Method (FEM) to POC 2 at Reno3 in addition to the FRM. A comparison of 24-hour PM₁₀ concentrations measured between 2013 and 2016 at Reno3 shows that the FRM and FEM are very highly correlated ($R^2 = 0.9704$) and that the FEM provides PM₁₀ data of comparable concentrations to the FRM, with a slope of 0.9808. WCHD is requesting closure of the PM₁₀ POC 1 FRM data reporting to parameter code 88102. WCHD will continue to operate the FRM instrument for PM_{coarse} and report PM₁₀ data from the FRM in local conditions (parameter code 85101), and will continue to report PM₁₀ data to parameter code 81102 from the FEM for comparison with the 1987 24-hour PM₁₀ NAAQS. This analysis shows that discontinuation of data reporting from the FRM would not compromise data collection at Reno3 needed for implementation of the 1987 24-hour PM₁₀ NAAQS; discontinuation also will not prevent WCHD from meeting 40 CFR 58 Appendix D requirements.

In evaluating the request to discontinue PM₁₀ monitoring at South Reno and Plumb-Kit, EPA analyzed PM₁₀ data associated with the five most recently available design values (2012 – 2016 design values, encompassing data from 2010 – 2016) for both sites and throughout the WCHD PM₁₀ network. WCHD started monitoring for PM₁₀ using a manual method instrument at South Reno and Plumb-Kit in 1988 and 2006, respectively. In 2010, both sites sampled on a 1-in-6 day schedule. In 2011, WCHD transitioned from manual to continuous PM₁₀ instruments at both sites. Due to this transition, both sites have invalid PM₁₀ design values in AQS for 2012 and 2013. Based on certified data submitted to AQS, both the South Reno and Plumb-Kit sites were in attainment of the 1987 24-hour PM₁₀ NAAQS from 2014-2016, with valid PM₁₀ design values of 0.0. Neither site measured an exceedance of the 1987 24-hour PM₁₀ NAAQS at any point during 2010-2016.

There were five total PM₁₀ monitoring sites operating in Washoe County at the end of 2016, all of which were located within the Truckee Meadows PM₁₀ maintenance area. The 2016 design value site in the Truckee Meadows maintenance area is Toll (AQS ID: 32-031-0025), with a design value of 0.3. A comparison of 2012-2016 data from South Reno and Toll on days where at least one of those monitors measured a concentration above 80% of the NAAQS shows that Toll measured higher concentrations than South Reno on four out of four such days; a similar comparison between Plumb-Kit and Toll shows that Toll measured higher concentrations than Plumb-Kit on four out of six such days. Preliminary data currently available for a portion of 2017 is consistent with the trends previously discussed. Based on these analyses, discontinuance of these monitors does not compromise data collection needed for implementation of the 1987 24-hour PM₁₀ NAAQS and will not prevent WCHD from meeting 40 CFR 58 Appendix D requirements.

Therefore, EPA approves WCHD's discontinuation of the Reno3 PM₁₀ FRM SLAMS monitor reporting parameter code 81102 data to POC 1, and discontinuation of the South Reno and Plumb-Kit PM₁₀ SLAMS monitors on a case-by-case basis per 40 CFR 58.14(c). Please include these network modifications and EPA's approval in your next annual network plan.

If there are any questions regarding this letter, please feel free to contact me at (415) 947-4134 or Anna Mebust of my staff at (415) 972-3265.

Sincerely,



Gwen Yoshimura, Manager
Air Quality Analysis Office

cc (via email): Craig Peterson, WCHD

January 27, 2020

Gwen Yoshimura
Manager, Air Quality Analysis Office
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street, AIR-7
San Francisco, CA 94105

Subject: Proposed Modification to the Washoe County Health District, Air Quality Management Division Ambient Air Monitoring Network

Dear Ms. Yoshimura:

The Washoe County Health District, Air Quality Management Division (AQMD) is requesting approval from the U.S. Environmental Protection Agency (EPA) to relocate the AQMD's SLAMS/NCore monitoring station (AQS ID 32-031-0016, Reno3) and retain the same AQS ID. According to 40 CFR 58.14 (6):

A SLAMS monitor not eligible for removal under any of the criteria in paragraphs (c)(1) through (c)(5) of this section may be moved to a nearby location with the same scale of representation if logistical problems beyond the State's control make it impossible to continue operation at its current site.

The AQMD operated and maintained the Reno3 station from November 2001 to December 2019. It has been classified as an NCore site since December 2010. Reno3 was located on property owned by the City of Reno (COR). In 2019, the COR sold the property for development of low-income and market-rate multi-family housing. Operation of a SLAMS/NCore monitoring station was not compatible with this project.

The proposed replacement site (Reno4) is approximately 1.12 km to the east southeast of the Reno3 site. It is in the playground area of Libby Booth Elementary School. The AQMD did not receive enough lead time to conduct parallel monitoring at Reno3 and Reno4. Air monitoring equipment was relocated from Reno3 to Reno4 in December 2019. QA audits were performed of the monitors prior to relocating the equipment. Data loss for nearly all parameters was less than one day.

The Reno3 and Reno4 sites are both in Hydrographic Area 87 (Truckee Meadows), share similar topographic features, share similar meteorological patterns, and are at similar elevations (approximately 24 feet difference). Detailed information regarding Reno4, including obstacles and traffic counts, is included in Attachment 1 (Detailed Site Information).

The AQMD is requesting that EPA approve Reno4 as an NCore site and to continue to use the same AQS ID (32-031-0016) as Reno3.

Subject: AQS ID 32-031-0016 SLAMS/NCore Relocation Request

Date: January 27, 2020

Page 2 of 2

Feel free to contact Mr. Daniel Inouye or me at 775-784-7200 if I can be of further assistance.

Sincerely,

A handwritten signature in blue ink that reads "Francisco Vega". The signature is written in a cursive style.

Francisco Vega, P.E., MBA
Director, Air Quality Management Division
Washoe County Health District

cc: Randall Chang, EPA Region 9

As Revised,
November 26, 2020

Attachment 1

Detailed Site Information

As Revised
November 26, 2025

Proposed Reno4 NCore Detailed Site Information

Proposed site name:	Reno4
Proposed AQS ID:	32-031-0016
Geographical coordinates:	39° 31.316'N, 119° 47.724'W
Elevation:	4,461'
Assessor's Parcel Number:	013-042-01
Owner:	Washoe County School District Board
Location:	North edge of Libby Booth Elementary School property
Street address:	1450 Stewart Street Reno, NV 89502
County:	Washoe
Distance to road:	10 meters to Stewart Street 150 meters to Yori Ave
Traffic count: (See additional counts in Table 3)	<900 Approximate AADT (NDOT Estimate - Stewart Street) 1,033 AADT (2016-2018) (NDOT ATR 0310886 - Yori Ave, 165 ft N of Stewart St)
Groundcover:	Paved / Decomposed Granite
Representative area:	Reno-Sparks MSA

Figure 1
Reno4 Air Monitoring Station



High-Level Station and Analyzer Information

Monitoring Station

1. 8' x 20' converted shipping container built by Quick Space.
2. 10 meter, T-135 telescoping Aluma Tower with building brackets (no guy wiring).
3. 200A, single-phase 120V/240V underground power service.

Instrumentation (inside shelter)

1. Teledyne-API 100EU trace-level SO₂ analyzer.
2. Teledyne-API 200EU trace-level NO₂/NO/NO_x analyzer.
3. Teledyne-API 200EU/NO_y trace-level NO₂/NO/NO_y analyzer.
4. Teledyne-API 300EU trace-level CO analyzer.
5. Teledyne-API 400E ozone analyzer.
6. Teledyne-API T700U Dilution Calibrator
7. Teledyne-API 701H Zero Air Generator
8. Met One BAM 1020 continuous PM₁₀ monitor.
9. Met One BAM 1020 continuous PM_{2.5} monitor.
10. Agilaire 8832 data logger.

Instrumentation (on tower)

1. Met One 50.5H sonic anemometer.
2. Teledyne-API 200EU/NO_y convertor.


Instrumentation (on roof)

1. Met One BAM 1020 PM₁₀ inlet.
2. Met One BAM 1020 PM_{2.5} inlet.
3. BGI PQ200 FRM PM_{2.5} sampler.
4. BGI PQ200 FRM PM₁₀ sampler.
5. Met One 063-1 ambient temperature sensor.
6. Met One 083E relative humidity sensor.
7. Avant Wireless broadband antenna.

Heating/Cooling

1. Mitsubishi 1.5 Ton Two-Zone Mini Split System

Figure 2
 Reno3 and Reno4 Air Monitoring Stations



November 2019

Figure 3
Area Surrounding Reno4 Air Monitoring Station




Figure 4
Obstacles and Roadways Immediately Surrounding Reno4 Air Monitoring Station




Table 1
Obstacles Surrounding Reno4 Air Monitoring Station
(Refer to Figure 4)

Obstacle Number	Type	~Height (ft)*	Distance to edge of shelter			Notes
			Label	~Distance (ft)	Distance/Height Ratio	
1	Tree	16	A	61.5	3.8	
2	Tree	n/a	n/a	n/a	n/a	Tree removed
3	Tree	52	D	136.5	2.6	

* Measured from ground.

Table 2
Roadways and Traffic Counts Immediately Surrounding Reno4 Air Monitoring Station
(Refer to Figures 3 and 4)

Roadway Name	Type	Distance to edge of shelter (m)	AADT	Notes
Stewart	Local Road	10	<900	See distance "B" in Figure 4. All inlets on top of the shelter will be set back from the edge and at least 10 m from Stewart. AADT is NDOT estimate.
n/a	Bus Loading Lane	19.1		See distance "C" in Figure 3.
Yori	Local Road	150	1,033	See label "E" east northeast of Reno4 station in Figure 3. This is the nearest NDOT maintained ATR

Figure 5
Additional NDOT ATR's




Table 3
Additional Traffic Counts

ATR ID	2016	2017	2018	3-year Ave (2016-2018)	Approximate distance to Reno4 (km)
0310024	22,000	25,000	17,600	21,533	0.54
0310515	17,000	17,800	17,900	17,557	0.25
0310574	2,600	2,500	2,450	2,517	0.28
0311047	2,000	32,100	2,200	2,100	0.56

Automatic Traffic Recorder (ATR) Source: Nevada Department of Transportation Traffic Information Division (<https://www.nevadadot.com/doing-business/about-ndot/ndot-divisions/planning/traffic-information>)

Figure 6
Looking North from the Probe



Figure 7
Looking Northeast from the Probe



Figure 8
Looking East from the Probe



Figure 9
Looking Southeast from the Probe



Figure 10
Looking South from the Probe



Figure 11
Looking Southwest from the Probe



Figure 12
Looking West from the Probe



Figure 13
Looking Northwest from the Probe



Proposed Reno4 NCore Station Analyzers

Pollutant, POC	PM ₁₀ , 2	PM _{2.5} , 3	PM _{10-2.5} , 2	PM _{2.5} Speciation, 1
Primary / QA Collocated / Other	Primary	Primary	Primary	Primary
Parameter code	81102 & 85101	88101	86101	88502
Basic monitoring objective(s)	NAAQS comparison	NAAQS comparison	Research Support	Research Support
Site type(s)	Population Exposure	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Network affiliation(s)	NCore	NCore	NCore	CSN STN, NCore
Instrument manufacturer / model	Met One BAM 1020	Met One BAM 1020	Met One BAM 1020 Coarse Pair	Met One SASS; URG 3000N SASS: 810 URG: 870
Method code	122	170	185	
FRM / FEM / ARM / Other	FEM	FEM	FEM	Other
Collecting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Analytical Lab	n/a	n/a	n/a	AMEC Foster Wheeler
Reporting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Monitoring start date	December 2010	December 2010	December 2010	November 2001
Current sampling frequency	Continuous	Continuous	Continuous	1:3
Required sampling frequency	n/a	n/a	n/a	1:3
Sampling season	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31
Probe height	5.2 meters	5.1 meters	5.1 meters	SASS: 4.9 meters URG: 5.1 meters
Distance from supporting structure	2.2 meters	2.1 meters	2.1 meters	SASS: 1.8 meters URG: 2.1 meters
Distance from obstructions on roof	n/a	n/a	n/a	n/a
Distance from obstructions not on roof	None	None	None	None
Distance from nearest road	11.6 meters	11.6 meters	11.6 meters	SASS: 10.4 meters URG: 10.4 meters
Distance from trees (see Figure 4, obstacle 3)	42.0 meters	43.2 meters	42.0 meters	SASS: 44.7 meters URG: 46.0 meters
Distance to furnace or incinerator flue	n/a	n/a	n/a	n/a
Distance between collocated monitors	n/a	1.04 meters	n/a	n/a
For low volume PM instruments, is any PM instrument within 1 meter?	No	No	No	No
For high volume PM instruments, is any PM instrument within 2 meters?	n/a	n/a	n/a	n/a
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	n/a	n/a	n/a	n/a
Residence time	n/a	n/a	n/a	n/a
Proposed modifications within the next 18 months?	None	None	None	None
Is it suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	Yes	n/a	No
Frequency of flow rate verification for manual samplers (PM)	n/a	n/a	n/a	Monthly verifications and quarterly audits
Frequency of flow rate verification for automated analyzers (PM)	Bi-weekly verifications and quarterly audits	Bi-weekly verifications and quarterly audits	Bi-weekly verifications and quarterly audits	n/a
Frequency of one-point QC check (gaseous)	n/a	n/a	n/a	n/a
Date of annual performance evaluation (gaseous & meteorological)	n/a	n/a	n/a	n/a
Date of two semi-annual flow rate audits (PM)				

Proposed Reno4 NCore Station Analyzers (continued)

Pollutant, POC	PM ₁₀ , 1	PM _{2.5} , 1	PM _{10-2.5} , 1	Trace CO, 1
Primary / QA Collocated / Other	Other	QA Collocated	Other	n/a
Parameter code	81102 & 85101	88101	86101	42101
Basic monitoring objective(s)	Research Support	NAAQS comparison	Research Support	NAAQS comparison
Site type(s)	Population Exposure	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Network affiliation(s)	NCore	NCore	NCore	NCore
Instrument manufacturer / model	BGI PQ200	BGI PQ200	BGI PQ200 coarse pair	TAPI 300EU
Method code	125	142	173	593
FRM / FEM / ARM / Other	FRM	FRM	FRM	FRM
Collecting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Analytical Lab	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	n/a
Reporting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Monitoring start date	April 1988	January 1999	March 2009	December 2010
Current sampling frequency	1:3	1:3	1:3	Continuous
Required sampling frequency	1:3	1:3	1:3	n/a
Sampling season	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31
Probe height	5.0 meters	5.0 meters	5.0 meters	5.1 meters
Distance from supporting structure	2.0 meters	2.0 meters	2.0 meters	2.1 meters
Distance from obstructions on roof	n/a	n/a	n/a	n/a
Distance from obstructions not on roof	None	None	None	None
Distance from nearest road	10.4 meters	10.4 meters	10.4 meters	12.5 meters
Distance from trees (see Figure 4, obstacle 3)	42.0 meters	43.2 meters	42.0 meters	45.7 meters
Distance to furnace or incinerator flue	n/a	n/a	n/a	n/a
Distance between collocated monitors	n/a	1.2 meters	n/a	n/a
For low volume PM instruments, is any PM instrument within 1 meter?	No	No	No	n/a
For high volume PM instruments, is any PM instrument within 2 meters?	n/a	n/a	n/a	n/a
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	n/a	n/a	n/a	Teflon
Residence time	n/a	n/a	n/a	4 seconds
Proposed modifications within the next 18 months?	None	None	None	None
Is it suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	Yes	n/a	n/a
Frequency of flow rate verification for manual samplers (PM)	Monthly verifications and quarterly audits	Monthly verifications and quarterly audits	Monthly verifications and quarterly audits	n/a
Frequency of flow rate verification for automated analyzers (PM)	n/a	n/a	n/a	n/a
Frequency of one-point QC check (gaseous)	n/a	n/a	n/a	Weekly
Date of annual performance evaluation (gaseous & meteorological)	n/a	n/a	n/a	
Date of two semi-annual flow rate audits (PM)				n/a

Proposed Reno4 NCore Station Analyzers (continued)

Pollutant, POC	O ₃ , 1	Trace NO, 1	Trace NO ₂ , 1	Trace NO _x , 1
Primary / QA Collocated / Other	n/a	Primary	Primary	Primary
Parameter code	44201	42602	42602	42602
Basic monitoring objective(s)	NAAQS comparison	Research Support	NAAQS comparison	Research Support
Site type(s)	Highest Concentration	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Network affiliation(s)	NCore	NCore	NCore	NCore
Instrument manufacturer / model	TAPI 400E	TAPI 200EU	TAPI 200EU	TAPI 200EU
Method code	087	099	099	099
FRM / FEM / ARM / Other	FEM	FRM	FRM	FRM
Collecting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Analytical Lab	n/a	n/a	n/a	n/a
Reporting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Monitoring start date	January 1983	November 2001	November 2001	November 2001
Current sampling frequency	Continuous	Continuous	Continuous	Continuous
Required sampling frequency	n/a	n/a	n/a	n/a
Sampling season	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31
Probe height	5.1 meters	5.1 meters	5.1 meters	5.1 meters
Distance from supporting structure	2.1 meters	2.1 meters	2.1 meters	2.1 meters
Distance from obstructions on roof	n/a	n/a	n/a	n/a
Distance from obstructions not on roof	None	None	None	None
Distance from nearest road	12.5 meters	12.5 meters	12.5 meters	12.5 meters
Distance from trees (see Figure 4, obstacle 3)	45.7 meters	46.9 meters	46.9 meters	46.9 meters
Distance to furnace or incinerator flue	n/a	n/a	n/a	n/a
Distance between collocated monitors	n/a	n/a	n/a	n/a
For low volume PM instruments, is any PM instrument within 1 meter?	n/a	n/a	n/a	n/a
For high volume PM instruments, is any PM instrument within 2 meters?	n/a	n/a	n/a	n/a
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	Teflon	Teflon	Teflon	Teflon
Residence time	4 seconds	5 seconds	5 seconds	5 seconds
Proposed modifications within the next 18 months?	None	None	None	None
Is it suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	n/a	n/a	n/a
Frequency of flow rate verification for manual samplers (PM)	n/a	n/a	n/a	n/a
Frequency of flow rate verification for automated analyzers (PM)	n/a	n/a	n/a	n/a
Frequency of one-point QC check (gaseous)	Weekly	Weekly (4 point w/ GPT)	Weekly (4 point w/ GPT)	Weekly (4 point w/ GPT)
Date of annual performance evaluation (gaseous & meteorological)				
Date of two semi-annual flow rate audits (PM)	n/a	n/a	n/a	n/a

Proposed Reno4 NCore Station Analyzers (continued)

Pollutant, POC	Trace NO, 1	NO _y -NO, 1	NO _y , 1	Trace SO ₂ , 1
Primary / QA Collocated / Other	n/a	n/a	n/a	n/a
Parameter code	42612	42612	42612	42401
Basic monitoring objective(s)	Research Support	Research Support	Research Support	NAAQS comparison
Site type(s)	Population Exposure	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Network affiliation(s)	NCore	NCore	NCore	NCore
Instrument manufacturer / model	TAPI 200EU with 501	TAPI 200EU with 501	TAPI 200EU with 501	TAPI 100EU
Method code	699	699	699	600
FRM / FEM / ARM / Other	Other	Other	Other	FEM
Collecting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Analytical Lab	n/a	n/a	n/a	n/a
Reporting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Monitoring start date	December 2010	December 2010	December 2010	December 2010
Current sampling frequency	Continuous	Continuous	Continuous	Continuous
Required sampling frequency	n/a	n/a	n/a	n/a
Sampling season	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31
Probe height	8.6 meters	8.6 meters	8.6 meters	5.1 meters
Distance from supporting structure	8.6 meters	8.6 meters	8.6 meters	2.1 meters
Distance from obstructions on roof	n/a	n/a	n/a	n/a
Distance from obstructions not on roof	None	None	None	None
Distance from nearest road	11.2 meters	11.2 meters	11.2 meters	12.5 meters
Distance from trees (see Figure 4, obstacle 3)	47.7 meters	47.7 meters	47.7 meters	45.7 meters
Distance to furnace or incinerator flue	n/a	n/a	n/a	n/a
Distance between collocated monitors	n/a	n/a	n/a	n/a
For low volume PM instruments, is any PM instrument within 1 meter?	n/a	n/a	n/a	n/a
For high volume PM instruments, is any PM instrument within 2 meters?	n/a	n/a	n/a	n/a
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	Teflon	Teflon	Teflon	Teflon
Residence time	6 seconds	6 seconds	6 seconds	4 seconds
Proposed modifications within the next 18 months?	None	None	None	None
Is it suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	n/a	n/a	n/a
Frequency of flow rate verification for manual samplers (PM)	n/a	n/a	n/a	n/a
Frequency of flow rate verification for automated analyzers (PM)	n/a	n/a	n/a	n/a
Frequency of one-point QC check (gaseous)	Weekly (4 point w/ GPT)	Weekly (4 point w/ GPT)	Weekly (4 point w/ GPT)	Weekly
Date of annual performance evaluation (gaseous & meteorological)				
Date of two semi-annual flow rate audits (PM)	n/a	n/a	n/a	n/a

Proposed Reno4 NCore Station Analyzers (continued)

Pollutant, POC	Wind Speed, 1	Wind Direction, 1	Ambient Temperature, 1	Relative Humidity, 1
Primary / QA Collocated / Other	n/a	n/a	n/a	n/a
Parameter code	61101 & 61103	61102 & 61104	62101	62201
Basic monitoring objective(s)	Research, Public Information	Research, Public Information	Research, Public Information	Research, Public Information
Site type(s)	Population Exposure	Population Exposure	Population Exposure	Population Exposure
Monitor type	SLAMS	SLAMS	SLAMS	SLAMS
Network affiliation(s)	NCore	NCore	NCore	NCore
Instrument manufacturer / model	Met One 50.5H	Met One 50.5H	Met One 063-1	Met One 083E
Method code	061	061	014	061
FRM / FEM / ARM / Other	n/a	n/a	n/a	n/a
Collecting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Analytical Lab	n/a	n/a	n/a	n/a
Reporting Agency	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD	WCHD - AQMD
Spatial scale	Neighborhood	Neighborhood	Neighborhood	Neighborhood
Monitoring start date	February 2013	February 2013	February 2013	February 2013
Current sampling frequency	Continuous	Continuous	Continuous	Continuous
Required sampling frequency	n/a	n/a	n/a	n/a
Sampling season	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31	01/01 - 12/31
Probe height	9.7 meters	9.7 meters	4.3 meters	4.3 meters
Distance from supporting structure	9.7 meters	9.7 meters	1.2 meters	1.2 meters
Distance from obstructions on roof	n/a	n/a	n/a	n/a
Distance from obstructions not on roof	None	None	None	None
Distance from nearest road	11.7 meters	11.7 meters	12.5 meters	12.5 meters
Distance from trees (see Figure 4, obstacle 3)	47.7 meters	47.7 meters	47.7 meters	47.7 meters
Distance to furnace or incinerator flue	n/a	n/a	n/a	n/a
Distance between collocated monitors	n/a	n/a	n/a	n/a
For low volume PM instruments, is any PM instrument within 1 meter?	n/a	n/a	n/a	n/a
For high volume PM instruments, is any PM instrument within 2 meters?	n/a	n/a	n/a	n/a
Unrestricted airflow	360 degrees	360 degrees	360 degrees	360 degrees
Probe material	n/a	n/a	n/a	n/a
Residence time	n/a	n/a	n/a	n/a
Proposed modifications within the next 18 months?	None	None	None	None
Is it suitable for comparison against the annual PM_{2.5} NAAQS?	n/a	n/a	n/a	n/a
Frequency of flow rate verification for manual samplers (PM)	n/a	n/a	n/a	n/a
Frequency of flow rate verification for automated analyzers (PM)	n/a	n/a	n/a	n/a
Frequency of one-point QC check (gaseous)	n/a	n/a	n/a	n/a
Date of annual performance evaluation (gaseous & meteorological)				
Date of two semi-annual flow rate audits (PM)	n/a	n/a	n/a	n/a

Attachment 2

NCORE Site Move Checklist

As Revised
November 26, 2025

Table 1
State and Metropolitan Area Information

	State Summary	Existing CBSA for NCore Station	Proposed CBSA for NCore Station
Name	Nevada	Reno, NV	Reno, NV
Population (2018)	3,057,582	464,464	464,464
Annual PM _{2.5} DV (2016-2018)	13 PM _{2.5} sites ranging from 5.1 to 9.4 ug/m ³	7.6 ug/m ³	7.6 ug/m ³
24-hour PM _{2.5} DV (2016-2018)	13 PM _{2.5} sites ranging from 13 to 28 ug/m ³	25 ug/m ³	25 ug/m ³
8-hour Ozone DV (2016-2018)	23 ozone sites ranging from 0.061 to 0.076 ppm	0.071 ppm	0.071 ppm

Population Estimates: State of Nevada, Department of Taxation, Population Statistics and Reports (https://tax.nv.gov/Publications/Population_Statistics_and_Reports/)

Table 2
Site Information

NCore Site Information	Existing NCore Station	Proposed NCore Station
Site Name	Reno3	Reno4
AQS ID	32-031-0016	32-031-0016
Latitude	39° 31.505'N	39° 31.316'N
Longitude	119° 48.463'W	119° 47.724'W
Elevation	4,489'	4,461'
Length of time site has/is operating?	Operated as SLAMS from Nov 2001 to Dec 2019. Also designated as NCore from Dec 2010 to Dec 2019.	January 1, 2020

Table 3
Checklist of Questions

#	Question	AQMD Response
1	Why does the current NCore site have to move?	Reno3 station was on property owned by the City of Reno (COR). The COR sold the property to a private developer in 2019 which ended the interlocal agreement between AQMD and COR.
2	Has the monitoring agency submitted a letter requesting the move?	This transmittal letter and attachments serves as AQMD's formal request.
3	Has the new site been included in the most recent Annual Monitoring Network Plan?	Yes.
4	Were there concerns expressed regarding the new site as a result of the AMNP process?	No.
5	Has the Region reviewed and recommended the new site?	No, See Question 2 above.
6	Was an on-site visit performed by EPA?	Yes, during a Technical System Audit conducted on August 13-15, 2019.
7	Does the new location appear to meet the objectives of NCore such that it can serve as a long-term location to provide representative data for the metropolitan area to use in trends, model evaluation, and tracking metropolitan area statistics?	Yes.
8	Can the new site meet siting criteria?	Yes.
9	Is the new site at neighborhood or urban scale?	Yes, Neighborhood scale.
10	Is the new site away from any large emission sources	Yes.
11	Are there any concerns regarding the recommended new site?	No.
12	Do OAQPS AAMG staff recommend approving new site for NCore?	TBD.