

## NORTHERN NEVADA PUBLIC HEALTH AIR QUALITY MANAGEMENT DIVISION 1001 East Ninth Street Suite B171 Reno, Nevada 89512

## NOTICE OF VIOLATION No: AQMV24-0028 ISSUED TO

DG Golden Triangle, LLC Location: 6087 Golden Triangle Way Permit Number: APCP24-0134 Date of Issuance: October 18, 2024 Case No.: 1535

Northern Nevada Public Health Air Quality Management Division (AQMD) has determined that DG Golden Triangle, LLC is in violation of the District Board of Health Regulations Governing Air Quality Management PART 040.030 DUST CONTROL.

#### 1. VIOLATION

A. Failure to obtain a Dust Control Permit prior to commencement of a dust generating activity (1) acre or greater.

#### 2. BASIS OF VIOLATION

A. Regulatory Authority
The District Board of Health Regulations Governing Air Quality Ma

The District Board of Health Regulations Governing Air Quality Management paragraph 040.030.C.3 DUST CONTROL PERMIT REQUIREMENTS:

The owner and/or operator of a dust generating activity shall apply for and obtain a Dust Control Permit prior to commencement of the dust generating activity. In the Dust Control Permit application, the owner and/or operator shall designate a person responsible for compliance with the "District Board of Health Regulations Governing Air Quality Management." Failure to comply with the provisions of an approved Dust Control Permit shall be deemed a violation of this Rule.

B. Facts to Constitute the Violation On September 12, 2024, an Air Quality Specialist Trainee (AQST) observed dust generating activities on APN 520-431-06, 520-431-08, and 520-431-07. The site disturbance was over 1 acre. The site did not have a Dust Control Permit.

The AQST contacted site personnel. The AQST advised that the site required a Dust Control Permit. The AQST advised that dust generating activities must cease until a permit is obtained from the AQMD. Site personnel then stopped dust generating activities.

Subject: Notice of Violation AQMV24-0028 / DG Golden Triangle, LLC

Date: October 18, 2024

Page 2 of 2



An application for a Dust Control Permit to disturb 2.7 acres as part of the Guthrie's Golden Triangle Project was then submitted to the AQMD. Dust Control Permit No. APCP24-0134was issued on September 17, 2024, bringing the project into compliance

### 3. APPEAL PROCEDURE AND TIME LIMITATIONS

### A. Appeal Procedure

DG Golden Triangle, LLC is advised that within (10) working days of receipt of this Notice of Violation, DG Golden Triangle, LLC may submit a written petition for appeal to the Northern Nevada Public Health - Air Quality Hearing Board. The written petition for appeal shall be submitted to the AQMD at the following address:

Northern Nevada Public Health Air Quality Management Division 1001East Ninth Street Suite B171 Reno, Nevada 89512

Failure to submit a petition for appeal within the specified timeframe will result in the submission of this Notice of Violation to the Northern Nevada Public Health - District Board of Health with a recommendation for the assessment of an administrative fine of \$500.00.

10/18/24

Date

leff seppson

Senior Air Quality Specialist Air Quality Management Division Northern Nevada Public Health

# Northern Nevada Public Health Air Quality Management Division Recommended Penalty Calculation Worksheet


Company Name	DG Golden Triangle, LLC			
Contact Name	Matt Dahlhauser			
Case Number	1525			
I. Violation of Section	040.030.C.3 DUST CONTROL P	ERMIT REQUIREMENT	S	
I. Recommended Pe	nalty	=	\$	500.00
II. Violation of Section	0			
II. Recommended Pe	enalty	=	\$_	0.00
III. Violation of Section	0			
III. Recommended Po	enalty	=	\$	0.00
IV. Violation of Section	0			
IV. Recommended P	enalty	=	\$	0.00
V. Violation of Section	0			
V. Recommended P	Penalty	=	\$_	0.00
Total Recommended Penalty		=	\$_	500.00
Senior AQ Specialist/Supervisor		10/18/24 Date		

# Northern Nevada Public Health Air Quality Management Division Recommended Penalty Calculation Worksheet

Company Name	DG Golden Triangle, LLC
Contact Name	Matt Dahlhauser
Case Number	1535
Violation Number	AQMV24-0028
Violation of Section Permit Condition	040.030.C.3 DUST CONTROL PERMIT REQUIREMENTS N/A
I. Base Penalty as sp	pecified in the Penalty Table = \$ 500.00
II. Severity of Violati	on
A. Public Health I	mpact
	ase (For Emissions Exceedances)
Unable to Quantify	- 1x Criteria Pollutant - 1x Hazardous Air Pollutant - 2x
	Adjustment Factor 1
	y by Rule  Public Health Risk (Proximity to sensitive environment or group)
	rate – 1.5x Significant – 2x Adjustment Factor 1.0
	y by Rule
	Total Adjustment Factors (1 x 2) = 1
B. Adjusted Base	Penalty
Base Penalty	\$ 500.00 x Adjustment Factor 1 = \$ 500.00
C. Number of Day	s/Weeks/Months or Units in Violation
Adjusted Penalty	\$ 500.00 x Number of Days/Weeks/Mol 1 = \$ 500.00
Comment: Penalt	y by Rule
D. Economic Bene	efit
Avoided Costs \$	0.00 + Delayed Costs \$ 0.00 = \$ 0.00
Comment: Penalt	y by Rule
Penalty Subtotal	
Adjusted Base Penalty \$	+ Economic Benefit \$ 0.00 = \$ 500.00

# Northern Nevada Public Health Air Quality Management Division Recommended Penalty Calculation Worksheet

### III. Penalty Adjustment Consideration





November 27, 2024

Dear Joshua Restori:

The following is in response to your request for proof of delivery on your item with the tracking number: **9489 0090 0027 6501 2440 55**.

### Item Details

Status:Delivered, Left with IndividualStatus Date / Time:October 28, 2024, 12:23 pmLocation:MARIETTA, GA 30068

Postal Product: First-Class Mail®
Extra Services: Certified Mail™

Return Receipt Electronic

**Shipment Details** 

Weight: 4lb, 9.2oz

### Recipient Signature

Signature of Recipient:

Address of Recipient:

Note: Scanned image may reflect a different destination address due to Intended Recipient's delivery instructions on file.

Thank you for selecting the United States Postal Service® for your mailing needs. If you require additional assistance, please contact your local Post Office™ or a Postal representative at 1-800-222-1811.

Sincerely, United States Postal Service® 475 L'Enfant Plaza SW Washington, D.C. 20260-0004