

NORTHERN NEVADA PUBLIC HEALTH AIR QUALITY MANAGEMENT DIVISION 1001 East Ninth Street Suite B171 Reno, Nevada 89512

NOTICE OF VIOLATION No: AQMV24-0011 ISSUED TO

Ochoa Development Corporation
Location: Mountain View Apartments, APN 019-232-67
Permit Number: APCP23-0022
Date of Issuance: March 26, 2024
Case No.: 1487

Northern Nevada Public Health Air Quality Management Division (AQMD) has determined that Ochoa Development Corporation is in violation of the District Board of Health Regulations Governing Air Quality Management PART 040.030 DUST CONTROL.

1. VIOLATION

A. Failure to obtain a Dust Control Permit prior to commencement of a dust generating activity (1) acre or greater. Failure to erect an informational sign at the main entrance to the project site prior to breaking ground. Failure to maintain the Dust Control Permit on the job site. Failure to maintain daily records demonstrating compliance with the Dust Control Permit.

2. BASIS OF VIOLATION

A. Regulatory Authority
The District Board of Health Regulations Governing Air Quality Management PART
040.030 DUST CONTROL.

040.030.C.3. - DUST CONTROL PERMIT REQUIREMENTS:

The owner and/or operator of a dust generating activity shall apply for and obtain a Dust Control Permit prior to commencement of the dust generating activity. In the Dust Control Permit application, the owner and/or operator shall designate a person responsible for compliance with the "District Board of Health Regulations Governing Air Quality Management." Failure to comply with the provisions of an approved Dust Control Permit shall be deemed a violation of this Rule.

040.030.C.3.c. PROJECT INFORMATION SIGN:

The owner and/or operator of a dust generating activity subject to Section C.3 of this Rule shall comply with the following project information sign requirements:

1. The project information sign shall be constructed at the main entrance and be visible to the public at all construction sites;

Subject: Notice of Violation AQMV24-0011 / Ochoa Development Corporation

Date: March 26, 2024

Page 2 of 3



2. Shall meet the project information sign criteria listed in the Dust Control Permit application; and

3. Shall remain in place for all phases of the project.

040.030.E.2. RECORDKEEPING:

- a. Any person who conducts dust-generating activities subject to Section C.3 of this Rule shall maintain daily records demonstrating compliance with Section C of this Rule.
 - 1. The Dust Control Permit shall be kept on the specific job site and made available to the Control Officer immediately upon request.
 - 2. Daily records shall be made available to the Control Officer immediately upon request.

B. Facts to Constitute the Violation

On January 9, 2024 an Air Quality Specialist Trainee (AQST) conducted a routine compliance evaluation of the Mountain View Apartments Project at APN 019-232-67. The site was permitted for 1 acre of disturbance under Dust Control Permit No. APCP23-0022. During the evaluation the AQST determined that disturbance was occurring outside the acreage covered under Dust Control Permit APCP23-0022. The observed area of disturbance covered the full parcel at 3.26 acres. The AQST directed site personnel to stop activities in the unpermitted areas until a new Dust Control Permit was obtained from the AQMD. Additionally, the site was not posted with an informational sign, the Dust Control Permit was not available on the job site, and records demonstrating compliance were not being maintained.

On January 10, 2024 an updated Dust Control Permit application was submitted to the AQMD.

On January 12, 2024 Dust Control Permit APCP23-0022 was updated to cover the full area of disturbance on the project.

On January 17, 2024 the AQST conducted a follow-up evaluation of the Mountain View Apartments Project. The site was posted with an informational sign. The sign included a QR code which linked to the Dust Control Permit and daily records.

3. APPEAL PROCEDURE AND TIME LIMITATIONS

A. Appeal Procedure

Ochoa Development Corporation is advised that within (10) working days of the receipt of this Notice of Violation, Ochoa Development Corporation may submit a written petition for appeal to the Northern Nevada Public Health - Air Quality Hearing Board. The written petition for appeal shall be submitted to the AQMD at the following address:

Northern Nevada Public Health Air Quality Management Division 1001East Ninth Street Suite B171 Reno, Nevada 89512

AIR QUALITY MANAGEMENT DIVISION

1001 East Ninth Street, Building B-171, Reno, Nevada 89512

AQMD Office: 775-784-7200 | Fax: 775-784-7225 | OurClean Air.com
Serving Reno, Sparks and all of Washoe County, Nevada.

Subject: Notice of Violation AQMV24-0011 / Ochoa Development Corporation

Date: March 26, 2024

Page 3 of 3



Failure to submit a petition for appeal within the specified timeframe will result in the submission of this Notice of Violation to the Northern Nevada Public Health - District Board of Health with a recommendation for the assessment of an administrative fine of \$500.00.

210010

Date

Jeff Jeppson

Senior Air Quality Specialist Air Quality Management Division Northern Nevada Public Health

CHAPTER 020 - GENERAL PROVISIONS

PART 020.100 - VIOLATIONS OF REGULATIONS AND PENALTIES

SECTION A - VIOLATION OF REGULATIONS AND PENALTIES

1. VIOLATION OF REGULATIONS

a. In determining whether a violation of these regulations has been committed, whether the violation was intentional or inadvertent is immaterial and does not constitute cause for dismissal of the case by the Hearing Board or District Board of Health. However, either board may consider whether the violation was intentional or inadvertent in determining the amount of the penalty to be imposed.

2. NOTICE OF VIOLATION

- a. Whenever the Control Officer or their authorized agent or representative has a reasonable cause to believe that any section of these regulations for the prevention, abatement or control of air pollution has been violated, the Control Officer shall cause written notice to be served upon the person or persons responsible for the alleged violations.
- b. The notice shall specify:
 - (1) The section or sections of these regulations alleged to be violated.
 - (2) The facts alleged to constitute the violation.
 - (3) Appeal procedure including any time limitations.
- c. The notice may include an order to take corrective action within a reasonable time, which shall be specified. Such an order becomes final unless, within ten (10) working days after service of the notice, a person named in the order requests a hearing before the Hearing Board.
- d. With or without the issuance of an order pursuant to paragraph 020.100.A.2.c:
 - (1) The Control Officer or their authorized agent or representative may notify the person or persons responsible for the alleged violation to appear before the Hearing Board at a specified time and place; or
 - (2) The Hearing Board may initiate proceedings for recovery of the appropriate penalty set forth in paragraph 020.100.A.3.
- e. Nothing in this section prevents the Hearing Board or the Control Officer or their authorized agent or representative from making efforts to obtain voluntary compliance through warning, conference, or other appropriate means.

3. CIVIL FINES AND PENALTIES

- a. Except as provided in paragraphs 020.100.A.3.b. and c., a violation of any section of these regulations constitutes a major violation. Failure to comply with any condition of an operating permit constitutes a violation.
- b. Any person who commits a major violation of any section of these regulations, other than paragraph 020.100.A.5. and SECTION 020.000.D., is guilty of a civil offense and may be required to pay an administrative fine of not more than \$10,000.00 per day, per violation. Each day of violation constitutes a separate offense. The District Board of Health may establish a compliance schedule as a part of any civil

finding either in lieu of, or in addition to, monetary penalties. Any fines assessed may be held in abeyance pending fulfillment of any compliance schedule.

- c. Violations of PARTS 040.030 (Dust Control), 040.035 (Open Burning), 040.040 (Fire Set for Training), 040.050 (Incinerator Emission), 040.051 (Wood-Burning Devices), 040.055 (Odorous Emissions), 040.080 (Gasoline Transfer and Dispensing Facilities), 040.200 (Diesel Engine Idling) or 050.001 (Emergency Episode Plan) of these regulations constitutes a minor violation unless there are three or more violations of any one of those PARTS by a person or entity, occurring within a period of twelve (12) consecutive months. All minor violations become major violations upon the occurrence of the third violation of the same PART within a period of twelve (12) consecutive months.
 - (1) The first offense of a minor violation shall result in an administrative fine of \$500.
 - (2) The second offense of a minor violation shall result in an administrative fine of \$1,000.
 - (3) Administrative non-compliance of the PARTS described in this paragraph (i.e. incomplete Dust Log, on site permit missing) shall constitute a warning. Any further administrative non-compliance with conditions of the PARTS described in this paragraph may constitute a violation.
- d. Administrative fines shall be levied by appropriate action of the District Board of Health and recorded in its official minutes. The evidence or information on which the District Board of Health bases its action may include any one or more of the following:
 - (1) The recommendation of the Control Officer, or their authorized agent or representative, based on any Notice of Violation served on any person in accordance with these regulations if that person has not appeared or requested a hearing before the Hearing Board.
 - (2) The recommendation of the Hearing Board, based on its findings in connection with any appeal or other matter referred to the District Board of Health in accordance with these regulations.
 - (3) Evidence presented before the District Board of Health by any person, public official, or representative of the District Board of Health, provided the person charged with violating any of these regulations has received reasonable notice (at least twenty (20) calendar days in advance) of the hearing at which such evidence is to be presented and is provided an opportunity to present evidence in his defense at the hearing.
- e. Unless the District Board of Health bases its decision on the recommendations and/or findings of the Control Officer, their authorized agent or representative, or the Hearing Board as set forth in paragraphs 020.000.A.3.d.(1) and (2), the District Board of Health shall base its decision as to whether a violation of these regulations has occurred on the evidence presented before the District Board of Health pursuant to paragraph 020.100.A.3.d.(3). Irrelevant, immaterial, or unduly repetitious evidence shall be excluded. Documentary evidence may be received in the form of authenticated copies or excerpts if the original is not readily available and, on request, parties shall be given an opportunity to compare the copy with the original. Each party may call and examine witnesses, introduce exhibits, cross-examine opposing witnesses on any matter relevant to the issues even though such matter was not covered in the direct examination, impeach any witness regardless of which party first was called to testify and rebut the evidence against them. The District Board of Health may take notice of judicially cognizable facts and/or recognized technical or scientific facts within the District Board of Health's specialized knowledge. All decisions of the District Board of Health respecting administrative fines shall be in writing or notice of the District Board of Health's decision shall be forwarded to the aggrieved party at their last known mailing address.
- f. In those cases where it is determined by the District Board of Health that a violation of the Regulations has occurred, the District Board of Health, at its discretion, may choose to waive the fine for a first violation, levy any fine providing it does not exceed the appropriate range limitation, require use of other mitigation methods or schedules of compliance and, in emergency situations, require a stop work order to be issued and/or any other combination of remedies to bring about compliance with the regulations.
- g. All administrative fines collected by the District Board of Health pursuant to this section shall be deposited

Washoe County Air Quality Management Permitting & Enforcement Branch Recommended Penalty Calculation Worksheet


Company Name	Ochoa Development Corporatio	n		
Contact Name	Glen Yamamoto	Glen Yamamoto		
Case Number	1487			
I. Violation of Section	040.030 DUST CONTROL			
I. Recommended	Penalty	=	\$	500.00
II. Violation of Section	0			
II. Recommended	Penalty	= "	\$	0.00
III. Violation of Section	0			
III. Recommended	Penalty	=	\$	0.00
IV. Violation of Section	<u>0</u>		¥	
IV. Recommended I	Penalty	# = %	\$	0.00
V. Violation of Section	0			
V. Recommended I	Penalty		\$	0.00
Total Recom	mended Penalty	=	\$_	500.00
Mayor	<u> </u>	3/26/20	1	
Senior AQ Specialist/Supe	ervisor D	ate		

Washoe County Air Quality Management Permitting & Enforcement Branch Recommended Penalty Calculation Worksheet

Comp	npany Name Ochoa Development Corporation					
Contact Name		Glen Yamamoto				
Case Number		1487				
Viola	tion Number	AQMV24-0011				
	tion of Section it Condition					
renn	Condition of Operation 0, 11, and 12.					
l.	Base Penalty as specified in the Penalty Table = \$ 500.00					
II.	II. Severity of Violation					
	A. Public Health Impact					
	Toxicity of Release (For Emissions Exceedances)					
	Unable to Quantify - 1x					
	Commands Dormit hu					
	Comment: Permit by Rule 2. Environmental/Public Health Risk (Proximity to sensitive environment or group)					
	Negligible – 1x Moderate – 1.5x Significant – 2x Adjustment Factor 1.0					
	Comment: Permit by					
		Total Adjustment Factors (1 x 2) = 1				
	B. Adjusted Base Per	naltv				
	Base Penalty \$	500.00 x Adjustment Factor 1 = \$ 500.00				
C. Number of Days/Weeks/Months or Units in Violation						
	Adjusted Penalty \$	500.00 x Number of Days/Weeks/Mor 1 = \$ 500.00				
	Comment: Permit by	Rule				
	D. Economic Benefit					
	Avoided Costs \$	0.00 + Delayed Costs \$ 0.00 = \$ 0.00				
	Comment: Permit by	Rule				
Pena	alty Subtotal					
	sted Base Penalty \$	500.00 + Economic Benefit \$ 0.00 = \$ 500.00				

Washoe County Air Quality Management Permitting & Enforcement Branch Recommended Penalty Calculation Worksheet

III. Penalty Adjustment Consideration





April 1, 2024

Dear Nennette Cano:

The following is in response to your request for proof of delivery on your item with the tracking number: **9489 0090 0027 6501 2527 84**.

1.4		
Item	110+	OILC:
		ans

Status:Delivered, Left with IndividualStatus Date / Time:March 29, 2024, 12:33 pmLocation:HENDERSON, NV 89074

Postal Product: First-Class Mail[®]
Extra Services: Certified Mail[™]

Return Receipt Electronic

Shipment Details

Weight: 4lb, 8.4oz

Destination Delivery Address

Street Address: 901 N GREEN VALLEY PKWY STE 130

City, State ZIP Code: HENDERSON, NV 89074-7137

Recipient Signature

Signature of Recipient:

Address of Recipient:

Henderson NV 89074

Orine Ste 130

Note: Scanned image may reflect a different destination address due to Intended Recipient's delivery instructions on file.

Thank you for selecting the United States Postal Service® for your mailing needs. If you require additional assistance, please contact your local Post Office™ or a Postal representative at 1-800-222-1811.

Sincerely, United States Postal Service® 475 L'Enfant Plaza SW Washington, D.C. 20260-0004